

Well Name: STERLING SILVER	Well Location: T24S / R31E / SEC 3 / SWNW /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM55142	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001525831	Well Status: Abandoned	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2731358

Type of Submission: Subsequent Report      Type of Action: Plug and Abandonment

Date Sundry Submitted: 05/17/2023      Time Sundry Submitted: 07:30

Date Operation Actually Began: 03/16/2023

Actual Procedure: Oxy Usa Inc. successfully plugged the Sterling Silver #1 well. See the attached subsequent plugging report, and subsequent wellbore diagram for details.

SR Attachments

- Actual Procedure
- Sterling\_Silver\_3\_Federal\_\_\_Subsequent\_Plugging\_Wellbore\_Diagram\_20230517072906.pdf
  - Sterling\_Silver\_3\_Federal\_\_\_Subsequent\_Plugging\_Report\_20230517072814.pdf

Well Name: STERLING SILVER	Well Location: T24S / R31E / SEC 3 / SWNW /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM55142	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001525831	Well Status: Abandoned	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH MCKINNEY  
Signed on: MAY 17, 2023 07:29 AM  
Name: OXY USA INCORPORATED  
Title: Regulatory Analyst Sr  
Street Address: 5 GREENWAY PLAZA SUITE 110  
City: HOUSTON State: TX  
Phone: (713) 215-7295  
Email address: SARAH\_MCKINNEY@OXY.COM

Field

Representative Name:  
Street Address:  
City: State: Zip:  
Phone:  
Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS  
BLM POC Title: Acting Assistant Field Manager  
BLM POC Phone: 5752345927  
BLM POC Email Address: jamos@blm.gov  
Disposition: Accepted  
Disposition Date: 05/26/2023  
Signature: James A. Amos

## **Sterling Silver 3 Federal #001 – Subsequent P&A Report (3/16/2023-5/5/2023)**

FISH left in hole @ 13288'.

3/30/2023- Set CIBP @ 13,220' (top of CIBP 13215' tagged).

4/4/2023- Pump cement plug, 25 sx class H CMT, 1.18 yield from 13215' to 12809'.

4/5/2023- Pump cement plug, 45 sx class H CMT, 1.18 yield from 12042' to 11613' (Tagged).

4/6/2023 – Pump 90 sx cement, from 11571' to 11075' (Tagged).

4/7/2023- Pump 40 sx cement, 8173' to 7999' (Tagged).

4/10/2023- Perf casing @ 7015' with 4 holes. Pump 9.5 bbls class C cement, tagged @ 6986'.

4/11/2023 – Pump 6 bbls class C cement (6986' to 6793' tagged). Pump 9.4 bbls cement from 5106' to 5056' (Tagged).

4/12/2023 – Pump 40 sx cement from 5056' to 4904' (tagged). Perforate csg @ 4410' with 4 holes.

4/13/2023 – Pumped 375 sx cement from 4410' to 2855' (Tagged) Start drilling out cement

4/26/2023 – Continue Drilling out to 4818'. Logged hole from 200' to 4818' and found TOC to be @ 4330'. TIH and perf per BLM direction @ 4310'.

4/28/2023- Set Cement Retainer, tagged @ 1565'. Drilled on cement retainer.

4/29/2023- Drilled through cement retainer, tagged hole @ 4280'.

5/1/2023- Set Cement Retainer @ 4265', pumped 800 sx cement – did not get cement to surface.

5/2/2023- Tagged TOC @ 4231'. Logged hole, identified TOC @ 950'. Perf @ 925' with 4 holes. Pumped 236 sx cement from 4231' to 2835' ( Tagged).


5/3/2023 – Pumped 240 sx cement from 2835' to 1417' (Tagged).

5/4/2023 – Pumped 77 sx of cement from 1417 to 999' (Tagged).

5/5/2023- Pumped 12 sx cement from 999' to 860', circulated excess to surface. Pumped 333 sx cement to surface. Well now Plugged.

## Final Wellbore Diagram 5/16/2023

Sterling Silver 3 Federal #1 (API: 30-015-25831)



Pump 12 sx CL C CMT 999' to 860', circulated excess to surface, pumped 333 sx cement to surface.

Pump 77 sx CL C CMT 1417'-999' (TAG).

Perf @ 950'. Pump 240 sx CL C CMT 2835'-1417' (TAG).

Perf @ 4310' per BLM. Set Cement Retainer @ 4265', Pump 800 sx CL C CMT 4265'-4231' (TAG). Logged, TOC 950', Pumped 236 sx CL C from 4231'-2835'.

Cement sqz with 375 sx CL C CMT 4410'-2855' (TAG)- Drill out CMT to 4818'. Run CBL, TOC 4310'.

Cement with 40 sx CL C CMT 5056'-4904' (TAG). Perf @ 4410' with 4 holes.

Cement with 6 bbls CL C CMT 6986'-6793' (TAG). Pump 9.4 bbls CL C CMT 5106'-5056' (TAG).

Perf @ 7015'. Cement with 9.5 bbls CL C CMT 7015'-6986'.

Cement with 40 sx CL H CMT 8173'-7999'.

Cement with 45 sx CL H CMT 11571'-11075'.

Cement with 45 sx CL H CMT 12042'-11613'.

Set CIBP @ 13220' (Top tagged 13215'). Cement with 25 sx CL H CMT 13215'-12809'.

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 222094

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 222094
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	Accepted for record - NMOCD JRH 6/7/23. Well P&A'd 5/5/23	6/7/2023