

Submit a Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-28565
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator J & J Service, Inc.		6. State Oil & Gas Lease No. LG-1532
3. Address of Operator PO Box 324 Lovington, NM 88260		7. Lease Name or Unit Agreement Name State NB
4. Well Location Unit Letter <u>P</u> : <u>660</u> feet from the <u>S</u> line and <u>660</u> feet from the <u>E</u> line Section <u>14</u> Township <u>13S</u> Range <u>32E</u> NMPM <u>LEA</u> County		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4306 GL		9. OGRID Number 11095
		10. Pool name or Wildcat Baum Upper Penn

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

J&J Services plugged this well as shown on the attached plugging report:

The casing will be cut off 3' below ground level, a steel plate welded on and dry hole marker will be installed. The location will be cleaned and remediated to NMOCD standards.

Spud Date:

1/13/1984

Rig Release Date:

3/12/1984

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Consultant DATE 5/19/2023
 Type or print name Phelps White E-mail address: pwiv@zianet.com PHONE: 575 626 7660

For State Use Only

APPROVED BY: [Signature] TITLE Petroleum Specialist DATE 6/7/23
 Conditions of Approval (if any):

J&J Services

Plugging Report

Well Name: **State NB #1**
 Location: Sec 14, T13S, R32E: 660 FSL 660 FEL
 API# #30-025-28565
 Current Zone of Interest:

Date	Day	
5/9/2023	1	MIRU Permian 5 Plugging equipment. NU BOP and POH LD 145 joints. The well was killed a couple of times with brine due to gas.
5/10/2023	2	Continue POH LD tubing. POH w/ 255 jts 2 7/8" tubing, some was covered with thick scale. RIH w/ gauge ring on wireline. Could not go past 7500'. POH w/ wireline. RIH w/ bit and scraper. Tag at 230 jts (7360') work down 1 joint and could go no deeper. Start out of hole to remove bit and scraper and to notify NMOCD.
5/11/2023	3	RIH w/ 2 3/8" tubing open ended. Gain approval from NMOCD to pump plug at 9686'. RIH w/ 2 3/8" tubing to 9684' and pump 60 sx class H plug. POH 10 rows and SDFN
5/12/2023	4	RIH, no tag. Pump another 50 sx class H @ 9684'. Call NMOCD and were instructed to pump another plug. Pump 50 sx class H plug @ 9684'.
5/15/2023	5	RIH and tag plug at 8859'. Circulate hole w/ plug mud and test casing 500 psi OK. Pull up and spot 25 sx class H plug @ 8846'. Pull up and spot 25 sx class H @ 7530'. POH. MIRU Jerrell Wireline and run a CBL. Found top of cement at 3638'. RDMO wireline. Email CBL to NMOCD. RIH to 5365' and spot a 25 sx class C plug. Pull up and SDFN
5/16/2023	6	Perforate 4098'. RIH w/ packer and attempt to gain injection at 500 psi, no injection. Confirm plan with NMOCD and drop down to 4150'. Spot 25 sx class C plug @ 4150'. WOC. Tag plug @ 3890'. Pull up and perforate 2550', set packer and tried without luck to inject. RIH to 2600' and pump 25 sx class C. Pull up and SDFN.
5/17/2023	7	RIH and tag plug @ 2360'. Pull up and perforate 1726'. Set packer and attempt to gain injection with no success. Contact NMOCD and confirmed plan. RIH to 1776' and pump 25 sx class C plug. WOC. RIH and tag @ 1510'. Pull up and perforate 500'. Set packer and establish good circulation. Squeeze 35 sx class C plug, final squeeze pressure 400 psi. WOC. RIH and tag plug @ 400'. POH and perforate at 150'. ND BOP and load 5 1/2" casing and annulus w/ 110 sx class C cement. SDFN

Well Bore Diagram Worksheet

Operator: J&J Services

Date Spud 1/13/1984

Well Name: State NB 1

Date Complete 3/12/1984

API #30-025-28565

Location: Sec 14, T13S, R32E: 660 FSL 660 FEL

PLUGS

110 sx class C @ 150'

Surface to 150'

Perf 150'

35 sx class C @ 500'

400 tagged to 500'

Perf 500'

25 sx class C @ 1776'

1510 tagged to 1776'

Perf 1726'

no injection

25 sx class C @ 2600

2360 tagged -2550'

Perf 2550'

25 sx class C @ 4150'

3890 tagged -4150'

Perf 4098'

25 sx class C @ 5365

5116-5366, top Glorietta

25 sx class H @ 7530'

7280 to 7530, top Abo

25 sx class H @ 8846'

8596-8846, top Wolfcamp

50 sx class H @ 9684'

8859 tagged to 9684'

50 sx class H @ 9684' No Tag

60 sx class H @ 9684 No Tag

13 3/8" 54.4# @ 450'

475 sx, Circulated

TOC 3638' CBL 5/15/23

8 5/8" 32# @ 4038'

1700 sx, Circulated

Formation Top

T. Salt	1676 from offsets
Yates	2498 from offsets
Glorietta	5316 from offsets
Abo	7480
Wolfcamp	8796
Bough A	9460
Bough C	9780
Cisco	9780

Casing Collapse and Hole
Repaired and Tested 1987

Perfs: 9736-58', 9773-9806', 9814-9820

PBSD 9928

5 1/2" 17# & 15.5# @ 10000'

1550 sx cement.

TD 10000

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 218591

CONDITIONS

Operator: J & J SERVICE INC P.O. Box 324 Lovington, NM 88260	OGRID: 11095
	Action Number: 218591
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	None	6/7/2023