

District I
1625 N. French Dr., Hobbs, NM 88240

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date - NW- 03/19/2023
⁴ API Number 30-015-46614	⁵ Pool Name WC-015 G-08 S233135D; WOLFCAMP *NSL-8431	⁶ Pool Code 98236
⁷ Property Code: 326187	⁸ Property Name: PRECIOUS 30-18 FEDERAL COM	⁹ Well Number: 43H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
C	31	23S	31E		570	NORTH	2178	WEST	EDDY

¹¹ Bottom Hole Location FTP: 117' FSL 2490' FEL LTP: 2457' FSL 2469' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	18	23S	31E		2598	SOUTH	2470	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: 3/22/23		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 10/18/22	²² Ready Date 03/19/23	²³ TD 24732'M 11475'V	²⁴ PBTB 24688'M 11475'V	²⁵ Perforations 11667-24591'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17-1/2"		13-3/8"		425'	495
12-1/4"		9-5/8"		4170'	1056
8-3/4"		7-5/8"		10959'	354
6-3/4"		5-1/2"		24712'	1046

V. Well Test Data

³¹ Date New Oil 3/24/23	³² Gas Delivery Date 3/22/23	³³ Test Date 4/4/23	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 1747
³⁷ Choke Size 61/128	³⁸ Oil 3022	³⁹ Water 6694	⁴⁰ Gas 5494		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name:
JANA MENDIOLA

Title:
SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 06/04/2023 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by:

PATRICIA MARTINEZ

Title:
PETROLEUM SPECIALIST

Approval Date:
6/9/2023

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☒ AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-46614	² Pool Code 98236	³ Pool Name WC-015 G-08 S233135D; WOLFCAMP
⁴ Property Code 326187	Property Name PRECIOUS 30_18 FED COM	⁶ Well Number 43H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 3349'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	31	23S	31E		570	NORTH	2178	WEST	EDDY
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	18	23S	31E		2598	SOUTH	2470	EAST	EDDY
¹² Dedicated Acres 800.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. NSL-8431						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.






OXY



Borehole:		Well:		Field:		Structure:	
Precious 30-18 Federal Com 43H		Precious 30-18 Federal Com 43H		NM Eddy County (NAD 83)		Oxy Precious 30-18 Federal Com Pad (H&P 419)	
Gravity & Magnetic Parameters				Surface Location		Miscellaneous	
Model:	IFR1	Dip:	59.928°	Date:	17-Dec-2022	Slot:	Precious 30-18 Federal Com 43H
MagDec:	6.78°	FS:	47617.4nT	Gravity FS:	998.451mgn (9.80665 Based)	TVD Ref:	RKB(3375.3ft above MSL)
				Lat:	N 32 15 59.80		
				Lon:	W 103 49 6.94		
				Easting:	700437.8HUS		
				Grid Conv:	0.2748°		
				Scale Fact:	0.99993808	Plan: Oxy Precious 30-18 Federal Com 43H Gyro-MWD 0° to 24732°MD	

Critical Points

Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	
First Gyro Survey	89.94	0.14	226.36	89.94	-0.06	-0.05	-0.06	0.22
Last Gyro Survey	415.22	0.23	326.82	415.22	0.45	0.50	-0.97	0.10
First SLB Survey	509.00	0.20	232.68	509.00	0.50	0.55	-1.20	0.34
Actual KOP	11032.00	14.95	46.09	10945.22	356.34	326.06	704.15	13.58
Wolfcamp Intersection	11436.46	46.51	356.76	11300.30	531.38	501.99	687.41	13.79
100' FSL Crossing	11648.00	61.77	353.60	11421.93	702.39	673.81	672.59	7.07
Exit Target Window	16058.00	90.36	4.76	11523.47	5086.81	5061.35	695.99	3.15
Enter Target Window	16483.00	89.24	355.77	11525.53	5510.83	5485.81	695.02	0.95
100' FNL Crossing	24678.00	90.78	359.70	11476.12	13691.72	13677.81	617.40	1.97
Final MWD Survey	24698.00	90.75	0.09	11475.85	13711.70	13697.81	617.37	1.97
Proj to TD	24732.00	90.75	0.09	11475.41	13745.66	13731.81	617.42	0.00





Oxy Precious 30-18 Federal Com 43H Gyro+MWD 0' to 24732'MD Survey Geodetic Report



Report Date: January 03, 2023 - 11:04 AM Client: OXY Field: NM Eddy County (NAD 83) Structure / Slot: Oxy Precious 30-18 Federal Com Pad (H&P 419) / Precious 30-18 Federal Com 43H Well: Precious 30-18 Federal Com 43H Borehole: Precious 30-18 Federal Com 43H UWI / API#: Unknown / Unknown Survey Name: Oxy Precious 30-18 Federal Com 43H Gyro+MWD 0' to 24732'MD Survey Date: October 26, 2022 Tort / AHD / DDI / ERD Ratio: 314.199 " / 14222.111 ft / 6.981 / 1.232 Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet Location Lat / Long: N 32° 15' 59.79878", W 103° 49' 6.94111" Location Grid N/E Y/X: N 461107.600 ftUS, E 700437.800 ftUS CRS Grid Convergence Angle: 0.2748 ° Grid Scale Factor: 0.99993808 Version / Patch: 2.10.829.1	Survey / DLS Computation: Minimum Curvature / Lubinski Vertical Section Azimuth: 2.490 ° (Grid North) Vertical Section Origin: 0.000 ft, 0.000 ft TVD Reference Datum: RKB TVD Reference Elevation: 3375.300 ft above MSL Seabed / Ground Elevation: 3349.300 ft above MSL Magnetic Declination: 6.780 ° Total Gravity Field Strength: 986.4514mgm (9.80665 Based) Gravity Model: GARM Total Magnetic Field Strength: 47617.400 nT Magnetic Dip Angle: 59.928 ° Declination Date: December 17, 2022 Magnetic Declination Model: IFR1 North Reference: Grid North Grid Convergence Used: 0.2800 ° Total Corr Mag North->Grid North: 6.5000 ° Local Coord Referenced To: Well Head	
---	--	--

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	461107.60	700437.80	N 32 15 59.80	W 103 49 6.94
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	0.00	0.00	0.00	461107.60	700437.80	N 32 15 59.80	W 103 49 6.94
First Gyro Survey	89.94	0.14	226.36	89.94	-0.06	-0.05	-0.06	0.22	0.08	226.36	461107.55	700437.74	N 32 15 59.80	W 103 49 6.94
	174.53	0.25	285.54	174.53	-0.09	-0.08	-0.31	0.25	0.32	256.22	461107.52	700437.49	N 32 15 59.80	W 103 49 6.94
	262.97	0.23	304.33	262.97	0.05	0.08	-0.64	0.09	0.65	276.76	461107.68	700437.16	N 32 15 59.80	W 103 49 6.95
	357.29	0.18	334.01	357.29	0.28	0.32	-0.86	0.12	0.92	290.11	461107.92	700436.94	N 32 15 59.80	W 103 49 6.95
Last Gyro Survey	415.22	0.23	326.82	415.22	0.45	0.50	-0.97	0.10	1.09	297.13	461108.09	700436.83	N 32 15 59.80	W 103 49 6.95
First SLB Survey	509.00	0.20	232.68	509.00	0.50	0.55	-1.20	0.34	1.32	294.76	461108.15	700436.60	N 32 15 59.80	W 103 49 6.96
	604.00	0.19	191.60	604.00	0.24	0.30	-1.36	0.14	1.40	282.35	461107.90	700436.44	N 32 15 59.80	W 103 49 6.96
	699.00	0.18	195.28	699.00	-0.06	0.00	-1.43	0.02	1.43	270.01	461107.60	700436.37	N 32 15 59.80	W 103 49 6.96
	777.00	0.16	242.46	777.00	-0.24	-0.17	-1.56	0.18	1.57	263.86	461107.43	700436.24	N 32 15 59.80	W 103 49 6.96
	871.00	0.16	256.35	871.00	-0.34	-0.26	-1.81	0.04	1.83	261.81	461107.34	700435.99	N 32 15 59.80	W 103 49 6.96
	965.00	0.17	248.73	965.00	-0.43	-0.34	-2.06	0.03	2.09	260.61	461107.26	700435.74	N 32 15 59.80	W 103 49 6.97
	1060.00	0.14	294.37	1059.97	-0.44	-0.34	-2.30	0.13	2.33	261.48	461107.25	700435.50	N 32 15 59.80	W 103 49 6.97
	1154.00	0.17	359.08	1153.99	-0.26	-0.16	-2.41	0.18	2.41	266.25	461107.44	700435.39	N 32 15 59.80	W 103 49 6.97
	1247.00	0.14	115.56	1246.99	-0.17	-0.07	-2.31	0.28	2.31	268.29	461107.53	700435.49	N 32 15 59.80	W 103 49 6.97
	1342.00	0.16	203.63	1341.99	-0.34	-0.24	-2.26	0.22	2.27	263.91	461107.36	700435.54	N 32 15 59.80	W 103 49 6.97
	1436.00	0.25	252.87	1435.99	-0.53	-0.42	-2.51	0.20	2.54	260.46	461107.18	700435.30	N 32 15 59.79	W 103 49 6.97
	1531.00	0.24	0.59	1530.99	-0.40	-0.28	-2.70	0.42	2.72	264.01	461107.32	700435.10	N 32 15 59.80	W 103 49 6.97
	1721.00	0.17	27.93	1720.99	0.25	0.36	-2.56	0.06	2.59	278.07	461107.96	700435.24	N 32 15 59.80	W 103 49 6.97
	1817.00	0.22	263.06	1816.99	0.41	0.46	-2.68	0.32	2.73	281.22	461108.13	700435.12	N 32 15 59.80	W 103 49 6.97
	1910.00	0.17	214.94	1909.99	0.33	0.46	-2.93	0.24	2.97	278.89	461108.06	700434.87	N 32 15 59.80	W 103 49 6.98
	2005.00	0.16	260.13	2004.99	0.18	0.32	-3.14	0.13	3.16	275.82	461107.92	700434.66	N 32 15 59.80	W 103 49 6.98
	2100.00	0.23	179.03	2099.99	-0.04	0.11	-3.27	0.27	3.27	271.87	461107.71	700434.53	N 32 15 59.80	W 103 49 6.98
	2194.00	0.21	21.22	2193.99	-0.06	0.08	-3.20	0.46	3.20	271.41	461107.68	700434.60	N 32 15 59.80	W 103 49 6.98
	2289.00	0.22	97.14	2288.99	0.09	0.22	-2.96	0.28	2.97	274.22	461107.82	700434.84	N 32 15 59.80	W 103 49 6.98
	2384.00	0.21	18.66	2383.99	0.24	0.36	-2.72	0.29	2.75	277.54	461107.96	700435.08	N 32 15 59.80	W 103 49 6.97
	2478.00	0.16	88.04	2477.99	0.42	0.53	-2.54	0.23	2.59	281.76	461108.13	700435.26	N 32 15 59.80	W 103 49 6.97
	2573.00	0.21	352.87	2572.99	0.60	0.71	-2.43	0.29	2.53	286.22	461108.31	700435.37	N 32 15 59.81	W 103 49 6.97
	2668.00	0.28	297.07	2667.99	0.87	0.98	-2.65	0.25	2.83	290.34	461108.58	700435.15	N 32 15 59.81	W 103 49 6.97
	2763.00	0.22	289.84	2762.99	1.02	1.15	-3.03	0.07	3.24	290.79	461108.75	700434.77	N 32 15 59.81	W 103 49 6.98
	2857.00	0.24	270.95	2856.99	1.07	1.22	-3.40	0.08	3.61	289.68	461108.82	700434.40	N 32 15 59.81	W 103 49 6.98
	2952.00	0.25	337.63	2951.99	1.25	1.41	-3.68	0.28	3.94	290.99	461109.01	700434.12	N 32 15 59.81	W 103 49 6.98
	3047.00	0.32	290.31	3046.99	1.52	1.69	-4.00	0.25	4.35	292.94	461109.29	700433.80	N 32 15 59.82	W 103 49 6.99
	3142.00	0.14	202.49	3141.98	1.49	1.68	-4.30	0.36	4.61	291.34	461109.28	700433.59	N 32 15 59.82	W 103 49 6.99
	3236.00	0.18	279.85	3235.98	1.40	1.60	-4.49	0.22	4.76	289.61	461109.20	700433.31	N 32 15 59.81	W 103 49 6.99
	3333.00	0.19	120.03	3332.98	1.35	1.54	-4.50	0.38	4.76	288.95	461109.14	700433.30	N 32 15 59.81	W 103 49 6.99
	3428.00	0.24	159.46	3427.98	1.09	1.28	-4.29	0.16	4.48	286.60	461108.88	700433.51	N 32 15 59.81	W 103 49 6.99
	3523.00	0.20	256.21	3522.98	0.86	1.05	-4.38	0.35	4.51	283.51	461108.65	700433.42	N 32 15 59.81	W 103 49 6.99
	3617.00	0.13	2.12	3616.98	0.92	1.12	-4.54	0.28	4.67	283.87	461108.72	700433.26	N 32 15 59.81	W 103 49 6.99
	3712.00	0.26	189.22	3711.98	0.82	1.02	-4.57	0.41	4.68	282.53	461108.81	700433.23	N 32 15 59.81	W 103 49 6.99
	3806.00	0.27	198.25	3805.98	0.39	0.59	-4.67	0.05	4.71	277.25	461108.19	700433.13	N 32 15 59.80	W 103 49 7.00
	3901.00	0.23	220.08	3900.98	0.02	0.24	-4.87	0.11	4.87	272.78	461107.84	700432.94	N 32 15 59.80	W 103 49 7.00
	3996.00	0.42	286.67	3995.98	-0.04	0.19	-5.32	0.41	5.33	272.05	461107.79	700432.48	N 32 15 59.80	W 103 49 7.00
	4056.00	0.29	341.26	4055.98	0.15	0.40	-5.58	0.58	5.60	274.07	461108.00	700432.22	N 32 15 59.80	W 103 49 7.01
	4194.00	0.14	151.34	4193.98	0.34	0.58	-5.61	0.31	5.64	275.90	461108.18	700432.19	N 32 15 59.80	W 103 49 7.01
	4289.00	0.16	124.72	4288.98	0.17	0.40	-5.45	0.06	5.45	274.23	461108.00	700432.35	N 32 15 59.80	W 103 49 7.00
	4384.00	0.10	147.25	4383.98	0.03	0.26	-5.29	0.08	5.30	272.78	461107.86	700432.51	N 32 15 59.80	W 103 49 7.00
	4479.00	0.10	135.20	4478.98	-0.10	0.13	-5.19	0.02	5.19	271.42	461107.73	700432.61	N 32 15 59.80	W 103 49 7.00
	4573.00	0.10	297.61	4572.98	-0.12	0.11	-5.21	0.21	5.21	271.19	461107.71	700432.59	N 32 15 59.80	W 103 49 7.00
	4668.00	0.12	153.02	4667.98	-0.17	0.06	-5.23	0.22	5.23	270.64	461107.66	700432.57	N 32 15 59.80	W 103 49 7.00
	4762.00	0.14	241.55	4761.98	-0.31	-0.08	-5.29	0.19	5.29	269.09	461107.52	700432.51	N 32 15 59.80	W 103 49 7.00
	4857.00	0.14	238.35	4856.98	-0.44	-0.20	-5.40	0.01	5.40	267.81	461107.40	700432.31	N 32 15 59.80	W 103 49 7.01
	4952.00	0.15	337.34	4951.98	-0.39	-0.15	-5.64	0.23	5.64	268.51	461107.45	700432.16	N 32 15 59.80	W 103 49 7.01
	5047.00	0.17	349.13	5046.98	-0.14	0.11	-5.71	0.04	5.71	271.07	461107.71	700432.09	N 32 15 59.80	W 103 49 7.01
	5141.00	0.14	272.36	5140.98	-0.01	0.25	-5.85	0.21	5.86	272.43	461107.85	700431.95	N 32 15 59.80	W 103 49 7.01
	5236.00	0.16	311.36	5235.97	0.08	0.34	-6.07	0.11	6.08	273.21	461107.94	700431.73	N 32 15 59.80	W 103 49 7.01
	5331.00	0.12	236.12	5330.97	0.10	0.37	-6.25	0.18	6.26	273.41	461107.97	700431.55	N 32 15 59.80	W 103 49 7.01
	5426.00	0.53	5425.97	5425.97	0.04	0.53	-5.90	0.96	5.90	271.83	461107.89	700431.91	N 32 15 59.80	W 103 49 7.01
	5521.00	1.74	102.15	5520.95	-0.21	1.28	-6.44	0.05	6.47	269.47	461107.56	700433.75	N 32 15 59.79	W 103 49 6.99
	5615.00	2.64	104.41	5614.88	-0.90	-0.88	-6.55	0.96	1.04	212.32	461106.72	700437.25	N 32 15 59.79	W 103 49 6.95
	5710.00	0.15	281.07	5709.85	-1.33	-1.40	-6.44	1.44	2.94	214.08	461106.20	700439.24	N 32 15 59.78	W 103 49 6.92
	5805.00	0.13	152.97	5804.85	-1.41	-1.47	-6.47	1.37	2.01	137.01	461106.13	700439.17	N 32 15 59.78	W 103 49 6.93
	5900.00	0.13	245.64	5899.85	-1.55	-1.61	-6.32	1.02	2.08	140.64	461105.99	700439.12	N 32 15 59.78	W 103 49 6.93
	5994.00	0.08	150.96	5993.85	-1.65	-1.71	-6.26	0.17	2.12	143.74	461105.89	700439.06	N 32 15 59.78	W 103 49 6.93
	6089.00	0.13	698.43	6088.91	-1.74	-1.79	-							

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S)	Longitude (E/W)
Actual KOP	9500.00	14.72	66.87	9465.71	168.42	153.52	346.22	1.31	378.73	66.09	461261.11	700784.00	N 32° 16' 1.30	W 103° 49' 2.90
	9594.00	14.82	65.60	9556.60	179.19	163.36	368.07	0.61	402.69	66.03	461270.95	700805.94	N 32° 16' 1.50	W 103° 49' 2.85
	9689.00	14.94	65.09	9648.42	190.50	173.72	390.15	0.17	427.08	66.00	461281.31	700827.93	N 32° 16' 1.60	W 103° 49' 2.39
	9784.00	14.69	64.49	9740.26	201.79	184.06	412.13	0.31	451.37	65.93	461291.65	700849.90	N 32° 16' 1.50	W 103° 49' 2.13
	9879.00	15.12	64.31	9832.06	213.30	194.62	434.17	0.46	475.79	65.85	461302.21	700871.94	N 32° 16' 1.70	W 103° 49' 1.87
	9974.00	15.39	63.35	9923.71	225.29	205.65	456.60	0.39	500.77	65.75	461313.23	700894.37	N 32° 16' 1.81	W 103° 49' 1.61
	10069.00	14.46	64.60	10015.51	236.98	216.39	478.58	0.04	525.23	65.67	461323.95	700916.35	N 32° 16' 1.92	W 103° 49' 1.36
	10163.00	15.15	63.58	10106.39	248.41	226.89	500.18	0.78	549.24	65.60	461334.47	700937.95	N 32° 16' 2.02	W 103° 49' 1.10
	10258.00	15.12	63.49	10198.09	260.41	237.94	522.39	1.04	574.03	65.51	461345.53	700960.15	N 32° 16' 2.13	W 103° 49' 0.84
	10353.00	14.98	63.93	10289.83	272.29	248.87	544.50	0.19	598.68	65.44	461356.45	700982.27	N 32° 16' 2.24	W 103° 49' 0.59
	10448.00	14.60	64.26	10381.69	283.82	259.46	566.32	0.41	622.93	65.38	461367.05	701004.08	N 32° 16' 2.34	W 103° 49' 0.33
	10542.00	15.28	65.09	10472.51	295.13	269.83	588.22	0.76	647.16	65.36	461377.41	701025.99	N 32° 16' 2.44	W 103° 49' 0.08
	10637.00	15.49	64.39	10564.10	306.86	280.58	611.02	0.30	672.36	65.34	461388.16	701048.78	N 32° 16' 2.55	W 103° 48' 59.81
	10732.00	15.39	64.96	10655.68	318.67	291.40	633.88	0.19	697.65	65.31	461398.98	701071.64	N 32° 16' 2.65	W 103° 48' 59.54
	10826.00	15.46	64.22	10746.29	330.36	302.13	656.46	0.22	722.65	65.29	461409.71	701094.22	N 32° 16' 2.76	W 103° 48' 59.28
	10921.00	15.18	64.52	10837.91	342.20	312.99	679.09	0.31	747.75	65.26	461420.57	701116.85	N 32° 16' 2.86	W 103° 48' 59.01
	10938.00	15.09	65.00	10854.32	344.26	314.88	683.10	0.91	752.18	65.25	461422.46	701120.86	N 32° 16' 2.88	W 103° 48' 58.97
	10993.00	14.64	66.90	10907.48	350.57	320.63	695.99	1.21	766.29	65.27	461428.21	701133.74	N 32° 16' 2.94	W 103° 48' 58.82
	11032.00	14.95	46.09	10945.22	356.34	326.66	704.15	13.58	775.98	65.15	461433.64	701141.90	N 32° 16' 2.99	W 103° 48' 58.72
	11087.00	18.15	22.14	10997.99	369.56	339.93	712.50	13.58	789.00	64.56	461446.51	701150.25	N 32° 16' 3.12	W 103° 48' 58.62
Wolfcamp Intersection	11182.00	20.52	338.74	11088.08	398.89	368.30	712.04	14.99	801.65	62.65	461475.88	701149.79	N 32° 16' 3.41	W 103° 48' 58.63
	11277.00	30.51	341.93	11173.71	436.81	406.85	698.48	10.61	808.33	59.78	461514.42	701136.24	N 32° 16' 3.79	W 103° 48' 58.78
	11372.00	37.63	357.36	11252.50	488.44	458.91	689.64	11.74	828.37	56.36	461566.48	701127.40	N 32° 16' 4.31	W 103° 48' 58.88
	11436.46	46.51	356.76	11300.30	531.38	501.99	687.41	13.79	851.19	53.86	461609.56	701125.16	N 32° 16' 4.73	W 103° 48' 58.91
	11467.00	50.72	356.53	11320.49	554.18	524.87	688.06	13.79	863.81	52.58	461632.43	701123.82	N 32° 16' 4.96	W 103° 48' 58.92
	11561.00	55.68	354.64	11376.78	628.87	599.88	690.23	5.52	906.96	44.69	461707.44	701117.99	N 32° 16' 5.70	W 103° 48' 58.99
	11648.00	61.77	353.69	11421.93	702.39	672.91	702.39	952.05	905.05	44.85	461781.36	701110.35	N 32° 16' 6.40	W 103° 48' 59.07
	11656.00	62.33	353.51	11425.68	709.37	680.83	671.80	7.07	956.48	44.62	461788.39	701109.56	N 32° 16' 6.50	W 103° 48' 59.08
	11751.00	70.69	355.20	11463.51	795.55	767.46	663.28	8.95	1014.36	40.84	461875.01	701101.04	N 32° 16' 7.36	W 103° 48' 59.17
	11845.00	73.50	357.83	11492.41	884.49	856.72	657.66	4.00	1080.16	37.52	461964.27	701095.62	N 32° 16' 8.24	W 103° 48' 59.23
	11940.00	74.94	357.78	11518.25	975.61	948.07	654.36	1.52	1151.97	34.61	462055.61	701092.12	N 32° 16' 9.15	W 103° 48' 59.27
	12035.00	85.94	1.37	11534.01	1069.01	1041.59	653.71	12.16	1229.74	32.11	462149.12	701091.47	N 32° 16' 10.07	W 103° 48' 59.27
	12129.00	89.97	3.09	11537.36	1162.92	1135.44	657.37	4.66	1312.00	30.07	462242.96	701095.13	N 32° 16' 11.00	W 103° 48' 59.22
	12224.00	88.59	3.20	11538.55	1257.91	1230.28	662.58	1.46	1397.36	28.31	462337.81	701100.34	N 32° 16' 11.94	W 103° 48' 59.16
	12318.00	90.75	3.36	11539.10	1351.89	1324.12	667.96	2.30	1483.06	26.77	462431.64	701105.72	N 32° 16' 12.87	W 103° 48' 59.09
	12413.00	90.68	359.91	11537.91	1446.86	1419.06	670.67	3.63	1569.56	25.30	462526.57	701108.42	N 32° 16' 13.81	W 103° 48' 59.05
	12507.00	90.97	1.51	11536.56	1540.80	1513.04	671.83	1.73	1655.49	23.94	462620.55	701109.59	N 32° 16' 14.74	W 103° 48' 59.03
	12601.00	91.07	1.71	11534.88	1634.78	1606.99	674.47	0.24	1742.79	22.77	462714.49	701112.23	N 32° 16' 15.67	W 103° 48' 59.00
	12696.00	92.05	1.45	11532.30	1729.73	1701.92	677.09	1.07	1831.66	21.11	462809.41	701114.85	N 32° 16' 16.61	W 103° 48' 58.96
	12790.00	91.81	2.14	11529.13	1823.67	1795.82	680.03	0.78	1920.26	20.74	462903.30	701117.79	N 32° 16' 17.54	W 103° 48' 58.92
12884.00	89.06	0.62	11528.42	1917.63	1889.78	682.30	3.34	2009.17	19.85	462997.25	701120.05	N 32° 16' 18.47	W 103° 48' 58.89	
12979.00	89.97	1.83	11529.22	2012.60	1984.75	684.33	1.59	2099.41	19.02	463092.22	701122.08	N 32° 16' 19.41	W 103° 48' 58.86	
13074.00	89.96	2.77	11529.28	2107.60	2079.67	688.14	0.99	2190.56	18.31	463187.14	701125.90	N 32° 16' 20.34	W 103° 48' 58.81	
13168.00	90.01	0.96	11529.30	2201.59	2173.62	691.20	1.93	2280.87	17.64	463281.08	701128.96	N 32° 16' 21.27	W 103° 48' 58.77	
13263.00	89.67	1.95	11529.57	2296.58	2286.58	693.61	1.10	2372.75	17.00	463376.04	701131.97	N 32° 16' 22.21	W 103° 48' 58.74	
13357.00	89.65	1.27	11529.96	2390.56	2360.56	696.25	0.75	2463.00	16.42	463469.99	701134.01	N 32° 16' 23.14	W 103° 48' 58.70	
13452.00	88.89	359.12	11531.01	2485.48	2457.53	696.58	2.48	2554.35	15.83	463564.98	701134.33	N 32° 16' 24.08	W 103° 48' 58.69	
13546.00	89.82	356.57	11532.07	2579.15	2551.45	693.04	2.89	2643.90	15.20	463658.89	701130.80	N 32° 16' 25.01	W 103° 48' 58.73	
13642.00	89.61	357.18	11532.54	2674.69	2647.31	687.81	3.67	2735.20	14.56	463754.74	701125.56	N 32° 16' 25.96	W 103° 48' 58.78	
13736.00	89.68	0.50	11533.13	2768.48	2741.27	685.91	3.53	2825.78	14.05	463848.70	701123.66	N 32° 16' 26.89	W 103° 48' 58.80	
13831.00	90.03	358.27	11533.37	2863.96	2836.96	683.78	2.91	2917.78	13.70	463943.68	701123.66	N 32° 16' 27.82	W 103° 48' 58.81	
13926.00	89.31	359.88	11533.91	2958.16	2931.24	683.35	1.86	3009.84	13.12	464038.66	701121.11	N 32° 16' 28.77	W 103° 48' 58.82	
14020.00	89.67	358.45	11534.75	3052.00	3025.23	681.98	1.57	3101.15	12.45	464132.63	701119.74	N 32° 16' 29.70	W 103° 48' 58.83	
14210.00	90.88	0.04	11533.84	3241.68	3215.20	679.48	1.05	3286.21	11.93	464322.59	701117.24	N 32° 16' 31.58	W 103° 48' 58.85	
14309.00	90.39	356.23	11532.74	3340.37	3314.12	676.26	3.88	3382.41	11.53	464421.51	701114.02	N 32° 16' 32.56		

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
	22429.00	90.19	359.80	11506.61	11447.07	11429.84	642.70	0.23	11448.00	3.22	472536.81	701080.46	N 32 17 52.87	W 103 48 58.81
	22524.00	91.23	358.66	11505.44	11541.91	11524.92	641.42	1.62	11542.76	3.19	472631.79	701079.18	N 32 17 53.81	W 103 48 58.82
	22619.00	91.12	357.19	11503.49	11636.59	11619.84	637.98	1.55	11637.34	3.14	472726.70	701075.74	N 32 17 54.75	W 103 48 58.86
	22713.00	90.56	359.08	11502.11	11730.30	11713.78	634.93	2.10	11730.97	3.10	472820.63	701072.69	N 32 17 55.68	W 103 48 58.89
	22903.00	91.01	358.20	11499.51	11919.85	11903.70	630.42	0.52	11920.38	3.03	473010.54	701068.18	N 32 17 57.56	W 103 48 58.93
	22997.00	90.85	359.64	11497.98	12013.65	11997.67	628.65	1.54	12014.13	3.00	473104.50	701066.41	N 32 17 58.49	W 103 48 58.95
	23092.00	90.36	358.39	11496.98	12108.47	12092.65	627.00	1.42	12108.89	2.97	473199.48	701064.76	N 32 17 59.42	W 103 48 58.96
	23281.00	90.71	358.57	11495.21	12297.00	12281.57	621.97	0.21	12297.31	2.90	473388.39	701059.73	N 32 18 1.29	W 103 48 59.01
	23376.00	91.19	357.73	11493.64	12391.71	12376.51	618.91	1.02	12391.97	2.86	473483.32	701056.67	N 32 18 2.23	W 103 48 59.04
	23471.00	90.59	359.67	11492.16	12486.49	12471.47	616.75	2.14	12486.71	2.83	473578.27	701054.51	N 32 18 3.17	W 103 48 59.06
	23565.00	90.91	2.94	11490.93	12580.45	12565.42	618.89	3.50	12580.66	2.82	473672.22	701056.65	N 32 18 4.10	W 103 48 59.03
	23660.00	90.66	1.31	11489.63	12675.43	12660.35	622.42	1.74	12675.64	2.81	473767.14	701060.18	N 32 18 5.04	W 103 48 58.98
	23755.00	90.96	1.61	11488.29	12770.41	12755.30	624.84	0.45	12770.60	2.80	473862.09	701062.50	N 32 18 5.98	W 103 48 58.95
	23849.00	90.76	1.03	11486.88	12864.38	12849.27	627.00	0.65	12864.56	2.79	473956.05	701064.76	N 32 18 6.91	W 103 48 58.92
	23944.00	90.98	1.27	11485.43	12959.34	12944.24	628.91	0.34	12959.51	2.78	474051.01	701066.67	N 32 18 7.85	W 103 48 58.89
	24039.00	90.64	0.57	11484.09	13054.29	13039.22	630.43	0.82	13054.45	2.77	474145.98	701068.19	N 32 18 8.79	W 103 48 58.87
	24133.00	91.09	1.42	11482.67	13148.25	13133.19	632.06	1.02	13148.39	2.76	474239.95	701069.82	N 32 18 9.72	W 103 48 58.84
	24228.00	91.09	359.24	11480.86	13243.16	13228.17	632.61	2.29	13243.28	2.74	474334.92	701070.37	N 32 18 10.66	W 103 48 58.83
	24323.00	91.13	357.73	11479.02	13337.91	13323.11	630.10	1.59	13338.00	2.71	474429.86	701067.86	N 32 18 11.60	W 103 48 58.86
	24417.00	89.28	356.18	11478.69	13431.46	13416.97	625.11	2.57	13431.53	2.67	474523.71	701062.87	N 32 18 12.53	W 103 48 58.91
	24512.00	90.85	358.86	11478.58	13526.09	13511.87	621.00	3.27	13526.13	2.63	474618.61	701058.76	N 32 18 13.47	W 103 48 58.95
	24607.00	90.88	358.30	11477.14	13620.86	13606.83	618.64	0.59	13620.89	2.60	474713.56	701056.40	N 32 18 14.41	W 103 48 58.97
100' FNL Crossing	24678.00	90.78	359.70	11476.12	13691.72	13677.81	617.40	1.97	13691.74	2.58	474784.54	701055.16	N 32 18 15.11	W 103 48 58.98
Final MWD Survey	24698.00	90.75	0.09	11475.85	13711.70	13697.81	617.37	1.97	13711.71	2.58	474804.53	701055.13	N 32 18 15.31	W 103 48 58.98
Proj to TD	24732.00	90.75	0.09	11475.41	13745.66	13731.81	617.42	0.00	13745.68	2.57	474838.53	701055.18	N 32 18 15.64	W 103 48 58.98

Survey Type: Def Survey

Survey Error Model: ISCWSA Rev 3 *** 3-D 95.000% Confidence 2.7955 sigma

Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Hole Size (in)	Casing Diameter (in)	Survey Tool Type	Borehole / Survey
	1	0.000	26.000	1/98.425	26.400	26.400	GVD_GC+DROP+OH-Depth Only	Precious 30-18 Federal Com 43H / Oxy Precious 30-18 Federal Com 43H Gyro+MWD 0' to 24732MD
	1	26.000	26.000	Act Stns	26.400	26.400	GVD_GC+DROP+OH-Depth Only	Precious 30-18 Federal Com 43H / Oxy Precious 30-18 Federal Com 43H Gyro+MWD 0' to 24732MD
	1	26.000	415.220	Act Stns	26.400	26.400	GVD_GC+DROP+OH	Precious 30-18 Federal Com 43H / Oxy Precious 30-18 Federal Com Precious 30-18 Federal Com 43H /
	1	415.220	24732.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS	Oxy Precious 30-18 Federal Com 43H Gyro+MWD 0' to 24732MD

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: PRECIOUS 30-18 FEDERAL COM	Well Location: T23S / R31E / SEC 31 / NENW / 32.266611 / -103.8185947	County or Parish/State: EDDY / NM
Well Number: 43H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM21640	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546614	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2731319

Type of Submission: Subsequent Report

Date Sundry Submitted: 05/16/2023

Date Operation Actually Began: 02/22/2023

Type of Action: Workover Operations

Time Sundry Submitted: 03:52

Actual Procedure: RUPU 02/22/23, RIH & clean out to PBTD @ 24688', pressure test casing to 11300# for 30 min, good test. RIH & perf @ 11667-24591' Total 1560 holes. Frac in 52 stages w/ 379880BBL Produced Water + 51089BBL Brackish Water (> 1,000 mg/I TDS and 10,000 mg/I TDS) w/ 32373140 # sand, RD Liberty Oilfield Services 03/12/23. Well ready to produce 3/19/23. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 07/07/2023.

Received by OCD: 6/4/2023 9:00:11 PM

Well Name: PRECIOUS 30-18
FEDERAL COM

Well Location: T23S / R31E / SEC 31 /
NENW / 32.266611 / -103.8185947

County or Parish/State: EDDY /
NM

Well Number: 43H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM21640

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001546614

Well Status: Producing Oil Well

Operator: OXY USA
INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JANA MENDIOLA

Signed on: MAY 16, 2023 03:52 PM

Name: OXY USA INCORPORATED

Title: Regulatory Coordinator

Street Address: PO BOX 50250

City: Midland

State: TX

Phone: (432) 685-5936

Email address: Janalyn_mendiola@oxy.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer


BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 05/30/2023

Signature: Jonathon Shepard

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017													
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-015-46614										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
								3. State Oil & Gas Lease No.										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER								5. Lease Name or Unit Agreement Name PRECIOUS 30-18 FEDERAL COM										
8. Name of Operator: OXY USA INC.								6. Well Number: 43H										
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710								9. OGRID: 16696										
11. Pool name or Wildcat WC-015 G-08 S233135D; WOLFCAMP																		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	C	31	23S	31E		570	NORTH	2178	WEST	EDDY								
BH:	J	18	23S	31E		2598	SOUTH	2470	EAST	EDDY								
13. Date Spudded 10/18/2022	14. Date T.D. Reached 01/01/2023	15. Date Rig Released 01/05/2023			16. Date Completed (Ready to Produce) 03/19/2023			17. Elevations (DF and RKB, RT, GR, etc.) 3349' GL										
18. Total Measured Depth of Well 24732'M 11475'V			19. Plug Back Measured Depth 24688'M 11475'V			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL										
22. Producing Interval(s), of this completion - Top, Bottom, Name 11667-24591' WOLFCAMP																		
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
13.375" J55		54.5		425'		17.5"		495sx-surf circ										
9.625" HCL80		40		4170'		12.25"		1056sx-surf circ										
7.625" HCL80		26.4		10959'		8.75"		354sx-TOC@7753'										
5.5" P110 ICY		20		24712'		6.75"		1046sx-TOC@8718'										
24. LINER RECORD																		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD		SIZE		DEPTH SET								
26. Perforation record (interval, size, and number) Perf @11667-24591' Total 1560 holes, Hole Size=0.42						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>11667-24591'</td> <td>379880BBL Produced Water + 51089BBL Brackish Water (> 1,000 mg/l TDS and < 10,000 mg/l TDS) w/ 32373140 # sand</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	11667-24591'	379880BBL Produced Water + 51089BBL Brackish Water (> 1,000 mg/l TDS and < 10,000 mg/l TDS) w/ 32373140 # sand				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
11667-24591'	379880BBL Produced Water + 51089BBL Brackish Water (> 1,000 mg/l TDS and < 10,000 mg/l TDS) w/ 32373140 # sand																	
28. PRODUCTION																		
Date First Production 03/24/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Prod.												
Date of Test 04/04/2023	Hours Tested 24 hrs.	Choke Size 61/128	Prod'n For Test Period	Oil - Bbl 3022	Gas - MCF 5494	Water - Bbl. 6694	Gas - Oil Ratio 1818											
Flow Tubing Press.	Casing Pressure 1747	Calculated 24-Hour Rate	Oil - Bbl. 3022	Gas - MCF 5494	Water - Bbl. 6694	Oil Gravity - API - (Corr.)												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD								30. Test Witnessed By										
31. List Attachments WBD																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:										
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude _____ Longitude _____ NAD83																		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																		
Printed																		
Signature: 		Name: <u>Jana Mendiola</u>			Title: <u>Sr. Regulatory Analyst</u>			Date: <u>06/04/2023</u>										
E-mail Address: <u>janalyn_mendiola@oxy.com</u>																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 355'	T. Bell Canyon 4142'	T. Ojo Alamo	T. Penn A"
T. Salado 689'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 2014'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 4023'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 4987'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 6272'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Spring 7922'	T. Todilto	
T. Abo	T. 1 st Bone Spring 8972'	T. Entrada	
T. Wolfcamp 11534'	T. 2 nd Bone Spring 9664'	T. Wingate	
T. Penn	T. 3 rd Bone Spring 10975'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	


No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
Precious 30-18 Federal Com 43H
API No. 30-015-46614



Perfs @ 11667-24591'

TD- 24732'M 11475'V

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 223574

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 223574
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 223574

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 223574
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	6/9/2023
plmartinez	Submit CBL Well Log (s) in OCD Permitting as [UF-WL] EP Well Log Submission.	6/9/2023