

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-045-26122
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Federal Gas Com H
8. Well Number 1E
9. OGRID Number 372171
10. Pool name or Wildcat Dakota
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 5459'

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☐ Gas Well ☒ Other	
2. Name of Operator HILCORP ENERGY COMPANY	
3. Address of Operator 382 Road 3100, Aztec, NM 87410	
4. Well Location Unit Letter <u>G</u> : <u>2085'</u> feet from the <u>North</u> line and <u>1660'</u> feet from the <u>East</u> line Section <u>31</u> Township <u>30N</u> Range <u>12W</u> NMPM County <u>San Juan</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 5459'	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☒
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

The following well was P&A'd as of 4/18/2023. Please see the plugging operations listed below.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE A Walker TITLE Operations/Regulatory Technician – Sr. DATE 5/17/2023

Type or print name Amanda Walker E-mail address: mwalker@hilcorp.com PHONE: (346) 237-2177

For State Use Only

APPROVED BY: [Signature] TITLE Petroleum Specialist DATE 6/9/23
Conditions of Approval (if any): [Signature]

30-045-26122

FEE

SR P&A

4/11/2023: MIRU. CK WELL PRESSURES (SITP: 0 PSI SICP: 0 PSI SIICP: 0 PSI SIBHP: 0 PSI). TOO H W/67 JTS. SDFN.

4/12/2023: CK WELL PRESSURES (SITP: 0 PSI SICP: 10 PSI SIICP: 0 PSI SIBHP: 0 PSI). CONT TOO H W/124 JTS. RIH W/SCRAPER T/6039'. TOO H. SDFN.

4/13/2023: CK WELL PRESSURES (SITP: 0 PSI SICP: 10 PSI SIICP: 0 PSI SIBHP: 0 PSI). TIH W/CIBP & SET @ 6010'. LOAD WELL W/29 BBL. CIRC 60 BBLs, PT CSG, NO TST. **CMT PLUG 1** (DAKOTA) 13 SX 1.37 YIELD, 14.6# BOC @ 6,010', TOC @ 5,810'. DISPLACE 22.4 BBL LD 6 JTS. WOC 4 HRS. TIH & TAG TOC @ 5925'. PT CSG T/500#, NO TST. REPMP CMT PLUG 1, 8 SX 1.37 YIELD, 14.6# BOC @ 5,925', TOC @ 5,810'. DISPLACE 22.4 BBL LD 6 JTS, TOO H 12 STDS TO 4,997' REVERSE OUT 34 BBL. WOC. SDFN. JOHN DURHAM/NMOCD ONSITE TO WITNESS OPERATIONS.

4/14/2023: CK WELL PRESSURES (SITP: 0 PSI SICP: 0 PSI SIICP: 0 PSI SIBHP: 0 PSI). TIH & TAG TOC @ 5783', CIRC 2 BBLs, PT CSG T/600 PSI, NO TST. **CMT PLUG 2** (GALLUP) 13 SX 1.37 YIELD, 14.6# BOC @ 5,245', TOC @ 5,045'. DISPLACE 19.5 BBL LD 8 JTS. REVERSE OUT 30 BBL, TOO H 12 STD TO 4,241'. WOC 5 HRS. TIH & TAG TOC @ 5047'. PT CSG T/600 PSI, NO TST. **CMT PLUG 3** (MANCOS) 13 SX 1.37 YIELD, 14.6# BOC @ 4,320', TOC @ 4,120'. DISPLACE 15.9 BBL LD 8 JTS, REVERSE OUT 24 BBL, TOO H 12 STDS TO 3,260'. WOC. SDFN. JOHN DURHAM/NMOCD ONSITE TO WITNESS OPERATIONS.

4/17/2023: CK WELL PRESSURES (SICP-0, SITP-0, SIICP-0, SIBHP-0). TIH & TAG TOC @ 4136'. ATTEMPT PT, NO TST. **CMT PLUG 4** (CLIFFHOUSE) 13 SX 1.37 YIELD, 14.6# BOC @ 3169', TOC @ 2969'. DISPLACE 11 BBL LD 10 JTS, TOH. WOC. TIH & TAG TOC @ 2945'. PT CSG T/800 PSI, GOOD TST. **CMT PLUG 5** (CHACRA) 10 SX 1.37 YIELD, 14.6# BOC @ 2600', TOC @ 2450'. DISPLACE 9.5 BBL. **CMT PLUG 6** (PICTURED CLIFFS) 10 SX 1.37 YIELD, 14.6# BOC @ 1558', TOC @ 1408'. DISPLACE 5.5 BBL. **CMT PLUG 7** (FRUITLAND) 10 SX 1.37 YIELD, 14.6# BOC @ 1033', TOC @ 883'. DISPLACE 3.4 BBL. **CMT PLUG 8** (OJO/KIRTLAND) 12 SX 1.37 YIELD, 14.6# BOC @ 773', TOC @ 588'. DISPLACE 2.2 BBL. **CMT PLUG 9** (SURFACE) 29 SX 1.37 YIELD, 14.6# BOC @ 461', TOC @ 14'. ND BOP. NU WH. SDFN JOHN DURHAM/NMOCD ONSITE TO WITNESS OPERATIONS.

4/18/2023: CK WELL PRESSURES (SICP-0, SITP-0, SIBHP-0.). TOC INSIDE 4 1/2" CSG. CUT OFF WH. TOC INSIDE 8 5/8" CsG @ 21'. TOC INSIDE CONDUCTOR @ 19'. WELD ON DH MARKER. MIX & PMP 26 SX OF 14.6#, 1.37 YLD TYPE 3 CMNT. FILL CONDUCTOR, SURFACE CSG & CELLAR. RD RR. JOHN DURHAM/NMOCD ONSITE TO WITNESS OPERATIONS.




Current Schematic - Version 3

Well Name: FEDERAL GAS COM H #1E

API / UWI 3004526122	Surface Legal Location T30N-R12W-S31	Field Name Basin Dakota	Route 0209	State/Province New Mexico	Well Configuration Type Vertical
Ground Elevation (ft) 5,459.00	Original KB/RT Elevation (ft) 5,473.00	KB-Ground Distance (ft) 14.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)	

Original Hole [Vertical]



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 223390

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 223390
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	None	6/9/2023