

Well Name: RED STAG 5/32 B2PA FED COM	Well Location: T22S / R34E / SEC 5 / SESE /	County or Parish/State: /
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM114989	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002550331	Well Status: Producing Oil Well	Operator: MEWBOURNE OIL COMPANY

Subsequent Report

Sundry ID: 2690755

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 09/06/2022

Time Sundry Submitted: 09:52

Date Operation Actually Began: 07/30/2022

Actual Procedure: 07/30/22 Spud 17 1/2" hole @ 1916'. Ran 1901' of 13 " 54.5# J55 ST&C Csg. cmt w/1150 sks Class C w/2% Gypsum & 1% CaCl2 (yd @ 2.11 cuft/sk @ 12.5 PPG). Tail w/200 sks Class C Neat (yd @ 1.33 cuft/sk @ 14.8 PPG). Displaced w/288 bbls of BW. Plug down @ 2:30 P.M. 08/01/22. Circ 580 sks of cmt to the pit. At 5:00 P.M. 08/02/22, tested csg to 1500# for 30 mins, held OK. FIT to 10.5 PPG EMW. Drilled out at 12 1/4". 08/05/22 TD'ed 12 1/4" hole @ 5445'. Ran 5430' of 9 " 36# J55 LT&C Csg. cmt 1st Stage lead w/300 sks Class C w/2% Gel, 0.45% Fluid Loss & 0.1#/sk SMS (yd @ 1.96 cuft/sk @ 12.8 PPG). 1st Stage tail w/200 sks Class C w/0.25% Retarder (yd @ 1.33 cuft/sk @ 14.8 PPG). Displaced w/413 bbls of FW. Slow rate lift pressure 917# @ 3 BPM. Plug down @ 5:30 A.M. 08/06/22. Dropped bomb & opened DV tool w/915#. Circ 286 sks of cmt off DV tool. 2nd Stage lead w/800 sks Class C w/2% Gypsum, 5% CaCl2 & 1/4#/sk Poly Flake (yd @ 2.16 cuft/sk @ 12.4 PPG). Tail w/100 sks Class C Neat (yd @ 1.33 cuft/sk @ 14.8 PPG). Displaced w/308 bbls of FW. Plug down @ 9:30 A.M. 08/06/22. Closed DV tool w/2376#. Circ 150 sks of cmt to the pit. At 4:00 A.M. 08/07/22, tested csg to 1500# for 30 mins, held OK. FIT to 10.0 PPG EMW. Drilled out at 8 3/4". 08/11/22 TD'ed 8 3/4" hole @ 10095'. Ran 10020' of 7" 26# HCP110 BT&C Csg. cmt w/450 sks Class C w/17.6#/sk Strength Enhancer, 24% Glass Beads, 0.6% Suspension agent & 0.35#/sk Poly flake (yd @ 3.87 cuft/sk @ 9.3 PPG). Tail w/400 sks Class H w/0.45% Retarder (yd @ 1.18 cuft/sk @ 15.6 PPG). Displaced w/369 bbls of OBM. Plug down @ 11:15 A.M. 08/11/22. Circ 164 sks of cmt to the pit. At 5:30 A.M. 08/12/22, tested csg to 1500# for 30 mins, held OK. FIT to 11.0 PPG EMW. Drilled out at 6 1/8". 08/29/22 TD'ed 6 1/8" hole @ 21413' MD. Ran 4 1/2" 13.5# P110IC TSH Wedge 461 Csg of 9822' (top of liner) to 21411'. cmt w/1000 sks Class H Poz w/3% Gel, 3% Gypsum, 0.35% Fluid Loss, 0.3% Suspension Agent & 0.3% Retarder (1.49 ft³/sk @ 13.5 ppg). Pump 5 bbls sugar FW. Drop dart. Displaced w/272 bbls of sugar FW. Plug down @ 4:30 A.M. 09/01/22. Bumped plug w/4100#. Set packer w/122k#. Sting out of liner hanger w/2500# on DP. Displaced csg w/360 bbls of

Well Name: RED STAG 5/32 B2PA
FED COM

Well Location: T22S / R34E / SEC 5 /
SESE /

County or Parish/State: /

Well Number: 1H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM114989

Unit or CA Name:

Unit or CA Number:

US Well Number: 3002550331

Well Status: Producing Oil Well

Operator: MEWBOURNE OIL
COMPANY

FW w/polymer sweep. Circ 263 sks cmt off liner top. At 6:30 A.M. 09/01/22, tested liner top to 2500# for 30 mins, held OK. Rig released to walk @ 5:00 P.M. 09/01/22.

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: RUBY OJEDA

Signed on: SEP 06, 2022 09:52 AM

Name: MEWBOURNE OIL COMPANY

Title: Regulatory

Street Address: 4801 BUSINESS PARK BLVD

City: HOBBS

State: NM

Phone: (575) 393-5905

Email address: RCABALLERO@MEWBOURNE.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 09/10/2022

Signature: Jonathon Shepard

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 216426

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 216426
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	6/13/2023