

District I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-47844	⁵ Pool Name PURPLE SAGE;WOLFCAMP (GAS)	⁶ Pool Code 98220
⁷ Property Code 329906	⁸ Property Name CYPRESS 33 FED COM	⁹ Well Number 244H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
P	28	23S	29E	-	48	SOUTH	1054	EAST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	33	23S	29E	-	31	SOUTH	980	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 5/6/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	G

IV. Well Completion Data

²¹ Spud Date 12/17/2021	²² Ready Date 4/29/2022	²³ TD 16000'	²⁴ PBTB 15943'	²⁵ Perforations 11070' - 15857'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	344'	415 sks		
9.875"	7.625"	10187'	1227 sks		
6.75"	5.5"	15987'	695 sks		

V. Well Test Data

³¹ Date New Oil 5/6/2022	³² Gas Delivery Date 5/6/2022	³³ Test Date 5/22/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 2545	³⁶ Csg. Pressure 2549
³⁷ Choke Size 30/64	³⁸ Oil 734	³⁹ Water 2743	⁴⁰ Gas 5810		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 6/22/2023		
Date: 5/30/2022		Phone: 720-771-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-47844	² Pool Code 98220	³ Pool Name PURPLE SAGE;WOLFCAMP (GAS)
⁴ Property Code 329906	⁵ Property Name CYPRESS 33 FED COM	⁶ Well Number 244H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3004'

¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	28	23-S	29-E	-	48'	SOUTH	1054'	EAST	EDDY

¹¹Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	33	23-S	29-E	-	31'	SOUTH	980'	EAST	EDDY


¹² Dedicated Acres 320	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No. NSL-8327
--------------------------------------	---	----------------------------------	-------------------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

FTP: 330' FNL; 1042 FEL Section 33

LTP: 100' FSL; 979 FEL Section 33







Final MWD Survey Certification

Eddy County, New Mexico

Client: Tap Rock Resources

Well Name: Cypress 33 FED COM 244H

Total Job No: SW211417

API No: 30-015-47844

Start Date: 12/16/2021

End Date: 2/10/2022

Measured Start Depth: 0 feet

Measured End Depth: 16000 feet

Vertical Section from well center at TD: 5314.81 feet

I, Paul J. Chinook, certify that; I am employed by Total Directional Services, LLC and we conducted or supervised the taking of these open hole MWD surveys at the request of this client. This data is true, correct, complete and within the limitations of the tool as set forth by Total Directional Services, LLC. I am authorized and qualified to make this report and have reviewed this report and find that it conforms to the principals and procedures as set forth by Total Directional Services, LLC.

Date: 2/10/2022

Signed: *Paul J. Chinook* *Jose Perozo Casanova*



Cypress 33 Fed Com 244H

Directional Survey Report

December 16 2021 TO February 10, 2022



Company: Tap Rock Resources LLC

State/Prov: New Mexico

Survey Company: Total Directional Services

Well Name: Cypress 33 Fed Com 244H

County: Eddy County

Job Number: SW211417

Field: Delaware Basin

Country: America

Proposed Azimuth: 179.08

Rig ID: H&P 425

Declination: 6.58

Elevations KB: 3030

API: 30-015-47844

North Reference: Grid

DF: 26

Location: 32.268727 / -103.984602

Latitude/Longitude: 32.268727 / -103.984602

GL: 3004

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
TieIn	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
1	145.00	1.19	246.52	144.99	-0.60	-1.38	0.58	0.82	145.00		
2	236.00	1.01	293.02	235.97	-0.66	-2.99	0.61	0.97	91.00		
3	295.00	1.36	282.21	294.96	-0.31	-4.15	0.24	0.70	59.00		
4	333.00	1.67	238.17	332.95	-0.51	-5.06	0.43	3.08	38.00		
5	424.00	2.24	264.54	423.90	-1.38	-7.96	1.25	1.15	91.00	1A	8R
6	513.00	1.76	268.49	512.84	-1.58	-11.05	1.40	0.56	89.00	1A	11R
7	603.00	0.31	231.84	602.83	-1.76	-12.63	1.56	1.69	90.00	1A	13R
8	693.00	0.44	150.46	692.83	-2.22	-12.65	2.01	0.55	90.00	2A	13R
9	783.00	1.05	176.74	782.82	-3.34	-12.43	3.14	0.76	90.00	3A	12R
10	874.00	1.32	196.86	873.80	-5.18	-12.69	4.97	0.54	91.00	5A	12R
11	966.00	1.36	208.99	965.77	-7.14	-13.52	6.93	0.31	92.00	7A	13R
12	1,056.00	1.54	225.08	1,055.75	-8.93	-14.90	8.69	0.49	90.00	8A	15R
13	1,186.00	1.45	240.37	1,185.70	-10.98	-17.57	10.70	0.31	130.00	10A	17R
14	1,244.00	1.23	242.83	1,243.69	-11.63	-18.76	11.32	0.39	58.00	11A	18R
15	1,339.00	0.70	206.71	1,338.67	-12.61	-19.93	12.29	0.82	95.00	12A	20R
16	1,433.00	0.48	187.63	1,432.67	-13.51	-20.24	13.19	0.31	94.00	13A	20R
17	1,527.00	1.85	75.40	1,526.65	-13.52	-18.82	13.22	2.21	94.00	23B	2R
18	1,622.00	4.09	63.71	1,621.52	-11.63	-14.30	11.40	2.43	95.00	19B	3R
19	1,716.00	4.53	63.36	1,715.25	-8.49	-7.97	8.36	0.47	94.00	15B	3R
20	1,811.00	4.70	66.08	1,809.95	-5.22	-1.06	5.21	0.29	95.00	11B	3R
21	1,905.00	4.75	64.06	1,903.63	-1.96	5.96	2.06	0.18	94.00	10B	4R
22	1,999.00	4.26	63.36	1,997.33	1.31	12.58	-1.10	0.52	94.00	9B	5R
23	2,093.00	3.87	53.60	2,091.10	4.75	18.25	-4.46	0.84	94.00	9B	5R
24	2,187.00	3.56	47.36	2,184.90	8.61	22.95	-8.24	0.54	94.00	9B	4R
25	2,281.00	3.47	47.19	2,278.73	12.52	27.19	-12.09	0.10	94.00	9B	2R
26	2,376.00	3.34	65.12	2,373.56	15.64	31.81	-15.13	1.12	95.00	7B	2R
27	2,469.00	3.25	80.94	2,466.41	17.20	36.87	-16.60	0.98	93.00	5B	3R
28	2,563.00	2.11	93.86	2,560.30	17.50	41.23	-16.84	1.37	94.00	2B	5R
29	2,657.00	2.24	135.25	2,654.24	16.08	44.25	-15.37	1.64	94.00	7A	3L
30	2,751.00	2.90	152.30	2,748.15	12.67	46.64	-11.92	1.07	94.00	10A	6L
31	2,846.00	2.55	165.22	2,843.04	8.50	48.30	-7.72	0.74	95.00	15A	7L
32	2,939.00	1.23	192.73	2,935.99	5.52	48.61	-4.74	1.68	93.00	18A	8L
33	3,033.00	0.57	285.11	3,029.98	4.66	47.93	-3.89	1.46	94.00	18A	7L
34	3,127.00	0.88	342.15	3,123.98	5.47	47.26	-4.71	0.79	94.00	18A	6L
35	3,221.00	0.97	335.38	3,217.96	6.88	46.71	-6.13	0.15	94.00	16A	6L
36	3,315.00	0.88	331.60	3,311.95	8.24	46.03	-7.50	0.12	94.00	15A	5L
37	3,409.00	0.83	326.59	3,405.94	9.44	45.32	-8.71	0.10	94.00	14A	4L
38	3,503.00	0.92	327.47	3,499.93	10.65	44.53	-9.93	0.10	94.00	12A	4L
39	3,596.00	1.01	334.24	3,592.92	12.01	43.78	-11.31	0.16	93.00	11A	3L
40	3,690.00	0.88	328.44	3,686.90	13.38	43.04	-12.68	0.17	94.00	10A	2L
41	3,784.00	1.05	322.02	3,780.89	14.67	42.13	-13.99	0.21	94.00	8A	1L
42	3,878.00	0.79	323.34	3,874.88	15.87	41.21	-15.20	0.28	94.00	7A	0
43	3,972.00	0.92	324.22	3,968.87	17.00	40.39	-16.35	0.14	94.00	6A	19R
44	4,066.00	0.83	320.35	4,062.86	18.14	39.51	-17.50	0.11	94.00	4A	19R
45	4,160.00	0.75	330.46	4,156.85	19.20	38.77	-18.57	0.17	94.00	3A	20R
46	4,254.00	0.62	345.40	4,250.84	20.22	38.34	-19.61	0.23	94.00	2A	21R
47	4,349.00	0.66	30.84	4,345.84	21.19	38.49	-20.57	0.52	95.00	1A	21R
48	4,442.00	0.75	29.52	4,438.83	22.18	39.07	-21.55	0.10	93.00	0	20R
49	4,536.00	0.57	71.53	4,532.82	22.86	39.81	-22.22	0.53	94.00	0	19R

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
50	4,630.00	0.92	95.09	4,626.82	22.95	41.01	-22.28	0.49	94.00	0	18R
51	4,724.00	0.92	90.34	4,720.80	22.87	42.52	-22.19	0.08	94.00	0	16R
52	4,818.00	1.01	91.22	4,814.79	22.85	44.10	-22.14	0.10	94.00	0	15R
53	4,913.00	0.92	82.43	4,909.78	22.93	45.69	-22.20	0.18	95.00	0	13R
54	5,007.00	0.75	86.82	5,003.77	23.07	47.05	-22.31	0.19	94.00	0	12R
55	5,101.00	0.57	71.27	5,097.76	23.25	48.11	-22.48	0.27	94.00	0	11R
56	5,196.00	0.35	56.24	5,192.76	23.57	48.80	-22.78	0.26	95.00	0	10R
57	5,290.00	0.22	82.61	5,286.76	23.75	49.22	-22.95	0.19	94.00	0	10R
58	5,385.00	0.13	124.35	5,381.76	23.71	49.49	-22.91	0.16	95.00	0	9R
59	5,479.00	0.13	63.45	5,475.76	23.70	49.67	-22.90	0.14	94.00	0	9R
60	5,573.00	0.18	55.45	5,569.76	23.83	49.89	-23.03	0.06	94.00	0	9R
61	5,667.00	0.18	92.80	5,663.76	23.91	50.16	-23.10	0.12	94.00	0	9R
62	5,761.00	0.18	133.49	5,757.75	23.80	50.41	-22.98	0.13	94.00	0	8R
63	5,855.00	0.18	112.14	5,851.75	23.64	50.65	-22.82	0.07	94.00	0	8R
64	5,950.00	0.09	152.04	5,946.75	23.52	50.83	-22.70	0.13	95.00	0	8R
65	6,044.00	0.18	158.89	6,040.75	23.32	50.92	-22.49	0.10	94.00	0	8R
66	6,138.00	0.18	168.56	6,134.75	23.03	51.00	-22.21	0.03	94.00	0	8R
67	6,233.00	0.22	161.18	6,229.75	22.71	51.09	-21.89	0.05	95.00	0	8R
68	6,327.00	0.35	185.70	6,323.75	22.26	51.12	-21.43	0.19	94.00	0	8R
69	6,421.00	0.35	190.97	6,417.75	21.69	51.03	-20.87	0.03	94.00	1A	8R
70	6,515.00	0.35	180.43	6,511.75	21.12	50.98	-20.30	0.07	94.00	2A	8R
71	6,610.00	0.62	176.30	6,606.74	20.32	51.01	-19.50	0.29	95.00	2A	8R
72	6,704.00	0.75	193.00	6,700.74	19.21	50.90	-18.39	0.25	94.00	3A	8R
73	6,798.00	0.70	219.36	6,794.73	18.17	50.40	-17.36	0.36	94.00	4A	8R
74	6,892.00	0.92	221.47	6,888.72	17.16	49.54	-16.36	0.24	94.00	5A	9R
75	6,986.00	1.05	213.91	6,982.71	15.88	48.56	-15.10	0.20	94.00	7A	10R
76	7,080.00	1.54	225.25	7,076.68	14.27	47.18	-13.51	0.59	94.00	8A	12R
77	7,174.00	1.49	228.94	7,170.65	12.58	45.36	-11.85	0.12	94.00	10A	14R
78	7,269.00	0.70	169.09	7,265.63	11.20	44.54	-10.48	1.36	95.00	12A	15R
79	7,363.00	0.75	161.88	7,359.63	10.05	44.84	-9.33	0.11	94.00	13A	15R
80	7,457.00	0.53	175.94	7,453.62	9.03	45.06	-8.31	0.29	94.00	14A	14R
81	7,552.00	0.75	230.17	7,548.62	8.20	44.61	-7.48	0.65	95.00	15A	15R
82	7,646.00	0.97	235.53	7,642.61	7.35	43.48	-6.65	0.25	94.00	16A	16R
83	7,741.00	1.05	243.88	7,737.59	6.51	42.04	-5.84	0.18	95.00	16A	17R
84	7,835.00	0.66	267.00	7,831.58	6.11	40.73	-5.45	0.55	94.00	17A	18R
85	7,930.00	0.40	291.61	7,926.58	6.20	39.87	-5.56	0.36	95.00	17A	20R
86	8,023.00	0.70	300.31	8,019.57	6.61	39.08	-5.98	0.33	93.00	16A	20R
87	8,118.00	0.66	320.26	8,114.57	7.32	38.23	-6.71	0.25	95.00	15A	21R
88	8,211.00	0.88	7.81	8,207.56	8.44	37.98	-7.83	0.70	93.00	14A	21R
89	8,304.00	1.27	21.35	8,300.54	10.11	38.46	-9.49	0.50	93.00	13A	21R
90	8,398.00	0.83	342.23	8,394.53	11.73	38.63	-11.10	0.87	94.00	11A	20R
91	8,492.00	0.35	287.21	8,488.52	12.46	38.15	-11.84	0.74	94.00	10A	21R
92	8,586.00	0.40	257.95	8,582.52	12.48	37.55	-11.87	0.21	94.00	10A	22R
93	8,681.00	0.57	251.62	8,677.52	12.26	36.78	-11.66	0.19	95.00	10A	22R
94	8,775.00	0.62	211.28	8,771.51	11.67	36.07	-11.09	0.44	94.00	11A	23R
95	8,868.00	0.88	255.22	8,864.50	11.06	35.12	-10.50	0.66	93.00	12A	24R
96	8,963.00	1.19	291.35	8,959.49	11.24	33.49	-10.70	0.74	95.00	11A	26R
97	9,056.00	0.83	279.66	9,052.48	11.70	31.93	-11.19	0.44	93.00	11A	27R
98	9,150.00	1.32	276.14	9,146.46	11.93	30.18	-11.44	0.53	94.00	10A	29R
99	9,245.00	1.27	267.88	9,241.43	12.01	28.04	-11.56	0.20	95.00	10A	31R
100	9,339.00	0.66	254.61	9,335.42	11.83	26.48	-11.40	0.69	94.00	10A	33R
101	9,433.00	0.83	235.80	9,429.41	11.30	25.39	-10.89	0.31	94.00	11A	34R
102	9,527.00	0.79	231.49	9,523.40	10.51	24.32	-10.12	0.08	94.00	12A	35R
103	9,621.00	0.83	234.31	9,617.39	9.71	23.26	-9.34	0.06	94.00	13A	36R
104	9,715.00	0.66	234.22	9,711.39	9.00	22.27	-8.64	0.18	94.00	13A	37R
105	9,809.00	0.40	262.25	9,805.38	8.64	21.51	-8.29	0.38	94.00	13A	38R
106	9,904.00	0.75	276.40	9,900.38	8.66	20.56	-8.33	0.39	95.00	14A	39R
107	9,998.00	0.92	287.92	9,994.37	8.96	19.23	-8.65	0.25	94.00	14A	40R
108	10,092.00	0.79	298.20	10,088.36	9.50	17.94	-9.21	0.21	94.00	13A	41R
109	10,188.00	0.57	318.06	10,184.35	10.17	17.04	-9.90	0.33	96.00	12A	42R
110	10,218.00	0.62	359.72	10,214.35	10.44	16.94	-10.17	1.42	30.00	1A	12R
111	10,311.00	1.01	356.21	10,307.34	11.76	16.88	-11.49	0.42	93.00	0	12R
112	10,405.00	2.15	159.77	10,401.32	10.94	17.44	-10.66	3.33	94.00	0	12R
113	10,499.00	13.23	180.43	10,494.34	-1.51	17.97	1.80	11.96	94.00	0A	11R
114	10,593.00	22.24	182.10	10,583.78	-30.11	17.23	30.38	9.60	94.00	0A	13R

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
115	10,688.00	32.04	184.21	10,668.22	-73.31	14.72	73.54	10.36	95.00	6B	16R
116	10,782.00	45.10	182.71	10,741.56	-131.69	11.30	131.85	13.93	94.00	10B	21R
117	10,876.00	58.46	178.93	10,799.59	-205.34	10.47	205.48	14.56	94.00	11B	23R
118	10,970.00	73.10	176.56	10,838.06	-290.76	13.94	290.94	15.74	94.00	7B	22R
119	11,014.00	79.96	177.62	10,848.30	-333.46	16.10	333.68	15.77	44.00	3B	21R
120	11,088.00	87.96	178.76	10,856.08	-406.96	18.42	407.20	10.92	74.00	3A	20R
121	11,182.00	87.60	179.02	10,859.72	-500.87	20.24	501.13	0.47	94.00	3A	20R
122	11,277.00	89.36	177.79	10,862.24	-595.79	22.88	596.08	2.26	95.00	1A	20R
123	11,371.00	88.88	177.00	10,863.69	-689.68	27.15	690.03	0.98	94.00	0A	17R
124	11,465.00	90.77	175.68	10,863.97	-783.48	33.15	783.91	2.45	94.00	0A	14R
125	11,559.00	90.95	175.51	10,862.56	-877.20	40.37	877.73	0.26	94.00	0A	9R
126	11,653.00	91.25	175.51	10,860.76	-970.89	47.73	971.53	0.32	94.00	2A	3R
127	11,747.00	91.87	176.30	10,858.20	-1,064.61	54.44	1,065.35	1.07	94.00	4A	1L
128	11,841.00	92.84	176.47	10,854.34	-1,158.35	60.36	1,159.17	1.05	94.00	8.7A	4L
129	11,935.00	91.03	177.09	10,851.16	-1,252.14	65.64	1,253.03	2.04	94.00	11A	7L
130	12,030.00	90.90	176.91	10,849.56	-1,347.00	70.61	1,347.96	0.23	95.00	13A	10L
131	12,124.00	89.93	178.67	10,848.88	-1,440.92	74.23	1,441.92	2.14	94.00	21A	12L
132	12,217.00	87.82	179.20	10,850.71	-1,533.88	75.96	1,534.90	2.34	93.00	20A	11L
133	12,311.00	88.48	179.37	10,853.74	-1,627.82	77.13	1,628.85	0.73	94.00	17A	11L
134	12,406.00	86.86	179.90	10,857.60	-1,722.74	77.74	1,723.76	1.79	95.00	14A	9L
135	12,500.00	87.47	180.08	10,862.25	-1,816.62	77.76	1,817.64	0.68	94.00	10A	7L
136	12,594.00	87.21	180.25	10,866.61	-1,910.52	77.49	1,911.52	0.33	94.00	6A	5L
137	12,688.00	87.52	180.25	10,870.94	-2,004.42	77.08	2,005.40	0.33	94.00	3A	2L
138	12,782.00	88.66	180.69	10,874.07	-2,098.36	76.30	2,099.32	1.30	94.00	0	0
139	12,876.00	88.40	178.41	10,876.48	-2,192.32	77.04	2,193.28	2.44	94.00	1B	2R
140	12,969.00	90.20	178.93	10,877.62	-2,285.29	79.20	2,286.26	2.01	93.00	2B	2R
141	13,063.00	91.08	179.72	10,876.57	-2,379.27	80.31	2,380.26	1.26	94.00	0A	2R
142	13,157.00	90.07	178.76	10,875.62	-2,473.26	81.56	2,474.25	1.48	94.00	2A	3R
143	13,251.00	89.54	178.32	10,875.94	-2,567.23	83.95	2,568.24	0.73	94.00	2A	3R
144	13,345.00	92.31	179.46	10,874.43	-2,661.19	85.77	2,662.22	3.19	94.00	4A	3R
145	13,439.00	90.46	179.55	10,872.15	-2,755.15	86.58	2,756.19	1.97	94.00	7A	4R
146	13,533.00	90.33	180.16	10,871.51	-2,849.15	86.82	2,850.17	0.66	94.00	8A	6R
147	13,628.00	88.97	179.81	10,872.09	-2,944.14	86.85	2,945.16	1.48	95.00	8A	8R
148	13,722.00	89.01	179.37	10,873.74	-3,038.13	87.52	3,039.14	0.47	94.00	7A	10R
149	13,816.00	90.99	180.96	10,873.74	-3,132.12	87.25	3,133.12	2.70	94.00	7A	12R
150	13,911.00	88.62	179.81	10,874.07	-3,227.11	86.61	3,228.08	2.77	95.00	8A	15R
151	14,005.00	89.10	180.96	10,875.94	-3,321.08	85.98	3,322.04	1.33	94.00	7A	17R
152	14,100.00	90.37	180.43	10,876.38	-3,416.07	84.83	3,417.00	1.45	95.00	7A	21R
153	14,195.00	88.84	177.62	10,877.03	-3,511.05	86.44	3,511.98	3.37	95.00	7A	21R
154	14,288.00	89.80	178.32	10,878.14	-3,603.98	89.74	3,604.96	1.28	93.00	7A	20R
155	14,383.00	89.45	177.70	10,878.76	-3,698.92	93.03	3,699.94	0.75	95.00	7A	19R
156	14,477.00	86.37	176.47	10,882.18	-3,792.72	97.81	3,793.80	3.53	94.00	4A	17R
157	14,571.00	86.24	176.82	10,888.24	-3,886.37	103.30	3,887.52	0.40	94.00	1B	13R
158	14,665.00	86.64	176.82	10,894.08	-3,980.04	108.50	3,981.27	0.43	94.00	6B	10R
159	14,759.00	87.30	177.09	10,899.05	-4,073.78	113.49	4,075.07	0.76	94.00	11B	7R
160	14,853.00	87.69	177.00	10,903.16	-4,167.56	118.33	4,168.92	0.43	94.00	17B	4R
161	14,947.00	91.21	177.79	10,904.06	-4,261.44	122.60	4,262.86	3.84	94.00	14B	2R
162	15,041.00	92.04	177.62	10,901.39	-4,355.33	126.36	4,356.80	0.90	94.00	11B	1R
163	15,135.00	88.26	176.38	10,901.15	-4,449.18	131.28	4,450.72	4.23	94.00	10B	2L
164	15,230.00	89.45	177.18	10,903.05	-4,544.01	136.62	4,545.62	1.51	95.00	11B	5L
165	15,324.00	92.75	177.44	10,901.24	-4,637.88	141.03	4,639.54	3.52	94.00	9B	8L
166	15,419.00	92.00	177.00	10,897.30	-4,732.68	145.63	4,734.41	0.92	95.00	4B	10L
167	15,512.00	92.48	177.35	10,893.67	-4,825.50	150.21	4,827.29	0.64	93.00	0	12L
168	15,606.00	91.12	177.88	10,890.72	-4,919.37	154.12	4,921.21	1.55	94.00	3A	14L
169	15,700.00	90.90	178.93	10,889.06	-5,013.31	156.74	5,015.18	1.14	94.00	5A	15L
170	15,795.00	92.97	179.72	10,885.85	-5,108.25	157.86	5,110.12	2.33	95.00	9A	14L
171	15,889.00	93.10	179.99	10,880.88	-5,202.12	158.09	5,203.98	0.32	94.00	15A	12L
172	15,947.00	93.10	179.99	10,877.74	-5,260.03	158.10	5,261.89	0.00	58.00	18A	10L
PTB	16,000.00	93.10	179.99	10,874.87	-5,312.95	158.11	5,314.81	0.00	53.00		

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-47844										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name CYPRESS 33 FED COM		
								6. Well Number: 244H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat PURPLE SAGE;WOLFCAMP (GAS)		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	P	28	23S	29E	-	48	SOUTH	1054	EAST	EDDY
BH:	P	33	23S	29E	-	31	SOUTH	980	EAST	EDDY
13. Date Spudded 12/17/2021	14. Date T.D. Reached 2/10/2022		15. Date Rig Released 2/12/2022			16. Date Completed (Ready to Produce) 4/29/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3004 GR		
18. Total Measured Depth of Well 16000 ft			19. Plug Back Measured Depth 15943 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11070' - 15857'								WOLFCAMP		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		344'		17.5"		415 sks		0
7.625"		29.7		10187'		9.875"		1227 sks		0
5.5"		20		15987'		6.75"		695 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
Perforate from 11070 ft to 15857 ft, 1 SPF, .55 inch holes with 247 total shots						11070' - 15857'		19 stage frac with 12,921,950 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production 5/6/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 5/22/2022	Hours Tested 24 hrs	Choke Size 30/64	Prod'n For Test Period	Oil - Bbl 734	Gas - MCF 5810	Water - Bbl. 2743	Gas - Oil Ratio 7916			
Flow Tubing Press. 2545	Casing Pressure 2549	Calculated 24-Hour Rate	Oil - Bbl. 734	Gas - MCF 5810	Water - Bbl. 2743	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Jeff Trlica			Title Regulatory Analyst		Date 5/30/2022		
E-mail Address jtrlica@taprock.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]


No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
0	136		Quaternary				
136	426		Rustler				
426	2834		Top of Salt				
2834	3055		Base of Salt				
3055	3088		Lamar				
3088	3910		Bell				
3910	5077		Cherry Canyon				
5077	6746		Brushy Canyon				
6746	7167		Bonespring				
7167	7711		Avalon				
7711	8505		1st Bone Spring Sand				
8505	9634		2nd Bone Spring Sand				
9634	9973		3rd Bone Spring Sand				
9973	10424		Wolfcamp A				
10424	10839		Wolfcamp B				
10839			Wolfcamp C				

Cypress 33



Federal Acreage



Cypress 33 E2 Unit



Defining Wolfcamp Cypress 33 Well



Cypress 33 Wolfcamp Wells

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 113158

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 113158
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 113158

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 113158
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	6/22/2023