

Form 3160-5
(June 2019)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well

☐ Oil Well☐ Gas Well☐ Other

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No.

2. Name of Operator PERMIAN RESOURCES OPERATING, LLC9. API Well No. **30-025-51575**

3a. Address

3b. Phone No. (include area code)

10. Field and Pool or Exploratory Area

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

11. Country or Parish, State

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off	
☐ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity	
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other	
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon		
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

Title

Signature

Date

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Additional Remarks

From: 100 FNL & 792 FEL

To: 100 FNL & 1252 FEL

Target Change:

From: 2nd BS

To: 1st BS

TD/TVD Change:

From: 20,323TD, 10,088TVD

To: 19,889TD, 9,700TVD

Location of Well

0. SHL: SESE / 797 FSL / 1105 FEL / TWSP: 22S / RANGE: 32E / SECTION: 5 / LAT: 32.415599 / LONG: -103.691846 (TVD: 0 feet, MD: 0 feet)

PPP: SENE / 2643 FSL / 788 FEL / TWSP: 21S / RANGE: 32E / SECTION: 32 / LAT: 32.435161 / LONG: -103.690851 (TVD: 10086 feet, MD: 19550 feet)

PPP: SESE / 0 FSL / 785 FEL / TWSP: 21S / RANGE: 32E / SECTION: 32 / LAT: 32.427898 / LONG: -103.690843 (TVD: 10086 feet, MD: 16907 feet)

PPP: SENE / 2627 FNL / 791 FEL / TWSP: 22S / RANGE: 32E / SECTION: 5 / LAT: 32.420677 / LONG: -103.690836 (TVD: 10086 feet, MD: 14280 feet)

PPP: SESE / 100 FSL / 792 FEL / TWSP: 22S / RANGE: 32E / SECTION: 5 / LAT: 32.413688 / LONG: -103.690829 (TVD: 9608 feet, MD: 9677 feet)

BHL: NWNE / 100 FNL / 792 FEL / TWSP: 21S / RANGE: 32E / SECTION: 32 / LAT: 32.442143 / LONG: -103.690858 (TVD: 10086 feet, MD: 20323 feet)

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

PERMIAN

R E S O U R C E S

NEW MEXICO

(SP) LEA

GOUDA

GOUDA FED COM 304H

OWB

Plan: PWP0

Standard Planning Report - Geographic

22 May, 2023

PERMIAN

RESOURCES

Permian Resources

Planning Report - Geographic

Database:	Compass	Local Co-ordinate Reference:	Well GOUDA FED COM 304H
Company:	NEW MEXICO	TVD Reference:	GL @ 3697.0usft
Project:	(SP) LEA	MD Reference:	GL @ 3697.0usft
Site:	GOUDA	North Reference:	Grid
Well:	GOUDA FED COM 304H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	PWP0		

Project	(SP) LEA		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		GOUDA				
Site Position:		Northing:	515,520.25 usft	Latitude:	32° 24' 56.157 N	
From:	Map	Easting:	739,290.58 usft	Longitude:	103° 41' 30.645 W	
Position Uncertainty:		0.0 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.34 °

Well	GOUDA FED COM 304H					
Well Position	+N/-S	0.0 usft	Northing:	515,520.25 usft	Latitude:	32° 24' 56.157 N
	+E/-W	0.0 usft	Easting:	739,290.58 usft	Longitude:	103° 41' 30.645 W
Position Uncertainty		0.0 usft	Wellhead Elevation:		Ground Level:	3,697.0 usft

Wellbore	OWB				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF200510	12/31/2009	7.82	60.40	48,893.33192803

Design	PWP0			
Audit Notes:				
Version:	Phase:	PROTOTYPE	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	358.74

Plan Survey Tool Program			Date	5/22/2023	
Depth From (usft)	Depth To (usft)	Survey (Wellbore)	Tool Name	Remarks	
1	0.0	19,889.0 PWP0 (OWB)	MWD+IFR1+MS		
			OWSG_Rev2_ MWD + IFR1 +		

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
2,000.0	0.00	0.00	2,000.0	0.0	0.0	0.00	0.00	0.00	0.00	
2,300.0	6.00	191.48	2,299.5	-15.4	-3.1	2.00	2.00	0.00	191.48	
8,860.0	6.00	191.48	8,823.5	-687.4	-139.6	0.00	0.00	0.00	0.00	
9,160.0	0.00	0.00	9,123.0	-702.7	-142.7	2.00	-2.00	0.00	180.00	
9,260.0	0.00	0.00	9,223.0	-702.7	-142.7	0.00	0.00	0.00	0.00	
10,009.3	90.00	359.60	9,700.0	-225.7	-146.1	12.01	12.01	0.00	359.60	
10,181.3	90.00	359.61	9,700.0	-53.7	-147.2	0.01	0.00	0.01	90.00	
19,889.0	90.00	359.61	9,700.0	9,653.7	-213.1	0.00	0.00	0.00	0.00	GOUDA FED COM 304H

PERMIAN

RESOURCES

Permian Resources

Planning Report - Geographic

Database:	Compass	Local Co-ordinate Reference:	Well GOUDA FED COM 304H
Company:	NEW MEXICO	TVD Reference:	GL @ 3697.0usft
Project:	(SP) LEA	MD Reference:	GL @ 3697.0usft
Site:	GOUDA	North Reference:	Grid
Well:	GOUDA FED COM 304H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	PWP0		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.0	0.00	0.00	0.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
100.0	0.00	0.00	100.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
200.0	0.00	0.00	200.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
300.0	0.00	0.00	300.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
400.0	0.00	0.00	400.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
500.0	0.00	0.00	500.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
600.0	0.00	0.00	600.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
700.0	0.00	0.00	700.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
800.0	0.00	0.00	800.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
900.0	0.00	0.00	900.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
1,000.0	0.00	0.00	1,000.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
1,100.0	0.00	0.00	1,100.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
1,200.0	0.00	0.00	1,200.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
1,300.0	0.00	0.00	1,300.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
1,400.0	0.00	0.00	1,400.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
1,500.0	0.00	0.00	1,500.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
1,600.0	0.00	0.00	1,600.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
1,700.0	0.00	0.00	1,700.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
1,800.0	0.00	0.00	1,800.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
1,900.0	0.00	0.00	1,900.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
2,000.0	0.00	0.00	2,000.0	0.0	0.0	515,520.25	739,290.58	32° 24' 56.157 N	103° 41' 30.645 W
2,100.0	2.00	191.48	2,100.0	-1.7	-0.3	515,518.54	739,290.23	32° 24' 56.140 N	103° 41' 30.649 W
2,200.0	4.00	191.48	2,199.8	-6.8	-1.4	515,513.41	739,289.19	32° 24' 56.089 N	103° 41' 30.661 W
2,300.0	6.00	191.48	2,299.5	-15.4	-3.1	515,504.87	739,287.45	32° 24' 56.005 N	103° 41' 30.682 W
2,400.0	6.00	191.48	2,398.9	-25.6	-5.2	515,494.63	739,285.37	32° 24' 55.904 N	103° 41' 30.707 W
2,500.0	6.00	191.48	2,498.4	-35.9	-7.3	515,484.38	739,283.29	32° 24' 55.802 N	103° 41' 30.732 W
2,600.0	6.00	191.48	2,597.8	-46.1	-9.4	515,474.14	739,281.21	32° 24' 55.701 N	103° 41' 30.757 W
2,700.0	6.00	191.48	2,697.3	-56.4	-11.4	515,463.90	739,279.13	32° 24' 55.600 N	103° 41' 30.782 W
2,800.0	6.00	191.48	2,796.7	-66.6	-13.5	515,453.65	739,277.05	32° 24' 55.499 N	103° 41' 30.807 W
2,900.0	6.00	191.48	2,896.2	-76.8	-15.6	515,443.41	739,274.97	32° 24' 55.398 N	103° 41' 30.832 W
3,000.0	6.00	191.48	2,995.6	-87.1	-17.7	515,433.17	739,272.89	32° 24' 55.296 N	103° 41' 30.857 W
3,100.0	6.00	191.48	3,095.1	-97.3	-19.8	515,422.92	739,270.81	32° 24' 55.195 N	103° 41' 30.882 W
3,200.0	6.00	191.48	3,194.5	-107.6	-21.8	515,412.68	739,268.73	32° 24' 55.094 N	103° 41' 30.907 W
3,300.0	6.00	191.48	3,294.0	-117.8	-23.9	515,402.43	739,266.65	32° 24' 54.993 N	103° 41' 30.932 W
3,400.0	6.00	191.48	3,393.4	-128.1	-26.0	515,392.19	739,264.57	32° 24' 54.891 N	103° 41' 30.957 W
3,500.0	6.00	191.48	3,492.9	-138.3	-28.1	515,381.95	739,262.49	32° 24' 54.790 N	103° 41' 30.982 W
3,600.0	6.00	191.48	3,592.3	-148.5	-30.2	515,371.70	739,260.41	32° 24' 54.689 N	103° 41' 31.007 W
3,700.0	6.00	191.48	3,691.8	-158.8	-32.2	515,361.46	739,258.33	32° 24' 54.588 N	103° 41' 31.032 W
3,800.0	6.00	191.48	3,791.2	-169.0	-34.3	515,351.22	739,256.25	32° 24' 54.486 N	103° 41' 31.057 W
3,900.0	6.00	191.48	3,890.7	-179.3	-36.4	515,340.97	739,254.17	32° 24' 54.385 N	103° 41' 31.082 W
4,000.0	6.00	191.48	3,990.1	-189.5	-38.5	515,330.73	739,252.09	32° 24' 54.284 N	103° 41' 31.107 W
4,100.0	6.00	191.48	4,089.6	-199.8	-40.6	515,320.48	739,250.01	32° 24' 54.183 N	103° 41' 31.132 W
4,200.0	6.00	191.48	4,189.0	-210.0	-42.7	515,310.24	739,247.93	32° 24' 54.081 N	103° 41' 31.157 W
4,300.0	6.00	191.48	4,288.5	-220.3	-44.7	515,300.00	739,245.85	32° 24' 53.980 N	103° 41' 31.182 W
4,400.0	6.00	191.48	4,387.9	-230.5	-46.8	515,289.75	739,243.76	32° 24' 53.879 N	103° 41' 31.207 W
4,500.0	6.00	191.48	4,487.4	-240.7	-48.9	515,279.51	739,241.68	32° 24' 53.778 N	103° 41' 31.232 W
4,600.0	6.00	191.48	4,586.9	-251.0	-51.0	515,269.27	739,239.60	32° 24' 53.676 N	103° 41' 31.257 W
4,700.0	6.00	191.48	4,686.3	-261.2	-53.1	515,259.02	739,237.52	32° 24' 53.575 N	103° 41' 31.282 W
4,800.0	6.00	191.48	4,785.8	-271.5	-55.1	515,248.78	739,235.44	32° 24' 53.474 N	103° 41' 31.307 W
4,900.0	6.00	191.48	4,885.2	-281.7	-57.2	515,238.53	739,233.36	32° 24' 53.373 N	103° 41' 31.332 W
5,000.0	6.00	191.48	4,984.7	-292.0	-59.3	515,228.29	739,231.28	32° 24' 53.272 N	103° 41' 31.357 W
5,100.0	6.00	191.48	5,084.1	-302.2	-61.4	515,218.05	739,229.20	32° 24' 53.170 N	103° 41' 31.382 W
5,200.0	6.00	191.48	5,183.6	-312.4	-63.5	515,207.80	739,227.12	32° 24' 53.069 N	103° 41' 31.407 W
5,300.0	6.00	191.48	5,283.0	-322.7	-65.5	515,197.56	739,225.04	32° 24' 52.968 N	103° 41' 31.432 W
5,400.0	6.00	191.48	5,382.5	-332.9	-67.6	515,187.32	739,222.96	32° 24' 52.867 N	103° 41' 31.457 W

PERMIAN

RESOURCES

Permian Resources

Planning Report - Geographic

Database:	Compass	Local Co-ordinate Reference:	Well GOUDA FED COM 304H
Company:	NEW MEXICO	TVD Reference:	GL @ 3697.0usft
Project:	(SP) LEA	MD Reference:	GL @ 3697.0usft
Site:	GOUDA	North Reference:	Grid
Well:	GOUDA FED COM 304H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	PWP0		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude	
5,500.0	6.00	191.48	5,481.9	-343.2	-69.7	515,177.07	739,220.88	32° 24' 52.765 N	103° 41' 31.482 W	
5,600.0	6.00	191.48	5,581.4	-353.4	-71.8	515,166.83	739,218.80	32° 24' 52.664 N	103° 41' 31.507 W	
5,700.0	6.00	191.48	5,680.8	-363.7	-73.9	515,156.59	739,216.72	32° 24' 52.563 N	103° 41' 31.532 W	
5,800.0	6.00	191.48	5,780.3	-373.9	-75.9	515,146.34	739,214.64	32° 24' 52.462 N	103° 41' 31.557 W	
5,900.0	6.00	191.48	5,879.7	-384.2	-78.0	515,136.10	739,212.56	32° 24' 52.360 N	103° 41' 31.582 W	
6,000.0	6.00	191.48	5,979.2	-394.4	-80.1	515,125.85	739,210.48	32° 24' 52.259 N	103° 41' 31.607 W	
6,100.0	6.00	191.48	6,078.6	-404.6	-82.2	515,115.61	739,208.40	32° 24' 52.158 N	103° 41' 31.632 W	
6,200.0	6.00	191.48	6,178.1	-414.9	-84.3	515,105.37	739,206.32	32° 24' 52.057 N	103° 41' 31.657 W	
6,300.0	6.00	191.48	6,277.5	-425.1	-86.3	515,095.12	739,204.24	32° 24' 51.955 N	103° 41' 31.682 W	
6,400.0	6.00	191.48	6,377.0	-435.4	-88.4	515,084.88	739,202.16	32° 24' 51.854 N	103° 41' 31.707 W	
6,500.0	6.00	191.48	6,476.4	-445.6	-90.5	515,074.64	739,200.08	32° 24' 51.753 N	103° 41' 31.732 W	
6,600.0	6.00	191.48	6,575.9	-455.9	-92.6	515,064.39	739,198.00	32° 24' 51.652 N	103° 41' 31.757 W	
6,700.0	6.00	191.48	6,675.3	-466.1	-94.7	515,054.15	739,195.92	32° 24' 51.550 N	103° 41' 31.782 W	
6,800.0	6.00	191.48	6,774.8	-476.3	-96.7	515,043.90	739,193.84	32° 24' 51.449 N	103° 41' 31.807 W	
6,900.0	6.00	191.48	6,874.3	-486.6	-98.8	515,033.66	739,191.76	32° 24' 51.348 N	103° 41' 31.832 W	
7,000.0	6.00	191.48	6,973.7	-496.8	-100.9	515,023.42	739,189.67	32° 24' 51.247 N	103° 41' 31.857 W	
7,100.0	6.00	191.48	7,073.2	-507.1	-103.0	515,013.17	739,187.59	32° 24' 51.145 N	103° 41' 31.881 W	
7,200.0	6.00	191.48	7,172.6	-517.3	-105.1	515,002.93	739,185.51	32° 24' 51.044 N	103° 41' 31.906 W	
7,300.0	6.00	191.48	7,272.1	-527.6	-107.1	514,992.69	739,183.43	32° 24' 50.943 N	103° 41' 31.931 W	
7,400.0	6.00	191.48	7,371.5	-537.8	-109.2	514,982.44	739,181.35	32° 24' 50.842 N	103° 41' 31.956 W	
7,500.0	6.00	191.48	7,471.0	-548.1	-111.3	514,972.20	739,179.27	32° 24' 50.741 N	103° 41' 31.981 W	
7,600.0	6.00	191.48	7,570.4	-558.3	-113.4	514,961.95	739,177.19	32° 24' 50.639 N	103° 41' 32.006 W	
7,700.0	6.00	191.48	7,669.9	-568.5	-115.5	514,951.71	739,175.11	32° 24' 50.538 N	103° 41' 32.031 W	
7,800.0	6.00	191.48	7,769.3	-578.8	-117.5	514,941.47	739,173.03	32° 24' 50.437 N	103° 41' 32.056 W	
7,900.0	6.00	191.48	7,868.8	-589.0	-119.6	514,931.22	739,170.95	32° 24' 50.336 N	103° 41' 32.081 W	
8,000.0	6.00	191.48	7,968.2	-599.3	-121.7	514,920.98	739,168.87	32° 24' 50.234 N	103° 41' 32.106 W	
8,100.0	6.00	191.48	8,067.7	-609.5	-123.8	514,910.74	739,166.79	32° 24' 50.133 N	103° 41' 32.131 W	
8,200.0	6.00	191.48	8,167.1	-619.8	-125.9	514,900.49	739,164.71	32° 24' 50.032 N	103° 41' 32.156 W	
8,300.0	6.00	191.48	8,266.6	-630.0	-127.9	514,890.25	739,162.63	32° 24' 49.931 N	103° 41' 32.181 W	
8,400.0	6.00	191.48	8,366.0	-640.2	-130.0	514,880.00	739,160.55	32° 24' 49.829 N	103° 41' 32.206 W	
8,500.0	6.00	191.48	8,465.5	-650.5	-132.1	514,869.76	739,158.47	32° 24' 49.728 N	103° 41' 32.231 W	
8,600.0	6.00	191.48	8,564.9	-660.7	-134.2	514,859.52	739,156.39	32° 24' 49.627 N	103° 41' 32.256 W	
8,700.0	6.00	191.48	8,664.4	-671.0	-136.3	514,849.27	739,154.31	32° 24' 49.526 N	103° 41' 32.281 W	
8,800.0	6.00	191.48	8,763.8	-681.2	-138.3	514,839.03	739,152.23	32° 24' 49.424 N	103° 41' 32.306 W	
8,860.0	6.00	191.48	8,823.5	-687.4	-139.6	514,832.88	739,150.98	32° 24' 49.364 N	103° 41' 32.321 W	
8,900.0	5.20	191.48	8,863.3	-691.2	-140.4	514,829.06	739,150.20	32° 24' 49.326 N	103° 41' 32.331 W	
9,000.0	3.20	191.48	8,963.1	-698.4	-141.8	514,821.88	739,148.75	32° 24' 49.255 N	103° 41' 32.348 W	
9,100.0	1.20	191.48	9,063.0	-702.1	-142.6	514,818.12	739,147.98	32° 24' 49.218 N	103° 41' 32.357 W	
9,160.0	0.00	0.00	9,123.0	-702.7	-142.7	514,817.50	739,147.86	32° 24' 49.212 N	103° 41' 32.359 W	
9,200.0	0.00	0.00	9,163.0	-702.7	-142.7	514,817.50	739,147.86	32° 24' 49.212 N	103° 41' 32.359 W	
9,260.0	0.00	0.00	9,223.0	-702.7	-142.7	514,817.50	739,147.86	32° 24' 49.212 N	103° 41' 32.359 W	
9,300.0	4.80	359.60	9,262.9	-701.1	-142.7	514,819.18	739,147.84	32° 24' 49.228 N	103° 41' 32.359 W	
9,400.0	16.82	359.60	9,361.0	-682.4	-142.9	514,837.90	739,147.71	32° 24' 49.413 N	103° 41' 32.359 W	
9,500.0	28.83	359.60	9,453.0	-643.6	-143.1	514,876.61	739,147.44	32° 24' 49.797 N	103° 41' 32.359 W	
9,600.0	40.84	359.60	9,534.9	-586.6	-143.5	514,933.62	739,147.05	32° 24' 50.361 N	103° 41' 32.360 W	
9,631.4	44.61	359.60	9,558.0	-565.3	-143.7	514,954.92	739,146.90	32° 24' 50.571 N	103° 41' 32.360 W	
GOUDA FED COM 304H - FTP										
9,700.0	52.85	359.60	9,603.2	-513.8	-144.0	515,006.44	739,146.54	32° 24' 51.081 N	103° 41' 32.361 W	
9,800.0	64.86	359.60	9,654.8	-428.4	-144.6	515,091.86	739,145.94	32° 24' 51.927 N	103° 41' 32.362 W	
9,900.0	76.87	359.60	9,687.5	-334.1	-145.3	515,186.16	739,145.28	32° 24' 52.860 N	103° 41' 32.363 W	
10,000.0	88.88	359.60	9,699.9	-235.0	-146.0	515,285.20	739,144.59	32° 24' 53.840 N	103° 41' 32.364 W	
10,009.0	89.96	359.60	9,700.0	-226.0	-146.0	515,294.20	739,144.53	32° 24' 53.929 N	103° 41' 32.364 W	
EOC/FTP										
10,009.3	90.00	359.60	9,700.0	-225.7	-146.1	515,294.52	739,144.53	32° 24' 53.932 N	103° 41' 32.364 W	

PERMIAN

RESOURCES

Permian Resources

Planning Report - Geographic

Database:	Compass	Local Co-ordinate Reference:	Well GOUDA FED COM 304H
Company:	NEW MEXICO	TVD Reference:	GL @ 3697.0usft
Project:	(SP) LEA	MD Reference:	GL @ 3697.0usft
Site:	GOUDA	North Reference:	Grid
Well:	GOUDA FED COM 304H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	PWP0		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
10,100.0	90.00	359.61	9,700.0	-135.1	-146.7	515,385.20	739,143.90	32° 24' 54.829 N	103° 41' 32.365 W
10,181.3	90.00	359.61	9,700.0	-53.7	-147.2	515,466.54	739,143.34	32° 24' 55.634 N	103° 41' 32.366 W
10,200.0	90.00	359.61	9,700.0	-35.1	-147.4	515,485.20	739,143.22	32° 24' 55.819 N	103° 41' 32.366 W
10,300.0	90.00	359.61	9,700.0	64.9	-148.0	515,585.20	739,142.54	32° 24' 56.808 N	103° 41' 32.367 W
10,400.0	90.00	359.61	9,700.0	164.9	-148.7	515,685.19	739,141.86	32° 24' 57.798 N	103° 41' 32.368 W
10,500.0	90.00	359.61	9,700.0	264.9	-149.4	515,785.19	739,141.18	32° 24' 58.787 N	103° 41' 32.369 W
10,600.0	90.00	359.61	9,700.0	364.9	-150.1	515,885.19	739,140.50	32° 24' 59.777 N	103° 41' 32.370 W
10,700.0	90.00	359.61	9,700.0	464.9	-150.8	515,985.19	739,139.82	32° 25' 0.767 N	103° 41' 32.371 W
10,800.0	90.00	359.61	9,700.0	564.9	-151.4	516,085.19	739,139.15	32° 25' 1.756 N	103° 41' 32.372 W
10,900.0	90.00	359.61	9,700.0	664.9	-152.1	516,185.18	739,138.47	32° 25' 2.746 N	103° 41' 32.373 W
11,000.0	90.00	359.61	9,700.0	764.9	-152.8	516,285.18	739,137.79	32° 25' 3.735 N	103° 41' 32.373 W
11,100.0	90.00	359.61	9,700.0	864.9	-153.5	516,385.18	739,137.11	32° 25' 4.725 N	103° 41' 32.374 W
11,200.0	90.00	359.61	9,700.0	964.9	-154.1	516,485.18	739,136.43	32° 25' 5.714 N	103° 41' 32.375 W
11,300.0	90.00	359.61	9,700.0	1,064.9	-154.8	516,585.17	739,135.76	32° 25' 6.704 N	103° 41' 32.376 W
11,400.0	90.00	359.61	9,700.0	1,164.9	-155.5	516,685.17	739,135.08	32° 25' 7.693 N	103° 41' 32.377 W
11,500.0	90.00	359.61	9,700.0	1,264.9	-156.2	516,785.17	739,134.40	32° 25' 8.683 N	103° 41' 32.378 W
11,600.0	90.00	359.61	9,700.0	1,364.9	-156.9	516,885.17	739,133.72	32° 25' 9.672 N	103° 41' 32.379 W
11,700.0	90.00	359.61	9,700.0	1,464.9	-157.5	516,985.16	739,133.04	32° 25' 10.662 N	103° 41' 32.380 W
11,800.0	90.00	359.61	9,700.0	1,564.9	-158.2	517,085.16	739,132.36	32° 25' 11.651 N	103° 41' 32.381 W
11,900.0	90.00	359.61	9,700.0	1,664.9	-158.9	517,185.16	739,131.69	32° 25' 12.641 N	103° 41' 32.382 W
12,000.0	90.00	359.61	9,700.0	1,764.9	-159.6	517,285.16	739,131.01	32° 25' 13.630 N	103° 41' 32.383 W
12,079.0	90.00	359.61	9,700.0	1,843.9	-160.1	517,364.16	739,130.47	32° 25' 14.412 N	103° 41' 32.383 W
LPP 1									
12,100.0	90.00	359.61	9,700.0	1,864.9	-160.2	517,385.16	739,130.33	32° 25' 14.620 N	103° 41' 32.384 W
12,200.0	90.00	359.61	9,700.0	1,964.9	-160.9	517,485.15	739,129.65	32° 25' 15.610 N	103° 41' 32.384 W
12,300.0	90.00	359.61	9,700.0	2,064.9	-161.6	517,585.15	739,128.97	32° 25' 16.599 N	103° 41' 32.385 W
12,400.0	90.00	359.61	9,700.0	2,164.9	-162.3	517,685.15	739,128.30	32° 25' 17.589 N	103° 41' 32.386 W
12,500.0	90.00	359.61	9,700.0	2,264.9	-163.0	517,785.15	739,127.62	32° 25' 18.578 N	103° 41' 32.387 W
12,600.0	90.00	359.61	9,700.0	2,364.9	-163.6	517,885.14	739,126.94	32° 25' 19.568 N	103° 41' 32.388 W
12,700.0	90.00	359.61	9,700.0	2,464.9	-164.3	517,985.14	739,126.26	32° 25' 20.557 N	103° 41' 32.389 W
12,800.0	90.00	359.61	9,700.0	2,564.9	-165.0	518,085.14	739,125.58	32° 25' 21.547 N	103° 41' 32.390 W
12,900.0	90.00	359.61	9,700.0	2,664.9	-165.7	518,185.14	739,124.90	32° 25' 22.536 N	103° 41' 32.391 W
13,000.0	90.00	359.61	9,700.0	2,764.9	-166.3	518,285.13	739,124.23	32° 25' 23.526 N	103° 41' 32.392 W
13,100.0	90.00	359.61	9,700.0	2,864.9	-167.0	518,385.13	739,123.55	32° 25' 24.515 N	103° 41' 32.393 W
13,200.0	90.00	359.61	9,700.0	2,964.9	-167.7	518,485.13	739,122.87	32° 25' 25.505 N	103° 41' 32.394 W
13,300.0	90.00	359.61	9,700.0	3,064.9	-168.4	518,585.13	739,122.19	32° 25' 26.494 N	103° 41' 32.395 W
13,400.0	90.00	359.61	9,700.0	3,164.9	-169.1	518,685.13	739,121.51	32° 25' 27.484 N	103° 41' 32.395 W
13,500.0	90.00	359.61	9,700.0	3,264.9	-169.7	518,785.12	739,120.84	32° 25' 28.473 N	103° 41' 32.396 W
13,600.0	90.00	359.61	9,700.0	3,364.9	-170.4	518,885.12	739,120.16	32° 25' 29.463 N	103° 41' 32.397 W
13,700.0	90.00	359.61	9,700.0	3,464.9	-171.1	518,985.12	739,119.48	32° 25' 30.452 N	103° 41' 32.398 W
13,800.0	90.00	359.61	9,700.0	3,564.9	-171.8	519,085.12	739,118.80	32° 25' 31.442 N	103° 41' 32.399 W
13,900.0	90.00	359.61	9,700.0	3,664.9	-172.5	519,185.11	739,118.12	32° 25' 32.432 N	103° 41' 32.400 W
14,000.0	90.00	359.61	9,700.0	3,764.9	-173.1	519,285.11	739,117.44	32° 25' 33.421 N	103° 41' 32.401 W
14,100.0	90.00	359.61	9,700.0	3,864.9	-173.8	519,385.11	739,116.77	32° 25' 34.411 N	103° 41' 32.402 W
14,200.0	90.00	359.61	9,700.0	3,964.9	-174.5	519,485.11	739,116.09	32° 25' 35.400 N	103° 41' 32.403 W
14,300.0	90.00	359.61	9,700.0	4,064.9	-175.2	519,585.10	739,115.41	32° 25' 36.390 N	103° 41' 32.404 W
14,400.0	90.00	359.61	9,700.0	4,164.9	-175.8	519,685.10	739,114.73	32° 25' 37.379 N	103° 41' 32.405 W
14,500.0	90.00	359.61	9,700.0	4,264.8	-176.5	519,785.10	739,114.05	32° 25' 38.369 N	103° 41' 32.405 W
14,600.0	90.00	359.61	9,700.0	4,364.8	-177.2	519,885.10	739,113.38	32° 25' 39.358 N	103° 41' 32.406 W
14,700.0	90.00	359.61	9,700.0	4,464.8	-177.9	519,985.10	739,112.70	32° 25' 40.348 N	103° 41' 32.407 W
14,706.0	90.00	359.61	9,700.0	4,470.8	-177.9	519,991.10	739,112.66	32° 25' 40.407 N	103° 41' 32.407 W
LPP 2									
14,800.0	90.00	359.61	9,700.0	4,564.8	-178.6	520,085.09	739,112.02	32° 25' 41.337 N	103° 41' 32.408 W
14,900.0	90.00	359.61	9,700.0	4,664.8	-179.2	520,185.09	739,111.34	32° 25' 42.327 N	103° 41' 32.409 W

PERMIAN

RESOURCES

Permian Resources

Planning Report - Geographic

Database:	Compass	Local Co-ordinate Reference:	Well GOUDA FED COM 304H
Company:	NEW MEXICO	TVD Reference:	GL @ 3697.0usft
Project:	(SP) LEA	MD Reference:	GL @ 3697.0usft
Site:	GOUDA	North Reference:	Grid
Well:	GOUDA FED COM 304H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	PWP0		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
15,000.0	90.00	359.61	9,700.0	4,764.8	-179.9	520,285.09	739,110.66	32° 25' 43.316 N	103° 41' 32.410 W
15,100.0	90.00	359.61	9,700.0	4,864.8	-180.6	520,385.09	739,109.98	32° 25' 44.306 N	103° 41' 32.411 W
15,200.0	90.00	359.61	9,700.0	4,964.8	-181.3	520,485.08	739,109.31	32° 25' 45.295 N	103° 41' 32.412 W
15,300.0	90.00	359.61	9,700.0	5,064.8	-181.9	520,585.08	739,108.63	32° 25' 46.285 N	103° 41' 32.413 W
15,400.0	90.00	359.61	9,700.0	5,164.8	-182.6	520,685.08	739,107.95	32° 25' 47.274 N	103° 41' 32.414 W
15,500.0	90.00	359.61	9,700.0	5,264.8	-183.3	520,785.08	739,107.27	32° 25' 48.264 N	103° 41' 32.415 W
15,600.0	90.00	359.61	9,700.0	5,364.8	-184.0	520,885.08	739,106.59	32° 25' 49.254 N	103° 41' 32.416 W
15,700.0	90.00	359.61	9,700.0	5,464.8	-184.7	520,985.07	739,105.92	32° 25' 50.243 N	103° 41' 32.416 W
15,800.0	90.00	359.61	9,700.0	5,564.8	-185.3	521,085.07	739,105.24	32° 25' 51.233 N	103° 41' 32.417 W
15,900.0	90.00	359.61	9,700.0	5,664.8	-186.0	521,185.07	739,104.56	32° 25' 52.222 N	103° 41' 32.418 W
16,000.0	90.00	359.61	9,700.0	5,764.8	-186.7	521,285.07	739,103.88	32° 25' 53.212 N	103° 41' 32.419 W
16,100.0	90.00	359.61	9,700.0	5,864.8	-187.4	521,385.06	739,103.20	32° 25' 54.201 N	103° 41' 32.420 W
16,200.0	90.00	359.61	9,700.0	5,964.8	-188.1	521,485.06	739,102.52	32° 25' 55.191 N	103° 41' 32.421 W
16,300.0	90.00	359.61	9,700.0	6,064.8	-188.7	521,585.06	739,101.85	32° 25' 56.180 N	103° 41' 32.422 W
16,400.0	90.00	359.61	9,700.0	6,164.8	-189.4	521,685.06	739,101.17	32° 25' 57.170 N	103° 41' 32.423 W
16,500.0	90.00	359.61	9,700.0	6,264.8	-190.1	521,785.05	739,100.49	32° 25' 58.159 N	103° 41' 32.424 W
16,600.0	90.00	359.61	9,700.0	6,364.8	-190.8	521,885.05	739,099.81	32° 25' 59.149 N	103° 41' 32.425 W
16,700.0	90.00	359.61	9,700.0	6,464.8	-191.4	521,985.05	739,099.13	32° 26' 0.138 N	103° 41' 32.426 W
16,800.0	90.00	359.61	9,700.0	6,564.8	-192.1	522,085.05	739,098.46	32° 26' 1.128 N	103° 41' 32.426 W
16,900.0	90.00	359.61	9,700.0	6,664.8	-192.8	522,185.05	739,097.78	32° 26' 2.117 N	103° 41' 32.427 W
17,000.0	90.00	359.61	9,700.0	6,764.8	-193.5	522,285.04	739,097.10	32° 26' 3.107 N	103° 41' 32.428 W
17,100.0	90.00	359.61	9,700.0	6,864.8	-194.2	522,385.04	739,096.42	32° 26' 4.096 N	103° 41' 32.429 W
17,200.0	90.00	359.61	9,700.0	6,964.8	-194.8	522,485.04	739,095.74	32° 26' 5.086 N	103° 41' 32.430 W
17,300.0	90.00	359.61	9,700.0	7,064.8	-195.5	522,585.04	739,095.06	32° 26' 6.076 N	103° 41' 32.431 W
17,349.0	90.00	359.61	9,700.0	7,113.8	-195.8	522,634.03	739,094.73	32° 26' 6.560 N	103° 41' 32.431 W
LPP 3									
17,400.0	90.00	359.61	9,700.0	7,164.8	-196.2	522,685.03	739,094.39	32° 26' 7.065 N	103° 41' 32.432 W
17,500.0	90.00	359.61	9,700.0	7,264.8	-196.9	522,785.03	739,093.71	32° 26' 8.055 N	103° 41' 32.433 W
17,600.0	90.00	359.61	9,700.0	7,364.8	-197.5	522,885.03	739,093.03	32° 26' 9.044 N	103° 41' 32.434 W
17,700.0	90.00	359.61	9,700.0	7,464.8	-198.2	522,985.03	739,092.35	32° 26' 10.034 N	103° 41' 32.435 W
17,800.0	90.00	359.61	9,700.0	7,564.8	-198.9	523,085.02	739,091.67	32° 26' 11.023 N	103° 41' 32.436 W
17,900.0	90.00	359.61	9,700.0	7,664.8	-199.6	523,185.02	739,091.00	32° 26' 12.013 N	103° 41' 32.436 W
18,000.0	90.00	359.61	9,700.0	7,764.8	-200.3	523,285.02	739,090.32	32° 26' 13.002 N	103° 41' 32.437 W
18,100.0	90.00	359.61	9,700.0	7,864.8	-200.9	523,385.02	739,089.64	32° 26' 13.992 N	103° 41' 32.438 W
18,200.0	90.00	359.61	9,700.0	7,964.8	-201.6	523,485.02	739,088.96	32° 26' 14.981 N	103° 41' 32.439 W
18,300.0	90.00	359.61	9,700.0	8,064.8	-202.3	523,585.01	739,088.28	32° 26' 15.971 N	103° 41' 32.440 W
18,400.0	90.00	359.61	9,700.0	8,164.8	-203.0	523,685.01	739,087.60	32° 26' 16.960 N	103° 41' 32.441 W
18,500.0	90.00	359.61	9,700.0	8,264.8	-203.7	523,785.01	739,086.93	32° 26' 17.950 N	103° 41' 32.442 W
18,600.0	90.00	359.61	9,700.0	8,364.8	-204.3	523,885.01	739,086.25	32° 26' 18.939 N	103° 41' 32.443 W
18,700.0	90.00	359.61	9,700.0	8,464.8	-205.0	523,985.00	739,085.57	32° 26' 19.929 N	103° 41' 32.444 W
18,800.0	90.00	359.61	9,700.0	8,564.7	-205.7	524,085.00	739,084.89	32° 26' 20.918 N	103° 41' 32.445 W
18,900.0	90.00	359.61	9,700.0	8,664.7	-206.4	524,185.00	739,084.21	32° 26' 21.908 N	103° 41' 32.446 W
19,000.0	90.00	359.61	9,700.0	8,764.7	-207.0	524,285.00	739,083.54	32° 26' 22.898 N	103° 41' 32.447 W
19,100.0	90.00	359.61	9,700.0	8,864.7	-207.7	524,384.99	739,082.86	32° 26' 23.887 N	103° 41' 32.447 W
19,200.0	90.00	359.61	9,700.0	8,964.7	-208.4	524,484.99	739,082.18	32° 26' 24.877 N	103° 41' 32.448 W
19,300.0	90.00	359.61	9,700.0	9,064.7	-209.1	524,584.99	739,081.50	32° 26' 25.866 N	103° 41' 32.449 W
19,400.0	90.00	359.61	9,700.0	9,164.7	-209.8	524,684.99	739,080.82	32° 26' 26.856 N	103° 41' 32.450 W
19,500.0	90.00	359.61	9,700.0	9,264.7	-210.4	524,784.99	739,080.14	32° 26' 27.845 N	103° 41' 32.451 W
19,600.0	90.00	359.61	9,700.0	9,364.7	-211.1	524,884.98	739,079.47	32° 26' 28.835 N	103° 41' 32.452 W
19,700.0	90.00	359.61	9,700.0	9,464.7	-211.8	524,984.98	739,078.79	32° 26' 29.824 N	103° 41' 32.453 W
19,800.0	90.00	359.61	9,700.0	9,564.7	-212.5	525,084.98	739,078.11	32° 26' 30.814 N	103° 41' 32.454 W
19,889.0	90.00	359.61	9,700.0	9,653.7	-213.1	525,173.98	739,077.51	32° 26' 31.694 N	103° 41' 32.455 W
LTP/BHL - GOUDA FED COM 304H - LTP/BHL									

PERMIAN
RESOURCES

Permian Resources
Planning Report - Geographic

Database:	Compass	Local Co-ordinate Reference:	Well GOUDA FED COM 304H
Company:	NEW MEXICO	TVD Reference:	GL @ 3697.0usft
Project:	(SP) LEA	MD Reference:	GL @ 3697.0usft
Site:	GOUDA	North Reference:	Grid
Well:	GOUDA FED COM 304H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	PWP0		

Design Targets									
Target Name									
- hit/miss target	Dip Angle	Dip Dir.	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
- Shape	(°)	(°)	(usft)	(usft)	(usft)	(usft)	(usft)		
GOUDA FED COM 304H	0.00	0.00	9,700.0	9,653.7	-213.1	525,173.98	739,077.51	32° 26' 31.694 N	103° 41' 32.455 W
- plan hits target center									
- Point									
GOUDA FED COM 304H	0.00	0.00	9,700.0	-698.5	-141.8	514,821.79	739,148.76	32° 24' 49.254 N	103° 41' 32.348 W
- plan misses target center by 194.7usft at 9631.4usft MD (9558.0 TVD, -565.3 N, -143.7 E)									
- Point									

Plan Annotations				
Measured Depth	Vertical Depth	Local Coordinates		Comment
(usft)	(usft)	+N/-S (usft)	+E/-W (usft)	
10,009.0	9,700.0	-226.0	-146.0	EOC/FTP
12,079.0	9,700.0	1,843.9	-160.1	LPP 1
14,706.0	9,700.0	4,470.8	-177.9	LPP 2
17,349.0	9,700.0	7,113.8	-195.8	LPP 3
19,889.0	9,700.0	9,653.7	-213.1	LTP/BHL

PERMIAN

R E S O U R C E S

NEW MEXICO

(SP) LEA

GOUDA

GOUDA FED COM 304H

OWB

PWP0

Anticollision Summary Report

22 May, 2023

PERMIAN

RESOURCES

Permian Resources

Anticollision Summary Report

Company:	NEW MEXICO	Local Co-ordinate Reference:	Well GOUDA FED COM 304H
Project:	(SP) LEA	TVD Reference:	GL @ 3697.0usft
Reference Site:	GOUDA	MD Reference:	GL @ 3697.0usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	GOUDA FED COM 304H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	OWB	Database:	Compass
Reference Design:	PWP0	Offset TVD Reference:	Offset Datum

Reference	PWP0		
Filter type:	NO GLOBAL FILTER: Using user defined selection & filtering criteria		
Interpolation Method:	Stations	Error Model:	ISCWSA
Depth Range:	Unlimited	Scan Method:	Closest Approach 3D
Results Limited by:	Maximum centre distance of 1,000.0usft	Error Surface:	Pedal Curve
Warning Levels Evaluated at:	2.00 Sigma	Casing Method:	Not applied

Survey Tool Program		Date	5/22/2023		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
0.0	19,889.0	PWP0 (OWB)	MWD+IFR1+MS	OWSG_Rev2_ MWD + IFR1 + Multi-Station Correction	

Summary						
Site Name Offset Well - Wellbore - Design	Reference Measured	Offset Measured	Distance		Separation Factor	Warning
	Depth (usft)	Depth (usft)	Between Centres (usft)	Between Ellipses (usft)		
GOUDA						
GOUDA FED COM 404H - OWB - PWP0	1,916.2	1,917.7	60.0	46.3	4.365	CC
GOUDA FED COM 404H - OWB - PWP0	2,000.0	2,001.5	60.0	45.7	4.183	ES
GOUDA FED COM 404H - OWB - PWP0	19,889.0	20,204.6	969.0	724.3	3.961	SF
GOUDA FED COM 506H - OWB - PWP0	2,000.0	2,000.0	30.0	15.7	2.092	CC, ES
GOUDA FED COM 506H - OWB - PWP0	2,100.0	2,099.5	31.2	16.2	2.081	SF

PERMIAN

RESOURCES

Permian Resources

Anticollision Summary Report

Company:	NEW MEXICO	Local Co-ordinate Reference:	Well GOUDA FED COM 304H
Project:	(SP) LEA	TVD Reference:	GL @ 3697.0usft
Reference Site:	GOUDA	MD Reference:	GL @ 3697.0usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	GOUDA FED COM 304H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	OWB	Database:	Compass
Reference Design:	PWP0	Offset TVD Reference:	Offset Datum

Reference Depths are relative to GL @ 3697.0usft


Offset Depths are relative to Offset Datum

Central Meridian is 104° 20' 0.000 W

Coordinates are relative to: GOUDA FED COM 304H

Coordinate System is US State Plane 1983, New Mexico Eastern Zone

Grid Convergence at Surface is: 0.34°



CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

PERMIAN

RESOURCES

Permian Resources

Anticollision Summary Report

Company:	NEW MEXICO	Local Co-ordinate Reference:	Well GOUDA FED COM 304H
Project:	(SP) LEA	TVD Reference:	GL @ 3697.0usft
Reference Site:	GOUDA	MD Reference:	GL @ 3697.0usft
Site Error:	0.0 usft	North Reference:	Grid
Reference Well:	GOUDA FED COM 304H	Survey Calculation Method:	Minimum Curvature
Well Error:	0.0 usft	Output errors are at	2.00 sigma
Reference Wellbore	OWB	Database:	Compass
Reference Design:	PWP0	Offset TVD Reference:	Offset Datum

Reference Depths are relative to GL @ 3697.0usft

Offset Depths are relative to Offset Datum


Central Meridian is 104° 20' 0.000 W

Coordinates are relative to: GOUDA FED COM 304H

Coordinate System is US State Plane 1983, New Mexico Eastern Zone

Grid Convergence at Surface is: 0.34°

Separation Factor Plot



LEGEND

▲ GOUDA FED COM 404H, OWB, PWP0 V0
 ✕ GOUDA FED COM 503H, OWB, PWP0 V0

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 229266

CONDITIONS

Operator: Permian Resources Operating, LLC 1001 17th Street, Suite 1800 Denver, CO 80202	OGRID: 372165
	Action Number: 229266
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
pkautz	None	6/26/2023