

State of New Mexico  
Energy, Minerals and Natural Resources

Office  
District I – (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II – (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III – (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV – (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505WELL API NO.  
30-015-28165

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil &amp; Gas Lease No.

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐

2. Name of Operator

Devon Energy Production Company, LP

3. Address of Operator

333 W. Sheridan Avenue, Oklahoma City, OK 73102

4. Well Location

Unit Letter N: 1316 feet from the South line and 1320 feet from the West lineSection 23Township 20SRange 35E

NMPM

Eddy County, NM

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

2969' GR

7. Lease Name or Unit Agreement Name  
HARROUN TRUST 19

8. Well Number

1

9. OGRID Number

6137

10. Pool name or Wildcat

LAGUNA SALADO (ATOKA)

## 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐PLUG AND ABANDON ☐TEMPORARILY ABANDON ☐CHANGE PLANS ☐PULL OR ALTER CASING ☐MULTIPLE COMPL ☐DOWNHOLE COMMINGLE ☐CLOSED-LOOP SYSTEM ☐OTHER: ☐

## SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐P AND A ☒CASING/CEMENT JOB ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 5/25/23: MIRU P&A Unit. TOOH tubing string from 11968'. RIH GR/JB to 11,800'. RIH Set CIBP @ 11795'.
- 5/26/23: Run CBL, load well. Tagged TOL @ 10015' logged to 7313. TOC not found. Found hole in casing.
- 5/30/23: Set RBP @ 6500. Log from 6500 to 2000'. TOC around 5315'.
- 5/31/23: TOH with RBP. RIH tbgr.
- 6/1/23: Tag CIBP. Circ 10# salt gel. Leak test. Spot 200 sx CI H from 11795'-9725'. WOC.
- 6/2/23: Tag TOC @ 9720'. PUH Spot 25 sx CI C from 6435'-6325'. RIH perf @ 3670'.
- 6/5/23: Sqz 40 sx CI C from 3670'-3570'. WOC & tag. TIH Perf @ 2800'. Sqz 80 sx CI C in/out from 2800'-2550'. WOC.
- 6/6/23: TIH Tag TOC @ 2505'. Perf @ 500'. Circ. 170 sx CI C in/out from 500' to surface.
- 6/12/23: Cut wellhead off 3' BGL, set dry hole marker.

Spud Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE Production

DATE 6-19-23

Type or print name Jeff Young E-mail address: jeff.young@dmv.com PHONE: 405-228-2480

## For State Use Only

APPROVED BY:

TITLE

Petroleum Specialist

DATE 06/29/2023

Conditions of Approval (if any):

## DEVON ENERGY PRODUCTION COMPANY LP

Well Name: HARROUN TRUST 19 #1	Field: (79860) LAGUNA SALADO; ATOKA (GAS)
Location: 1316' FSL & 1320' FWL SEC 19-T235-R29E	County: EDDY State: NM
Elevation: 2995' KB; 2969' GL; 26' KB to GL	Spud Date: 11/9/94 Compl Date: 1/15/95
API#: 30-015-28165 Prepared by: Jeff Young	Date: 6/19/23 Rev:

## FINAL WELLBORE

17-1/2" Hole

13-3/8", 48#, H40, @ 410'

Cmt'd w/300 sx, tail w/200 sx, circ to surface

1. Perf @ 500'.
2. Circ 170 sx CI C in/out from 500' to surface.
3. Cut WH off 3' BGL, set dry hole marker.

10# Mud

12-1/4" Hole

9-5/8", 36#, K55, STC, @ 2,639'

Cmt'd w/1200 sx, tail w/250 sx, circ to surface

1. Perf @ 2800'.
2. Sqz 80 sx CI C in/out from 2800'-2505'. WOC & tag.

10# Mud

1. Perf @ 3670'
2. Sqz 40 sx CI C from 3670'-3490'.

TOC @ 5,315' CBL

10# Mud

1. Spot 25 sx CI C from 6435'-6325'.

10# Mud

4-1/2" Liner Top @ 10,015'

8-3/4" Hole-(drlg rpt)

7", 26#, S95, LTC, @ 10,395'

Cmt'd w/1000 sx

(CTOC @ 5,126, (1.3 cu ft/sx, .1503 cu ft/ft 7" x 8-3/4" hole x .6)

1. Set CIBP @ 11795'. Tag. Circ 10# salt gel. Leak test.
2. Spot 200 sx CI H from 11795'-9720'.

ATOKA

11,845' - 11,849' (1/15/95)

6-1/8" Hole

4-1/2", 13.3#, LTC Liner from 10,015' to 12,197'

Cmt'd w/270 sx

12,200' TD

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 229858

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 229858
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	None	6/29/2023