

Submit a Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-00336
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. CHEM STATE
7. Lease Name or Unit Agreement Name
8. Well Number #2
9. OGRID Number 217817
10. Pool name or Wildcat TULK;WOLFCAMP

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator ConocoPhillips Company	
3. Address of Operator 913 N. Eldridge Parkway Houston, TX 77079	
4. Well Location Unit Letter H : 2240 feet from the N line and 658 feet from the E line Section 3 Township 15S Range 32E NMPM County Hobbs	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4300' DR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> PNR OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

06/16/23 MIRU plugging equipment. Dug out flowlines & surface valve. 06/19/23 POH w/ rods & pump. 06/20/23-06/21/23 Pumped 30 bbls Brine H2O down csg. ND well head, NU flange & BOP. Trickled Brine H2O to kill well. POH w/ tbq. 06/22/23 Rih w/ junkbasket guage ring to 9480'. POH. Set CIBP @ 9456'. Dump bailed 3 sx class H cmt @ 9456-9439'. Pump'd 120 bbls Brine H2O, did not circulated. Ran CBL from 9439' to surface. Possible hole in csg @ 450'. 06/23/23 Loaded csg w/ 6 bbls. Pressure tested to 800 PSI. Pumped 60 bbls Brine H2O & circ'd out oil & gas. 06/26/23 Continued to circulate oil & gas out of well. RIH w/ tbq, tagged @ 9437'. Circ'd hole w/ MLF. Pressure tested csg, held 500 PSI. 06/27/23 Spotted 25 sx class H cmt @ 9437-9211'. Spotted 25 sx class H cmt @ 9000-8774'. Spotted 40 sx class H cmt @ 7678-7317'. WOC. 06/28/23 Tagged plug @ 7320'. Spotted 25 sx class H cmt 6955-6731'. Spotted 25 sx class C cmt @ 5588-5339'. Spotted 25 sx class C cmt @ 5050-4801'. WOC. 06/29/23 RIH & tagged out @ 3632'. Worked tbq down csg to 4250'. Perf'd @ 4170'. Pressured up on perfs to 800 PSI. Spotted 30 sx class C cmt @ 4220-3917'. WOC. 07/06/23 Tagged plug @ 3815'. Spotted 25 sx class C cmt w/ 2% CACL @ 2672-2419'. WOC. Tagged @ 2353'. Spotted 25 sx class C cmt @ 2070-1817'. WOC. 07/07/23 Tagged plug @ 1764'. Perf'd @ 413'. Pressured up on perfs to 800 PSI. ND BOP. Spotted 55 sx class C cmt @ 482' to surface. Rigged down & moved off. 07/10/23 Moved in backhoe and welder. Cut off well head & anchors. Kerry Fortner w/ OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Installed 2' concrete form w/ 6 sx cmt. Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jeanette Barron TITLE Regulatory Coordinator DATE 07.11.23

Type or print name Jeanette Barron E-mail address: jeanette.barron@conocophillips.com PHONE: 575-748-6974
 For State Use Only


APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 7/12/23

Conditions of Approval (if any):

COP		CURRENT	
Author:	LSG	Well No.	#2
Well Name	Chem St	API #:	30-025-00336
Field/Pool	Tulk (Wlfcmp)	Location:	Sec 3, T15S, R32E,
County	Lea		2240'FNL & 658'FEL
State	NM	GL:	4288
Spud Date	6/13/1952		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13.375	J55	54.5	363	17 1/4	350	Surface
Inter Csg	8.625	J55	32	4,120	11	2,800	Surface
Prod Csg	5.5	N80	15.5	9,911	7 7/9	1,320	Surface

DV tool in 5.5" csg @ +-5000'




Formation	Top
Anhydrite	1505
Tsalt	2018
Bsalt	2622
Yates	2540
SA	4000
Tubb	6904
Abo	7628
Wlfcmp	8942

COP		PLUGGED	
Author:	Abby @ BCM	Well No.	#2
Well Name	Chem St	API #:	30-025-00336
Field/Pool	Tulk (Wlfcmp)	Location:	Sec 3, T15S, R32E,
County	Lea		2240'FNL & 658'FEL
State	NM	GL:	4288
Spud Date	6/13/1952		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13.375	J55	54.5	363	17 1/4	350	Surface
Inter Csg	8.625	J55	32	4,120	11	2,800	Surface
Prod Csg	5.5	N80	15.5	9,911	7 7/9	1,320	Surface

DV tool in 5.5" csg @ +-5000'



TDPB @ 9900
TD @ 9965

- 13.375 54.5 CSG @ 363
10. Perf'd @ 413'. Pressured up on perfs to 800 PSI. ND BOP. Spotted 55 sx class C cmt @ 482' to surface.
9. Spotted 25 sx class C cmt @ 2070-1817'. WOC & Tagged plug @ 1764'.
8. Spotted 25 sx class C cmt w/ 2% CACL @ 2672-2419'. WOC. Tagged @ 2353'.
- 8.625 32 CSG @ 4,120
7. Perf'd @ 4170'. Pressured up on perfs to 800 PSI. Spotted 30 sx class C cmt @ 4220-3917'. WOC & Tagged plug @ 3815'.
6. Spotted 25 sx class C cmt @ 5050-4801'.
DV tool in 5.5" csg @ +-5000'
5. Spotted 25 sx class C cmt @ 5588-5339'.
4. Spotted 25 sx class H cmt 6955-6731'.
3. Spotted 40 sx class H cmt @ 7678-7317'. WOC & Tagged plug @ 7320'.
2. Spotted 25 sx class H cmt @ 9000-8774'.
1. Set CIBP @ 9456'. Dump bailed 3 sx class H cmt @ 9456-9439'. Pump'd 120 bbls Brine H2O, did not circulated. Ran CBL from 9439' to surface. Possible hole in csg @ 450'. Spotted 25 sx class H cmt @ 9437-9211'.
Perfs @ 9500' to 9872'

5.5 15.5 CSG @ 9,911

Formation	Top
Anhydrite	1505
Tsalt	2018
Bsalt	2622
Yates	2540
SA	4000
Tubb	6904
Abo	7628
Wlfcmp	8942





FORMING TUBE
CONCRETE

FORMING TUBE
CONCRETE

FORMING TUBE
CONCRETE





District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 238801

COMMENTS

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 238801
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	7/13/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 238801

CONDITIONS

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 238801
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and maker photo to release	7/12/2023