Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: JASPER SWD Well Location: T14S / R29E / SEC 33 / County or Parish/State:

NESE / 33.0573034 / -104.0269602 CHAVES / NM

Well Number: 1 Type of Well: INJECTION - DISPOSAL Allottee or Tribe Name:

Lease Number: NMNM024482 Unit or CA Name: Unit or CA Number:

US Well Number: 3000500443 Well Status: Abandoned Operator: MACK ENERGY

CORPORATION

Notice of Intent

Sundry ID: 2742367

Type of Submission: Notice of Intent

Type of Action: Plug and Abandonment

Date Sundry Submitted: 07/25/2023 Time Sundry Submitted: 07:43

Date proposed operation will begin: 07/24/2023

Procedure Description: Mack Energy is requesting verbal approval to P&A the Jasper SWD #1 re-entry. 8 5/8" casing was not at surface. RIH w/ 12 ¼" bit to 450'. Tagged up at 450' continue to drill to 488'. Acts like the bit is on the outside of the 8 5/8" casing. Plug w/ 305sx Class C cmt wt. 15.2 yield 1.32 @ 488' circ to Surface Build Dry Hole Marker Jennifer Sanchez gave verbal approval on 7/21/2023 @ 3:10pm.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

Jasper_SWD__1_After_PA_20230724095937.pdf

 ${\sf Jasper_SWD__1_before_PA_20230724095922.pdf}$

Received by OCD: 7/25/2023 12:31:30 PM Well Name: JASPER SWD

Well Location: T14S / R29E / SEC 33 /

NESE / 33.0573034 / -104.0269602

County or Parish/State:

Page 2 o

269602 CHAVES / NM

Well Number: 1 Type of Well: INJECTION - DISPOSAL Allottee or Tribe Name:

Lease Number: NMNM024482 Unit or CA Name: Unit or CA Number:

US Well Number: 3000500443 Well Status: Abandoned Operator: MACK ENERGY

CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: DEANA WEAVER Signed on: JUL 25, 2023 07:43 AM

Name: MACK ENERGY CORPORATION

Title: Production Clerk

Street Address: 11344 Lovington HWY

City: Artesia State: NM

Phone: (575) 748-1288

Email address: dweaver@mec.com

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JENNIFER SANCHEZ BLM POC Title: Petroleum Engineer

BLM POC Phone: 5756270237 BLM POC Email Address: j1sanchez@blm.gov

Disposition: Approved **Disposition Date:** 07/25/2023

Signature: Jennifer Sanchez

Page 2 of 2

30-005-00443			Jasper SWD #1- Before			
			Operator: Mack Energy Corporation			
			Location: Sec. 33 T14S R29E 1785 FSL 635 FEL			
			Objective: SWD; Devon	nian		
			GL Elevation: 3822'			
Depth	Hole Size & Cement				Casing Detail	
	Ocinicit					
	17 1/2" hole				13 3/8" 375sx Cmt	
	13 3/8"				0-377'	
	Set in 1960 375sx CMT				8 5/8" 1600sx Cmt	
	Circ to Surface				0-3999'	
377'					Capped w/ bull plug	
7/21/2023	12 1/4" hole 8 5/8"					
12/1/4" hole	o 5/o Set in 1960				Perf 1124-1133'	
488'	1,600sx CMT	~~~~	_	~~~~~	Perf 1142-1157'	
	Circ to Surface	~~~~	~	~~~~~		
4001			20000/200000 200000		0100 0 44001	
488'			XXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	ì	CIBP @ 1400'	
					Plug @ 3840-4,000	
	8 3/4" hole				w/ 50sx cmt	
	0 0/1 11010					
10,475'						
					Plug @ 6040-6200'	
					w/ 50sx cmt	
					Plug @ 8,240-8,400'	
				1	w/ 50sx cmt	
				ĺ	Plug @ 10,315-10,475'	
					w/ 50sx cmt	
			TD- 10,475'	1		

Operator: Mack Energy Corporation Location: Sec. 33 1145 R29E 1785 FSL 635 FEL Objective: SWD; Devonian GL Elevation: 3822' Casing Deta 13 3/8" 375sx O-377' Set in 1960 375sx CMT Circ to Surface 3 5/8" Set in 1960 1,600sx CMT Circ to Surface 488" XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				
1785 FSL 635 FEL Objective: SWD; Devontan GL Elevation: 3822'	Jasper SWD #1- Proposed After P&A Operator: Mack Energy Corporation			
Depth Hole Size & Cement Casing Deta	· · · · · · · · · · · · · · · · · · ·			
Depth Hole Size & Cement Casing Deta	1785 FSL 635 FEL			
Depth				
17 1/2* hole 13 3/8* Set in 1960 375sx CMT Circ to Surface 377* Set in 1960 488*				
17 1/2" hole 13 3/8" 375sx 0-377"				
13 3/8" Set in 1960 375's CMT Circ to Surface 377' Drilled Out 7/21/2023 12 1/4" hole 488" Set in 1960 1,600sx CMT Circ to Surface 488' XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				
13 3/8" Set in 1960 375x CMT Circ to Surface 3771 21/2023 8 5/8" 1600x CMT Circ to Surface 488" Set in 1960 1,600x CMT Circ to Surface 488" XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				
Set in 1960 375xx CMT Circ to Surface 3777 Drilled Out 7/21/2023 12 1/4" hole 488" Set in 1960 1,600sx CMT Circ to Surface XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	mt			
375xx CMT Circ to Surface 377' Drilled Out. 12 1/4" hole 7/21/2023 8 5/8" Set in 1960 1,600sx CMT Circ to Surface 488' XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				
Circ to Surface 0.3999' Capped wi bull 7/21/2023 3.05sx Cntt Plug 1.600sx CMT Circ to Surface 488'				
Capped will built 12 1/4" hole 8 5/8" Set in 1960 1,600sx CMT Circ to Surface	mt			
Drilled Out 7/21/2023 8 5/8" Set in 1960 1,600sx CMT Circ to Surface 488" XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				
7721/2023 8 5/8" Set in 1960 1,600sx CMT Circ to Surface 488" XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	lug			
12 1/4" hole				
488" 1,600sx CMT Circ to Surface				
Perf 1124-113 Perf 1124-113 Perf 1142-115 CIBP @ 1401	е			
Perf 1142-115 CIBP @ 140i Plug @ 3840-4, w/ 50sx cmt Plug @ 6040-6				
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	3'			
Plug @ 3840-4, w/ 50sx cml	7'			
Plug @ 3840-4, w/ 50sx cml	ď			
w/ 50sx cml				
w/ 50sx cml				
w/ 50sx cml				
10,475' W/ 50sx cml	000			
8 3/4" hole 10,475' Plug @ 6040-6:				
10,475' Plug @ 6040-6:	_			
Plug @ 6040-6:				
Plug @ 6040-6:				
Plug @ 6040-6:				
w/ susx cml	.00			
Plug @ 8,240-8	400'			
w/ 50sx cmt				
Plug @ 10,315-1	,475'			
w/ 50sx cmt				
TD- 10,475'				

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 244059

CONDITIONS

Operator:	OGRID:
MACK ENERGY CORP	13837
P.O. Box 960	Action Number:
Artesia, NM 882110960	244059
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Create	ed By	Condition	Condition Date
john.	.harrison	Accepted for record - NMOCD JRH 7/26/23. BLM approved P&A 7/21/23	7/26/2023