

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-33453
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. 308713
7. Lease Name or Unit Agreement Name DAD STATE
8. Well Number 39
9. OGRID Number 873
10. Pool name or Wildcat ARTESIA GLORIETA-YESO

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator Apache Corporation	
3. Address of Operator 303 Veterans Airpark Lane, Suite 1000 Midland, TX 79705	
4. Well Location Unit Letter <u>C</u> : 990 feet from the <u>N</u> line and 1792 feet from the <u>W</u> line Section <u>35</u> Township <u>17S</u> Range <u>28E</u> NMPM County <u>EDDY</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3684	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☒	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
DOWNHOLE COMMINGLE ☐	P AND A ☐
CLOSED-LOOP SYSTEM ☐	CASING/CEMENT JOB ☐
OTHER: ☒	OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Request to TA wellbore

1. Notify NMOCD of plan to conduct MIT prior to workover.
2. Disconnect, isolate, lock-out surface mechanical and electrical equipment.
3. POOH all equipment.
4. Set CIBP @ 3,774 ft.
5. Pump 35 ft of cement above CIBP.
6. Tag Cement – notify NMOCD ready to conduct MIT.
7. Circulate pkr fluid.
8. Conduct MIT, increase pressure within prod csg up to 500 psig, and hold for 30min

TA status may be granted after a successful MIT test is performed. Contact the OCD to schedule the test so it may be witnessed.

Spud Date:

7/13/2004

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE alicia fulton TITLE Sr. Staff Reg Analyst DATE 7/26/2023

Type or print name Alicia Fulton E-mail address: alicia.fulton@apachecorp.com PHONE: (432) 818-1088

For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 7/27/23
 Conditions of Approval (if any):




WBD Proposed - TA

Well Name: DAD STATE #039

Reference Datum: KB

API/Surface Loc 3001533453	Surface Legal Location C-35-17S-28E 990 FNL 1792 FWL	Field Name Crow Flats (BP)	State/Province New Mexico	Well Purpose Production
Spud Date 7/13/2004 17:00	Original KB Elevation (ft) 3,697.0	Ground Elevation (ft) 3,684.0	KB-Ground Distance (ft) 13.0	
PBTd (All) (ftKB) Original Hole - 4,355		Total Depth All (TVD) (ftKB) Original Hole - 4,368.0		



Wellbore Sections							
Section Des		Size (in)	Act Top (ftKB)	Act Btm (ftKB)	Start Date		
Surface		12 1/4	13.0	506.0	7/13/2004		
Prod 1		7 7/8	506.0	4,370.0	7/14/2004		
Casing Strings							
Csg Des	OD (in)	Wt/Len (lb/ft)	Grade	Set Depth (ftKB)			
Surface	8 5/8	24.00	H-40	499.00			
Prod 1	5 1/2	17.00	J-55	4,370.00			
Cement Stages							
Des	String		Top (ftKB)	Btm (ftKB)	Start Date		
Primary Cement	Surface, 499.00ftKB, 8 5/8		13.00	506.00	7/14/2004		
Primary Cement	Prod 1, 4,370.00ftKB, 5 1/2		13.00	4,370.00	7/24/2004		
	Prod 1, 4,370.00ftKB, 5 1/2		3,739.00	3,774.00			
Tubing Strings							
Tubing Description		Run Date	String Length (ft)	Set Depth (ftKB)			
Item Des	Jts	Make/Manufacturer	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)
Rod Strings							
Rod Description		Run Date	String Length (ft)	Set Depth (ftKB)			
Item Des	Jts	Make/Mfg.	Model	OD (in)	Wt (lb/ft)	Grade	Len (ft)
Other In Hole							
Des	Icon	OD (in)	Top (ftKB)	Btm (ftKB)	Run Date		
CIBP		4.89	3,774	3,778	7/26/2023		
Perforations							
Date	Type	Top (ftKB)	Btm (ftKB)	Prop?	Shot Dens (shots/ft)	Entered Shot Total	
9/16/2004	Yeso	3,824	4,155	No	1.0	20	
Plug Back Total Depths							
Date	Type	Depth (ftKB)		Depth (TVD) (ftKB)			
7/24/2004	Cement Plug	4,355		4,353			
Schematic Annotations							
Start Date	Depth (ftKB)	Annotation					



WBD Current

Well Name: DAD STATE #039

Reference Datum: KB

API/Surface Loc 3001533453	Surface Legal Location C-35-17S-28E 990 FNL 1792 FWL	Field Name Crow Flats (BP)	State/Province New Mexico	Well Purpose Production
Spud Date 7/13/2004 17:00	Original KB Elevation (ft) 3,697.0	Ground Elevation (ft) 3,684.0	KB-Ground Distance (ft) 13.0	
PBTd (All) (ftKB) Original Hole - 4,355		Total Depth All (TVD) (ftKB) Original Hole - 4,368.0		

Production, DAD STATE #39 - Original Hole, 7/26/2023 7:26:28 AM		Wellbore Sections										
MD (ftKB)	Vertical schematic (actual)	Section Description		Size (in)	Act Top (ftKB)	Act Btm (ftKB)	Start Date					
		Surface		12 1/4	13.0	506.0	7/13/2004					
		Section Description		Size (in)	Act Top (ftKB)	Act Btm (ftKB)	Start Date					
		Prod 1		7 7/8	506.0	4,370.0	7/14/2004					
		Casing Strings										
		Csg Des	OD (in)	Wt/Len (lb/ft)	Grade	Set Depth (ftKB)						
		Surface	8 5/8	24.00	H-40	499.00						
		Prod 1	5 1/2	17.00	J-55	4,370.00						
		Cement Stages										
		String Surface, 499.00ftKB, 8 5/8				Top Depth (ftKB)	Bottom Depth (ftKB)					
						13.00	506.00					
		String Prod 1, 4,370.00ftKB, 5 1/2				Top Depth (ftKB)	Bottom Depth (ftKB)					
						13.00	4,370.00					
		Tubing Strings										
		Tubing Description	Run Date	String Length (ft)		Set Depth (ftKB)						
		Tubing - Production	2/20/2018	4,231.05		4,244.0						
		Item Des	Jts	Make/Manufacturer	Model	OD (in)	Wt (lb/ft)	Grade Len (ft)				
		Tubing	111		T&C Upset	2 7/8	6.50	J-55 3,580.38				
		Anchor/catcher	1		Baker	5 1/2	23.00	N-80 2.75				
		Tubing	19		T&C Upset	2 7/8	6.50	J-55 615.17				
		Blast Joint	1		TK-99	2 7/8	6.50	J-55 31.65				
		Seat Nipple	1		Saet Nipple	2 7/8	7.20	N-80 1.10				
		Rod Strings										
		Rod Description	Run Date	String Length (ft)		Set Depth (ftKB)						
		Rod	2/20/2018	4,248.6		4,244.0						
		Item Des	Jts	Make/Mfg.	Model	OD (in)	Wt (lb/ft)	Grade Len (ft)				
		Polished Rod	1		Chromed	1 1/2	6.10	PRC 26.00				
		Sucker Rod	16		S67 W/SM	7/8	2.15	N-97 4,050.00				
			2		CPLG/SLIM							
		Sinker Bar	6		1 1/2" Sinker Bars	1 1/2	6.01	C 150.00				
		Right Hand Release	1		RHR	1 1/2	2.15	C 0.60				
		Lift Sub	1		1' Lift Sub	1 1/2	2.15	KD 1.00				
		Rod Insert Pump	1	GYS	25 X 1.25 X 20 RHBC	1 1/4	0.00	0 20.00				
		Strainer Nipple	1		1 3/4" Strainer nipple	1 1/2	0.00	0 1.00				
		Other In Hole										
		Description		OD (in)	Top (ftKB)	Btm (ftKB)	Run Date					
		Perforations										
		Date	Type	Top (ftKB)	Btm (ftKB)	Prop?	Shot Dens (shots/ft)	Entered Shot Total				
		9/16/2004	Yeso	3,824	4,155	No	1.0	20				
		Plug Back Total Depths										
		Date	Type	Depth (ftKB)		Depth (TVD) (ftKB)						
		7/24/2004	Cement Plug	4,355		4,353						
		Comments										
		Comment EUNICE (MILLS)										
		Comment 2010-MARBOB										
		Comment HOBBS (CARNES)										
		Comment 43525-1										
		Schematic Annotations										
		Start Date	Depth (ftKB)	Annotation								
		Stimulation Jobs										
		<typ1> on <dtmstart>										
		Min Top...	Max Bt...	R Treat...	P Treat...	P Treat...	Vol Clea...	Vol Clea...	Vol Slurr...	Vol Slurr...	Mass Pr...	Mass Pr...

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 244331

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 244331
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	7/27/2023