State of New Mexico Office District I - (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240 District III - (575) 748-1283 811 S. First St., Artesia, NM 88210 District III - (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410 District IV - (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 87505 SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other 2. Name of Operator TAP ROCK OPERATING, LLC 3. Address of Operator 523 PARK POINT DR, SUITE 200, GOLDEN, CO 80401 4. Well Location		Revised July 18, 2013 WELL API NO. 30-025-34165 5. Indicate Type of Lease STATE FEE 6. State Oil & Gas Lease No. 7. Lease Name or Unit Agreement Name ENRON 9 STATE COM 8. Well Number 001 9. OGRID Number 372043 10. Pool name or Wildcat [79335] JOHNOSN RANCH; WOLFCAMP (GAS)		
	from the SOUTH line and 196			
	vnship 24S Range 33E (Show whether DR, RKB, RT, GR, etc.)	ž		
3612 GR	(3.00), ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	"		
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO:				
I hereby certify that the information above is true an SIGNATURE	nd complete to the best of my knowled TITLE Regulatory Specialist	DATE 8/1/2023		
Type or print name	E-mail address: jtrlica@taprk.com	PHONE: 720-772-5910		
APPROVED BY: John Harrison Conditions of Approval (if any):	TITLE Petroleum Specia	alist DATE 8/2/23		

Enron State Com 9 -001

30-025-34165


Post-P&A Job Summary

Bleed down well head pressures. Pumped kill fluid. ND Prod tree/flowline. Unset TAC and POOH w/368 jts tbg, TAC lay everything down. PU workstring, DO CIBP @ 11,909'. Circulate hole clean and POOH. Make bit/scraper run to 12,939' and POOH. RU WL and run CBL. RIH with workstring, spot class H cement plug from 12,630' – 12,530'. WOC and tag. Spot class H cement plug from 12,317' – 12,000'. WOC and tag. RU WL and set CIBP @ 11,675'. Successful 30 min casing test to 500 psi. Spot Class H cement plug from 11,675' – 11,498'. WOC and tag. Spot class H cement plug from 9,009' – 8,842'. WOC and tag. RU WL and perforate @ 5,000'. Squeeze 40 sacks class C cement, leaving cement plug from 5,050' – 4,797'. WOC and tag. Spot Class C cement from 4,500' – 4,400'. WOC and tag. MU CIBP and set @ 2,000'. Pump 30 sacks Class C cement, leaving cement plug from 2,000' – 1,811'. Mix and spot 60 sacks Class C cement from 200' to surface. Rig down move out equipment, prepare location to initiate final reclamation procedures per NMOCD.

PA procedure began: June 28, 2023

PA procedure completed: July 19, 2023

TAP ROCK OPERATING, LLC ENRON STATE COM. 9 #1 SEC. 9, T-24S, R-33E 660' FSL AND 1980' FEL LEA COUNTY, NEW MEXICO API # 30-025-34165



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 246769

CONDITIONS

Operator:	OGRID:
TAP ROCK OPERATING, LLC	372043
523 Park Point Drive	Action Number:
Golden, CO 80401	246769
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
john.harrison	None - Well P&A'd 7/19/23	8/2/2023