

Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-24940
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator SILVERBACK OPERATING II, LLC		6. State Oil & Gas Lease No.
3. Address of Operator 19707 West IH 10, Suite 201 San Antonio, TX 78257		7. Lease Name or Unit Agreement Name Waldrip JY
4. Well Location Unit Letter <u>K</u> : <u>2310</u> feet from the <u>South</u> line and <u>2310</u> feet from the <u>West</u> line Section <u>34</u> Township <u>18S</u> Range <u>26E</u> NMPM County <u>Eddy</u>		8. Well Number <u>2</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3349' GR		9. OGRID Number 330968
		10. Pool name or Wildcat ATOKA; GLORIETA-YESO

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
CLOSED-LOOP SYSTEM <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Silverback has completed the P&A on the subject well as follows:

07/20/2023 MIRU AAA Well Service P&A rig. POOH with 14 sucker rods. Rods stuck in paraffin.  
 07/21/2023 Rods still stuck. Could not find available hot oil unit.

07/24/2023 RU hot oil unit and pump 75 bbl hot water down tbg. POOH w/ rods. NU BOP's. POOH with 96 jts of tbg. WIH with CIBP on tbg. Tagged a little high. Set CIBP at 2,785'. Displaced hole with FW mud. CIBP did not test. POOH. CIBP on tbg. RU wireline and set CIBP at 2,785'. Tested csg to 500 psi. Ran CBL. Found top of cement at surface.

07/25/2023 WIH with tbg and spotted 25 sks cl C cmt plug from 2,525 – 2,785'. WOC and tagged plug at 2,525'. PU and spotted 25 sks cl C cmt plug from 785 – 1,047'.

07/26/2023 Tagged plug at 785'. PU and spotted 30 sks cl C cmt plug from surface to 263'. Bubble test cmt. ND BOP's. RD rig. Wellbore schematics attached.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Fatma Abdallah TITLE Regulatory Manager DATE 08/02/2023

Type or print name Fatma Abdallah E-mail address: fabdallah@silverbackexp.com PHONE: (210) 585-3316

**For State Use Only**

APPROVED BY: John Harrison TITLE Petroleum Specialist DATE 8/4/23

Conditions of Approval (if any):

COMMENTS			
Surface plug CI C cmt: 0-263'	A	<p>The diagram shows a vertical wellbore. At the top, there is a grey 'Surface plug'. Below it is a section labeled 'FW MUD'. Further down, there is another grey 'CI C cmt plug'. Below that is another 'FW MUD' section. A scale bar indicates 50 feet. Three sets of perforations are shown, each labeled with a depth range and hole size. The bottom of the wellbore is labeled 'C' and shows a cross-hatched pattern.</p>	
CBL showed cmt to surface			
CI C cmt plug 785'-1047'	B		
CIBP @ 2,785' 25 sk CI C cmt plug 2,525'-2,785'			
Yeso Perfs: 2879'-3009' (w/24 .42" Holes)			
Yeso Perfs: 3606'-3636' (w/17 .41" Holes)			
Yeso Perfs: 3727'-3771' (w/10 .42" Holes)			
		C	
PBTD:		3,803	MD
TD:		3,900	MD

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 247400

CONDITIONS

Operator: Silverback Operating II, LLC 19707 IH10 West, Suite 201 San Antonio, TX 78256	OGRID: 330968
	Action Number: 247400
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	None - Well P&A'd 7/26/23	8/4/2023