

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address DJR Operating, LLC 1 Road 3263 Aztec, NM 87410		² OGRID Number 371838
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30-045-38237	⁵ Pool Name Betonnies Tsoie Wash; Mancos (Oil)	⁶ Pool Code 98175
⁷ Property Code 325179	⁸ Property Name Betonnies Tsoie Wash Unit	⁹ Well Number 501H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
A	35	23N	08W		703'	North	834'	East	San Juan

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	27	23N	08W		477'	North	2265'	East	San Juan
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 03/01/23	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
248440	Western Refining Company, LP 6500 Townbridge Drive, El Paso, TX 79905	O
151618	Enterprise Field Services, LLC Post Office Box 4503, Houston, TX 77001	G

IV. Well Completion Data

²¹ Spud Date 01/07/22	²² Ready Date 02/15/23	²³ TD 14,666' MD 5,116' TVD	²⁴ PBTD 14,649' MD 5,116' TVD	²⁵ Perforations 5,923' - 14,595' MD 5,056' - 5,120' TVD FracSleeve @ 14,628'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
12.25"	9.625" 36# J55	360'	109		
8.75"	7" 26# J55	5,194'	613		
6.125"	4.5" 11.6# P110	TOL: 5,067' BOL: 14,663'	809		
	2.875" 6.5# L80 Tubing	5,535'			

V. Well Test Data

³¹ Date New Oil 02/16/23	³² Gas Delivery Date 03/01/23	³³ Test Date 02/18/23	³⁴ Test Length 24	³⁵ Tbg. Pressure 306	³⁶ Csg. Pressure 849
³⁷ Choke Size 40/64	³⁸ Oil 596	³⁹ Water 463	⁴⁰ Gas 2332		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Shaw-Marie Ford</i>	OIL CONSERVATION DIVISION Approved by: <i>PATRICIA MARTINEZ</i>
Printed name: Shaw-Marie Ford	Title: <i>PETROLEUM SPECIALIST</i>
Title: Regulatory Specialist	Approval Date: <i>8/7/2023</i>
E-mail Address: sford@djrlc.com	
Date: 04/23/23	Phone: 505-716-3297

DISTRICT I

1625 N. French Dr., Hobbs, N.M. 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II

811 S. First St., Artesia, N.M. 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III

1000 Rio Brazos Rd., Aztec, N.M. 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate
District Office

☐ AMENDED REPORT
☒ AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-38237	² Pool Code 98175	³ Pool Name BETONNIE TSOSIE WASH UNIT MANCOS OIL POOL
⁴ Property Code 325179	⁵ Property Name BETONNIE TSOSIE WASH UNIT	⁶ Well Number 501H
⁷ OGRID No. 371838	⁸ Operator Name DJR OPERATING, LLC	⁹ Elevation 6974'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	35	23N	8W		703'	NORTH	834'	EAST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	27	23N	8W		477'	NORTH	2265'	EAST	SAN JUAN


¹² Dedicated Acres PENETRATED SPACING UNIT;
SEC 35: NE/4 & NE/NW (200 AC.); SEC 26:
SW/SE, SW/4 & SW/NW (240 AC.); SEC 27:
NE/SE & NE/4 (200 AC.) = 640 ACRES

¹³ Joint or Infill¹⁴ Consolidation Code¹⁵ Order No.

R-13930 R-13930A

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Shaw-Marie Ford 07/06/22
Signature Date

Shaw-Marie Ford

Printed Name

sford@djrlc.com

E-mail Address

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

MAY 24, 2022

Date of Survey

Signature and Seal of Professional Surveyor:



Certificate Number

11393

**Directional Survey Certification**

7237 Barton Drive
Casper, WY 82604
(307) 472-6621

Operator	DJR Operating
Well Name & No.	Betonnies Tsosie Wash A35 2308 501H
County & State	San Juan, NM
SDI Job No.	OP.034060
Rig	H&P 443

I, Janie Collins, having personal knowledge of all the facts, hereby certify that the attached directional survey run from a measured depth of 540 feet to a measured depth of 14,666 feet is true and correct as determined from all available records.

A handwritten signature in blue ink, appearing to read 'Janie Collins', written over a horizontal line.

Signature

23-May-22

Date

Janie Collins

Colorado District Well Planner
Scientific Drilling International



DJR

Betonne Tsose Wash Unit

A35 2308

501H

End of Well Report



www.scientificdrilling.com






Company Name: DJR Operating
Project: Bettonnie Tsoisie Unit
Site: A35 2308 Pad
Well: # 501H
Wellbore: Original Drilling



WELL DETAILS: # 501H

GL 6974 & RKB 26' @ 7000ft (H&P 443) 6974			
+N/-S	+E/-W	Northing	Longitude
0	0	1888049.33	-107.64483700
Easting 2778713.38			
Latitude 36.18873100			
1			



Design: Original Drilling (# 501H/Original Drilling)	Created By: Janie Collins	Date: 15:30, May 23 2022
PROJECT DETAILS: Bettonnie Tsoisie Unit		
Geodetic System: US State Plane 1983		
Datum: North American Datum 1983		
Ellipsoid: GRS 1980		
Zone: New Mexico Western Zone		
System Datum: Mean Sea Level		
Local North: True		



DJR Operating

Betonne Tsoie Unit

A35 2308 Pad

501H - Slot 1

Original Drilling

Design: Original Drilling

Standard Survey Report

23 May, 2022



www.scientificdrilling.com





Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 501H - Slot 1
Project:	Betonnies Tsoie Unit	TVD Reference:	GL 6974' & RKB 26' @ 7000ft (H&P 443)
Site:	A35 2308 Pad	MD Reference:	GL 6974' & RKB 26' @ 7000ft (H&P 443)
Well:	# 501H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Project	Betonnies Tsoie Unit		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Western Zone		

Site	A35 2308 Pad		
Site Position:		Northing:	1,888,089.74 usft
From:	Lat/Long	Easting:	2,778,713.01 usft
Position Uncertainty:	0 ft	Slot Radius:	13.20 in
		Latitude:	36.18884200
		Longitude:	-107.64483800
		Grid Convergence:	0.11 °

Well	# 501H - Slot 1		
Well Position	+N/-S	0 ft	Northing:
	+E/-W	0 ft	Easting:
Position Uncertainty	0 ft	Wellhead Elevation:	ft
		Latitude:	36.18873100
		Longitude:	-107.64483700
		Ground Level:	6974 ft

Wellbore	Original Drilling				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2022	4/21/2022	8.52	62.67	49,082.50000000

Design	Original Drilling			
Audit Notes:				
Version:	1.0	Phase:	ACTUAL	Tie On Depth:
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)
	0	0	0	309.36

Survey Program	Date	5/17/2022		
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description
540	4735	Survey #1 - Surface MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM
4830	5924	Survey #2 - Curve MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM
6019	14,666	Survey #3 - Lateral MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0	0.00	0.00	0	0	0	0	0.00	0.00	0.00	
540	2.14	181.26	540	-10	0	-6	0.40	0.40	0.00	
632	4.13	173.80	632	-15	0	-10	2.20	2.16	-8.11	
724	5.17	170.34	723	-22	1	-15	1.17	1.13	-3.76	
813	7.45	170.59	812	-32	3	-23	2.56	2.56	0.28	
903	8.38	170.27	901	-44	5	-32	1.03	1.03	-0.36	
995	10.23	165.32	992	-59	8	-44	2.19	2.01	-5.38	
1086	11.63	173.98	1081	-76	11	-57	2.37	1.54	9.52	
1178	12.93	166.16	1171	-95	14	-71	2.29	1.41	-8.50	



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 501H - Slot 1
Project:	Betonne Tsoie Unit	TVD Reference:	GL 6974' & RKB 26' @ 7000ft (H&P 443)
Site:	A35 2308 Pad	MD Reference:	GL 6974' & RKB 26' @ 7000ft (H&P 443)
Well:	# 501H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
1270	14.02	168.90	1261	-116	19	-88	1.37	1.18	2.98
1360	14.78	167.23	1348	-138	24	-106	0.96	0.84	-1.86
1450	16.37	166.72	1434	-161	29	-125	1.77	1.77	-0.57
1541	19.15	168.28	1521	-188	35	-147	3.10	3.05	1.71
1631	20.77	167.10	1606	-218	42	-171	1.85	1.80	-1.31
1722	20.25	163.54	1691	-249	50	-197	1.48	-0.57	-3.91
1812	20.51	166.98	1775	-280	58	-222	1.36	0.29	3.82
1904	21.34	164.44	1861	-311	66	-248	1.34	0.90	-2.76
1998	23.59	165.63	1948	-346	75	-278	2.44	2.39	1.27
2093	21.50	164.36	2036	-381	85	-307	2.26	-2.20	-1.34
2188	22.67	165.83	2124	-416	94	-336	1.36	1.23	1.55
2283	22.71	167.33	2211	-451	102	-365	0.61	0.04	1.58
2377	22.53	166.69	2298	-487	110	-394	0.32	-0.19	-0.68
2472	23.27	166.56	2386	-523	119	-423	0.78	0.78	-0.14
2567	23.84	165.86	2473	-560	128	-454	0.67	0.60	-0.74
2662	25.27	165.64	2559	-598	138	-486	1.51	1.51	-0.23
2757	24.65	163.34	2645	-636	148	-518	1.21	-0.65	-2.42
2852	22.38	166.33	2732	-673	158	-549	2.70	-2.39	3.15
2947	22.03	165.52	2820	-708	167	-578	0.49	-0.37	-0.85
3042	21.42	166.07	2909	-742	176	-606	0.68	-0.64	0.58
3137	18.89	169.23	2998	-774	183	-632	2.90	-2.66	3.33
3232	19.94	174.19	3087	-805	187	-655	2.06	1.11	5.22
3327	22.57	173.45	3176	-839	191	-680	2.78	2.77	-0.78
3421	21.10	171.77	3263	-874	195	-705	1.70	-1.56	-1.79
3516	21.87	171.22	3352	-908	201	-731	0.84	0.81	-0.58
3612	20.32	170.73	3441	-943	206	-757	1.62	-1.61	-0.51
3707	22.32	171.44	3530	-977	211	-783	2.12	2.11	0.75
3802	20.40	171.16	3618	-1011	217	-809	2.02	-2.02	-0.29
3896	20.78	166.04	3706	-1043	223	-834	1.96	0.40	-5.45
3991	22.08	165.42	3795	-1077	232	-862	1.39	1.37	-0.65
4086	20.91	165.51	3883	-1111	240	-890	1.23	-1.23	0.09
4181	19.46	164.74	3972	-1142	249	-917	1.55	-1.53	-0.81
4276	19.00	171.12	4062	-1173	255	-941	2.26	-0.48	6.72
4356	17.26	177.25	4138	-1198	258	-959	3.22	-2.18	7.66
4451	15.46	210.04	4229	-1223	252	-970	9.77	-1.89	34.52
4545	15.53	248.51	4320	-1238	234	-966	10.74	0.07	40.93
4640	15.65	267.98	4412	-1243	210	-951	5.48	0.13	20.49
4735	14.33	290.81	4503	-1239	186	-930	6.33	-1.39	24.03
4830	16.68	303.03	4595	-1228	163	-905	4.22	2.47	12.86
4925	23.94	303.37	4684	-1210	136	-872	7.64	7.64	0.36
5020	30.28	305.04	4769	-1185	100	-829	6.72	6.67	1.76
5115	38.18	309.35	4847	-1153	58	-776	8.69	8.32	4.54
5161	43.77	312.40	4882	-1133	35	-746	12.90	12.15	6.63



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 501H - Slot 1
Project:	Betonne Tsoie Unit	TVD Reference:	GL 6974' & RKB 26' @ 7000ft (H&P 443)
Site:	A35 2308 Pad	MD Reference:	GL 6974' & RKB 26' @ 7000ft (H&P 443)
Well:	# 501H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
5264	58.46	312.05	4946	-1080	-24	-666	14.26	14.26	-0.34
5359	74.61	311.27	4984	-1022	-89	-579	17.02	17.00	-0.82
5453	75.51	309.23	5008	-963	-159	-488	2.31	0.96	-2.17
5546	79.88	306.36	5028	-908	-230	-397	5.58	4.70	-3.09
5641	84.26	307.95	5041	-851	-305	-303	4.90	4.61	1.67
5736	84.05	308.91	5051	-792	-379	-209	1.03	-0.22	1.01
5830	87.08	311.51	5058	-731	-451	-115	4.24	3.22	2.77
5924	89.19	313.68	5061	-668	-520	-21	3.22	2.24	2.31
6019	90.64	312.17	5061	-603	-590	73	2.20	1.53	-1.59
6113	89.97	311.08	5061	-541	-660	167	1.36	-0.71	-1.16
6207	90.81	313.60	5060	-477	-729	261	2.83	0.89	2.68
6301	90.00	313.01	5059	-413	-798	355	1.07	-0.86	-0.63
6395	89.26	315.18	5060	-348	-865	449	2.44	-0.79	2.31
6490	90.47	316.87	5060	-279	-931	543	2.19	1.27	1.78
6584	90.71	316.92	5059	-211	-995	636	0.26	0.26	0.05
6678	90.77	316.94	5058	-142	-1060	729	0.07	0.06	0.02
6772	90.71	317.14	5057	-73	-1124	822	0.22	-0.06	0.21
6866	90.50	317.27	5056	-4	-1188	916	0.26	-0.22	0.14
6961	89.29	317.06	5056	66	-1252	1010	1.29	-1.27	-0.22
7055	89.53	317.38	5057	135	-1316	1103	0.43	0.26	0.34
7149	89.56	317.71	5058	204	-1379	1196	0.35	0.03	0.35
7244	89.03	315.43	5059	273	-1445	1290	2.46	-0.56	-2.40
7338	88.89	315.67	5061	340	-1511	1383	0.30	-0.15	0.26
7432	88.66	316.09	5063	407	-1576	1477	0.51	-0.24	0.45
7526	88.32	315.99	5065	475	-1641	1570	0.38	-0.36	-0.11
7620	87.75	316.39	5068	543	-1706	1663	0.74	-0.61	0.43
7714	91.21	315.17	5069	610	-1772	1757	3.90	3.68	-1.30
7808	91.21	315.56	5067	677	-1838	1850	0.41	0.00	0.41
7903	89.33	314.70	5067	744	-1905	1945	2.18	-1.98	-0.91
7997	89.23	314.33	5068	810	-1972	2038	0.41	-0.11	-0.39
8091	88.62	313.10	5070	875	-2040	2132	1.46	-0.65	-1.31
8185	88.66	313.52	5072	940	-2108	2226	0.45	0.04	0.45
8279	88.29	312.66	5075	1004	-2177	2320	1.00	-0.39	-0.91
8374	88.22	314.44	5077	1069	-2246	2414	1.87	-0.07	1.87
8468	88.63	314.56	5080	1135	-2313	2508	0.45	0.44	0.13
8562	90.20	315.76	5081	1202	-2379	2601	2.10	1.67	1.28
8656	90.40	315.97	5080	1269	-2444	2695	0.31	0.21	0.22
8750	90.30	314.80	5080	1336	-2510	2788	1.25	-0.11	-1.24
8845	89.40	313.70	5080	1402	-2578	2883	1.50	-0.95	-1.16
8939	88.76	312.85	5082	1467	-2647	2977	1.13	-0.68	-0.90
9034	90.13	316.48	5083	1534	-2714	3071	4.08	1.44	3.82
9128	90.27	315.98	5082	1602	-2779	3165	0.55	0.15	-0.53
9223	90.27	315.63	5082	1670	-2846	3259	0.37	0.00	-0.37



Scientific Drilling

Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 501H - Slot 1
Project:	Betonne Tsoie Unit	TVD Reference:	GL 6974' & RKB 26' @ 7000ft (H&P 443)
Site:	A35 2308 Pad	MD Reference:	GL 6974' & RKB 26' @ 7000ft (H&P 443)
Well:	# 501H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N-S (ft)	+E-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9318	90.10	315.25	5081	1737	-2912	3354	0.44	-0.18	-0.40
9412	90.27	314.86	5081	1804	-2979	3447	0.45	0.18	-0.41
9506	88.96	313.65	5082	1869	-3046	3541	1.90	-1.39	-1.29
9600	88.83	313.19	5084	1934	-3114	3634	0.51	-0.14	-0.49
9694	88.93	312.69	5085	1998	-3183	3728	0.54	0.11	-0.53
9787	88.32	315.02	5088	2062	-3250	3821	2.59	-0.66	2.51
9882	88.49	314.75	5090	2130	-3317	3915	0.34	0.18	-0.28
9972	88.09	314.28	5093	2193	-3382	4005	0.69	-0.44	-0.52
10,063	89.60	315.14	5095	2257	-3446	4096	1.91	1.66	0.95
10,153	90.37	315.66	5095	2321	-3509	4185	1.03	0.86	0.58
10,243	89.73	314.47	5095	2384	-3573	4275	1.50	-0.71	-1.32
10,333	89.83	314.17	5095	2447	-3637	4364	0.35	0.11	-0.33
10,424	89.19	313.38	5096	2510	-3703	4455	1.12	-0.70	-0.87
10,514	89.50	311.83	5097	2571	-3769	4545	1.76	0.34	-1.72
10,606	89.36	314.10	5098	2634	-3837	4637	2.47	-0.15	2.47
10,697	91.84	315.65	5097	2698	-3901	4727	3.21	2.73	1.70
10,788	89.87	315.42	5096	2763	-3965	4818	2.18	-2.16	-0.25
10,879	89.93	315.48	5096	2828	-4029	4908	0.09	0.07	0.07
10,970	88.93	314.65	5097	2892	-4093	4999	1.43	-1.10	-0.91
11,061	88.86	314.69	5098	2956	-4158	5089	0.09	-0.08	0.04
11,152	88.22	313.70	5101	3020	-4223	5180	1.30	-0.70	-1.09
11,243	89.40	314.50	5103	3083	-4288	5271	1.57	1.30	0.88
11,333	89.66	316.91	5103	3147	-4351	5360	2.69	0.29	2.68
11,424	90.34	316.61	5103	3214	-4413	5450	0.82	0.75	-0.33
11,515	88.09	316.93	5105	3280	-4476	5541	2.50	-2.47	0.35
11,605	88.12	316.31	5108	3345	-4537	5630	0.69	0.03	-0.69
11,696	87.82	315.62	5111	3411	-4601	5720	0.83	-0.33	-0.76
11,787	87.35	315.56	5115	3476	-4664	5811	0.52	-0.52	-0.07
11,878	88.05	316.50	5118	3541	-4727	5901	1.29	0.77	1.03
11,969	90.17	317.17	5120	3607	-4790	5991	2.44	2.33	0.74
12,060	89.80	316.92	5120	3674	-4852	6081	0.49	-0.41	-0.27
12,151	89.30	317.11	5120	3741	-4914	6171	0.59	-0.55	0.21
12,242	90.87	316.67	5120	3807	-4976	6262	1.79	1.73	-0.48
12,331	90.67	316.33	5119	3872	-5037	6350	0.44	-0.22	-0.38
12,422	90.60	316.00	5118	3937	-5100	6440	0.37	-0.08	-0.36
12,514	90.50	316.50	5117	4004	-5164	6532	0.55	-0.11	0.54
12,605	90.30	316.66	5117	4070	-5226	6622	0.28	-0.22	0.18
12,697	90.30	317.13	5116	4137	-5289	6713	0.51	0.00	0.51
12,787	90.13	317.44	5116	4203	-5350	6802	0.39	-0.19	0.34
12,878	90.67	315.96	5115	4269	-5413	6892	1.73	0.59	-1.63
12,969	90.00	314.12	5115	4334	-5477	6983	2.15	-0.74	-2.02
13,059	89.13	313.33	5115	4396	-5542	7073	1.31	-0.97	-0.88
13,150	90.17	314.86	5116	4459	-5607	7163	2.03	1.14	1.68
13,240	90.17	313.96	5116	4522	-5672	7253	1.00	0.00	-1.00



Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 501H - Slot 1
Project:	Betonnie Tsosie Unit	TVD Reference:	GL 6974' & RKB 26' @ 7000ft (H&P 443)
Site:	A35 2308 Pad	MD Reference:	GL 6974' & RKB 26' @ 7000ft (H&P 443)
Well:	# 501H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
13,330	92.18	313.59	5114	4584	-5737	7343	2.27	2.23	-0.41	
13,420	92.21	313.46	5110	4646	-5802	7433	0.15	0.03	-0.14	
13,511	89.76	312.24	5109	4708	-5869	7523	3.01	-2.69	-1.34	
13,601	88.99	311.52	5110	4768	-5936	7613	1.17	-0.86	-0.80	
13,691	89.19	313.32	5111	4829	-6002	7703	2.01	0.22	2.00	
13,781	89.33	313.22	5112	4891	-6067	7793	0.19	0.16	-0.11	
13,873	89.33	313.09	5113	4954	-6135	7885	0.14	0.00	-0.14	
13,964	89.93	314.59	5114	5017	-6200	7975	1.78	0.66	1.65	
14,053	90.00	315.13	5114	5079	-6263	8064	0.61	0.08	0.61	
14,144	90.74	316.07	5113	5144	-6327	8154	1.31	0.81	1.03	
14,234	90.10	315.11	5113	5209	-6390	8244	1.28	-0.71	-1.07	
14,324	89.70	314.14	5113	5272	-6454	8334	1.17	-0.44	-1.08	
14,415	89.36	313.44	5114	5335	-6520	8424	0.86	-0.37	-0.77	
14,506	88.76	313.76	5115	5398	-6586	8515	0.75	-0.66	0.35	
14,600	89.63	314.65	5116	5463	-6653	8609	1.32	0.93	0.95	
14,666	89.63	314.65	5117	5510	-6700	8674	0.00	0.00	0.00	

Design Targets										
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude	
7" Casing @ 4919' TVD	0.00	0.00	4919	-1129	-28	1,886,919.94	2,778,687.87	36.18562859	-107.64493090	
- actual wellpath misses target center by 40ft at 5223ft MD (4923 TVD, -1102 N, 1 E)										
- Point										
501H Heel Rev 1	0.00	0.00	5060	-849	-350	1,887,199.74	2,778,365.45	36.18639894	-107.64602166	
- actual wellpath misses target center by 30ft at 5679ft MD (5045 TVD, -828 N, -335 E)										
- Circle (radius 50)										
501H Toe Rev 1	0.00	0.00	5115	5482	-6684	1,893,518.32	2,772,018.77	36.20378839	-107.66749259	
- actual wellpath misses target center by 9ft at 14635ft MD (5117 TVD, 5488 N, -6678 E)										
- Circle (radius 100)										

Design Annotations					
Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates			
		+N/-S (ft)	+E/-W (ft)	Comment	
540	540	-10	0	First Surface MWD Survey	
4735	4503	-1239	186	Last Surface MWD Survey	
4830	4595	-1228	163	First Curve MWD Survey	
5924	5061	-668	-520	Last Curve MWD Survey	
6019	5061	-603	-590	First Lateral MWD Survey	
14,600	5116	5463	-6653	Last Lateral MWD Survey	
14,666	5117	5510	-6700	Projection to TD	

**Scientific Drilling**
Survey Report

Company:	DJR Operating	Local Co-ordinate Reference:	Well # 501H - Slot 1
Project:	Betonnies Tsosie Unit	TVD Reference:	GL 6974' & RKB 26' @ 7000ft (H&P 443)
Site:	A35 2308 Pad	MD Reference:	GL 6974' & RKB 26' @ 7000ft (H&P 443)
Well:	# 501H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Checked By: _____ Approved By: _____ Date: _____

Well Name: BETONNIE TSOSIE WASH UNIT	Well Location: T23N / R8W / SEC 35 / NENE / 36.18873 / -107.64483	County or Parish/State: SAN JUAN / NM
Well Number: 501H	Type of Well: OIL WELL	Allottee or Tribe Name: NAVAJO NATION
Lease Number: NMNM76842	Unit or CA Name:	Unit or CA Number: NMNM135219A
US Well Number: 3004538237	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2716395

Type of Submission: Subsequent Report

Date Sundry Submitted: 02/17/2023

Date Operation Actually Began: 12/18/2022

Type of Action: Hydraulic Fracturing

Time Sundry Submitted: 11:39

Actual Procedure: Completion Sundry 12/18/22: PT 4.5" x 7" annulus 2k (30min). Full function PT L400 H9600, all tests good & recorded on chart. Open well, increase pressure, AlphaSleeve opened at 8935 psi. Wait on offset wells ops. 1/17/23: Perf, Plug and Frac 29 stages: 3 spf, 0.35" diameter from 5923' to 14595' MD (5056' to 5120' TVD). Total of 1015 open holes. As pumped: 54,626 bbls of fluid. 8,884,780 lbs of proppant. 80,682,474 scf of N2. 2/9/23: MIRU rig AWS 812. Full function PT L300 H5000 (30min). all tests good & recorded on chart. TIH. Drill out plugs. TOH. 2/15/23: Change over tubing tools. PT 2k (15min) test good & recorded on chart. RIH with production string. Land 168 jts of 2.875" 6.5# L80 EUE tubing. EOT: 5535'. Five GLVs set at 4860' – 4136' – 3411' – 2686' – 1962'. TOH. ND BOPE. NU production tree & PT L400 H5000 (30 min) test good & recorded on chart. Turn well over to production. Rig AWS 812 released on 2/16/23.

Well Name: BETONNIE TSOSIE WASH UNIT	Well Location: T23N / R8W / SEC 35 / NENE / 36.18873 / -107.64483	County or Parish/State: SAN JUAN / NM
Well Number: 501H	Type of Well: OIL WELL	Allottee or Tribe Name: NAVAJO NATION
Lease Number: NMNM76842	Unit or CA Name:	Unit or CA Number: NMNM135219A
US Well Number: 3004538237	Well Status: Drilling Well	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: FEB 17, 2023 11:39 AM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 02/21/2023
Signature: Kenneth Rennick	



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Completion Print

04/26/2023

Operator Name DJR OPERATING LLC	Well Name BETONNIE TSOSIE WASH UNIT	Well Number 501H	US Well Number 3004538237
SHL NENE Sec 35 23N 8W	County SAN JUAN	State NM	Lease Number(s) NMNM76842
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM135219A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name BETONNIE TSOSIE WASH UNIT	Well Pad Number 213H, 214H, 501H	ID 10400062306

Section 1 - General

Well Completion Report Id: 87955**Submission Date:** 04-25-2023**BLM Office:** Farmington Field Office**User:** SHAW-MARIE FORD**Title:** Regulatory Specialist**Federal/Indian:** INDIAN**Lease Number:** NMNM76842**Lease Acres:****Agreement in place?:** YES**Federal or Indian Agreement:****Agreement Number:****Agreement Name:****Keep this Well Completion Report confidential?:****APD Operator:** DJR OPERATING LLC

Section 2 - Well

Field/Pool or Exploratory:**Pool Name:** BETONNIE TSOSIE**Field Name:** BASIN MANCOS**Well Type:** OIL WELL**Spud Date:** 01-07-2022**Date Total Measured Depth Reached:** 05-16-2022**Drill & Abandon or Ready To Produce:** READY TO**Well Class:** HORIZONTAL

Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
OJO ALAMAO	SANDSTONE		0	770	771	USEABLE WATER	
KIRTLAND	SHALE		-902	902	905	NONE	

Operator Name DJR OPERATING LLC	Well Name BETONNIE TSOSIE WASH UNIT	Well Number 501H	US Well Number 3004538237
SHL NENE Sec 35 23N 8W	County SAN JUAN	State NM	Lease Number(s) NMNM76842
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM135219A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name BETONNIE TSOSIE WASH UNIT	Well Pad Number 213H, 214H, 501H	ID 10400062306

Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
FRUITLAND	COAL		-1176	1176	1186	NATURAL GAS	
PICTURED CLIFFS	SANDSTONE		-1449	1449	1474	USEABLE WATER	
LEWIS	SHALE		-1597	1597	1632	NONE	
CHACRA	SANDSTONE		-2146	2146	2219	NONE	
MENEFEE	COAL, SANDSTONE		-2888	2888	3013	NATURAL GAS	
POINT LOOKOUT	SANDSTONE		-3818	3818	4008	NONE	
MANCOS	SHALE		-3974	3974	4175	NONE	
MANCOS	SILTSTONE		-4251	4251	4471	NATURAL GAS, OIL	
GALLUP	SANDSTONE		-5047	4754	5005	NATURAL GAS, OIL	

Completion and Completed

Completion Data

Wellbore Code	Completion Code	Interval Number	Case Number	Lease Number	Well Completion Type	Describe Well Completion Type	Completion Status	Date Completed	Date First Produced	Formation	Interval Top (MD)	Interval Bottom (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
00	S1	1	NMNM135219A	NMNM76842	NEW		POW	02-15-2023	02-16-2023	GALLUP	5923	14595	Y	.35	1015	OPEN

Operator Name DJR OPERATING LLC	Well Name BETONNIE TSOSIE WASH UNIT	Well Number 501H	US Well Number 3004538237
SHL NENE Sec 35 23N 8W	County SAN JUAN	State NM	Lease Number(s) NMNM76842
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM135219A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name BETONNIE TSOSIE WASH UNIT	Well Pad Number 213H, 214H, 501H	ID 10400062306

Treatment Data

Wellbore Code	Completion Code	Interval Number	Interval Treated?	Treatment Type	Total Fluid (bbls)	Total Proppant (lbs)	Treatment Remarks
00	S1	1	Y	FRAC	54626	8884780	Chemical Disclosure uploaded to FracFocus on 02/07/23.

Production Data

Wellbore Code	Completion Code	Interval Number	API Oil Gravity	Gas Gravity	Production Method	Describe Production	Disposition of Gas	Describe Disposition
00	S1	1			GAS LIFT		SOLD	

Test Data

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing Pressure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)
00	S1	1	02/18/2023	24	596	2332	463	3912	40/64	306		849

Operator Name DJR OPERATING LLC	Well Name BETONNIE TSOSIE WASH UNIT	Well Number 501H	US Well Number 3004538237
SHL NENE Sec 35 23N 8W	County SAN JUAN	State NM	Lease Number(s) NMNM76842
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM135219A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name BETONNIE TSOSIE WASH UNIT	Well Pad Number 213H, 214H, 501H	ID 10400062306

Well Location

Survey Type: RECTANGULAR

Survey Number:

Datum: NAD83

Vertical Datum: NAVD88

Reference Datum: GL

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	MD (ft)	TVD (ft)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Acqueduct
SHL	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.18873	-107.64483	6974	N/A	N/A	FEDERAL	NMNM76842				703	FNL	834	FEL	23N	8W	35	NE
KOP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.18873	-107.64483	6624	350	350	FEDERAL	NMNM76842				703	FNL	834	FEL	23N	8W	35	NE
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.197877	-107.660165	1858	14595	5116	FEDERAL	NMNM120376				2643	FNL	86	FEL	23N	8W	27	SE
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.197633	-107.659875	1858	14595	5116	INDIAN	N0G14021901				2550	FSL	1	FEL	23N	8W	27	NE
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.187074	-107.646835	1918	5923	5056	FEDERAL	NMNM76842				1300	FNL	1424	FEL	23N	8W	35	NW
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.190611	-107.651096	1858	14595	5116	INDIAN	N0G14021886				1	FSL	2597	FWL	23N	8W	26	SE
EXIT Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.203737	-107.667387	1858	14595	5116	FEDERAL	NMNM120376				523	FNL	2218	FEL	23N	8W	27	NW
BHL Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SAN JUAN	36.203864	-107.667547	1858	14666	5116	FEDERAL	NMNM120376	5116	14649		477	FNL	2265	FEL	23N	8W	27	NW

Operator Name DJR OPERATING LLC	Well Name BETONNIE TSOSIE WASH UNIT	Well Number 501H	US Well Number 3004538237
SHL NENE Sec 35 23N 8W	County SAN JUAN	State NM	Lease Number(s) NMNM76842
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM135219A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name BETONNIE TSOSIE WASH UNIT	Well Pad Number 213H, 214H, 501H	ID 10400062306

Casing, Liner and Tubing

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	SURFACE	12.25	0	365	9.625	36	J-55		ST&C		
00	INTERMEDIATE	8.75	0	5194	7.0	26	J-55		LT&C		
00	LINER	6.125	5067	14663	4.5	11.6	P-110		BUTT		

Cementing

Wellbore Code	Casing String Type	Stage Tool Depth	Cement Lead Type	Cement Lead Qty (sks)	Cement Lead Yield (cu.ft/sks)	Cement Lead Top (MD)	Cement Tail Type	Cement Tail Qty (sks)	Cement Tail Yield (cu.ft/sks)	Cement Tail Top (MD)	Total (Lead + Tail) Cement Slurry Volume
00	SURFACE		I-ii	109	1.61	0					31.3
00	INTERMEDIATE		III	472	3.82	0	Poz/G	141	1.51	3817	359
00	LINER		Poz/G	809	1.52	5067					219

Operator Name DJR OPERATING LLC	Well Name BETONNIE TSOSIE WASH UNIT	Well Number 501H	US Well Number 3004538237
SHL NENE Sec 35 23N 8W	County SAN JUAN	State NM	Lease Number(s) NMNM76842
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM135219A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name BETONNIE TSOSIE WASH UNIT	Well Pad Number 213H, 214H, 501H	ID 10400062306

Tubing

Wellbore Code	Tubing Size	Describe Other	Tubing Setting Depth (MD/ft)	Packer Depth (MD/ft)	Tubing Weight	Tubing Grade	Describe Other	Tubing Coupling	Describe Other
00	2.875		5535	5088	6	L-80		ST&C	

Logs

Wellbore Code	Log Upload	Was Well Cored?	Was DST Run?	Directional Survey?	Geologic Report	Wellbore Diagram
00	NO	NO	NO	YES	NO	YES

Operator Name DJR OPERATING LLC	Well Name BETONNIE TSOSIE WASH UNIT	Well Number 501H	US Well Number 3004538237
SHL NENE Sec 35 23N 8W	County SAN JUAN	State NM	Lease Number(s) NMNM76842
Well Type OIL WELL	Well Status Drilling Well	Agreement Name	Agreement Number(s) NMNM135219A
Allottee/Tribe Name NAVAJO NATION	Well Pad Name BETONNIE TSOSIE WASH UNIT	Well Pad Number 213H, 214H, 501H	ID 10400062306

Operator

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Well Completion Reports through this system satisfies regulations requiring a submission of Form 3160-4 or a Well Completion Report.

Name: DJR OPERATING LLC

Signed By: SHAW-MARIE FORD

Title: Regulatory Specialist

Signed on: 04/25/2023

Street Address: 1 Road 3263

City: Aztec

State: NM

Zip: 87410

Phone: (505)632-3476

Email address: sford@djrlc.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Extension:

Email address:

Attachments

501H_Certified_EOW_DD_Survey_20230425101727.pdf


501H_As_Drilled_C102_20230425101747.pdf

BETONNIE TSOSIE WASH UNIT 501H

API: 30-045-38237
 SHL: NENE A-35-23N-08W
 706' FNL x 834' FEL

Elevation: 6974' GL
 Spud Date: 01/07/2022
 Completed Date: 02/15/2023

FORMATION	MD	TVD
Ojo Alamo	771'	770'
Kirtland	905'	902'
Fruitland	1186'	1176'
Pictured Cliffs	1474'	1449'
Lewis	1632'	1597'
Chacra	2219'	2146'
Menefee	3013'	2888'
Point Lookout	4008'	3818'
Mancos	4175'	3974'
KOP~	4350'	4132'
Gallup	5005'	4754'
Target	5646'	5047'



Perf:	29 Stages	Frac:	29 Stages
Depth:	5923' - 14595' MD	54,626	bbls of fluid
	5056' - 5120' TVD	8,884,780	lbs of proppant
		80,682,474	scf of N2
Total of 1015 Open Holes			

(NAD83) LAT. LONG.
 SHL: 36.188731 -107.644837
 FTP: 36.187074 -107.646835
 LTP: 36.203737 -107.667387
 BHL: 36.203864 -107.667547

BHL: NWNE B-27-23N-08W
 477' FNL x 2265' FEL

14,666' TD
 5,116' TVD
 14,649' PBTD
 14,628' FracSleeve

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 243254

ACKNOWLEDGMENTS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 243254
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 243254

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 243254
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	8/7/2023