

Well Name: HOSS 2/11 W0AP FED COM	Well Location: T25S / R28E / SEC 2 / NENE / 32.1656765 / -104.0530884	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM134867	Unit or CA Name:	Unit or CA Number: NMNM138437
US Well Number: 3001548287	Well Status: Drilling Well	Operator: MEWBOURNE OIL COMPANY

Subsequent Report

Sundry ID: 2660419

Type of Submission: Subsequent Report

Date Sundry Submitted: 03/07/2022

Date Operation Actually Began: 09/28/2021

Type of Action: Drilling Operations

Time Sundry Submitted: 02:10

Actual Procedure: 09/28/2021 Spud 17 ½" hole @ 496'. Ran 481' of 13 3/8" 54.5# J55 ST&C csg. Held safety meeting. Pumped 20 bbls FW spacer. Par Five cmt w/525 sks Class C w/2% CaCl2 & ¼#/sk Cellophane (yd @ 1.34 cuft/sk @ 14.8 PPG). Displaced w/68 bbls of BW. Plug down @ 8:45 P.M. 09/28/21. Circ 197 sks of cmt to the pit. (Notified Omar Alomar w/BLM but did not witness.) 11/29/2021 Tested BOPE to 5000# high/250# low & Annular to 3500# high/250# low. At 12:45 A.M. 11/29/21, tested csg to 1500# for 30 mins, held OK. Drilled out at 12 ¼". FIT to 10.3 PPG EMW. 11/30/2021 TD 12 ¼" hole @ 2594'. Ran 2579' of 9 5/8" 40# HCL80 LT&C csg. Set Cameron mandrel hanger through BOP w/105k#. Held safety meeting. Pumped 30 bbls FW spacer. Par Five cmt w/450 sks Class C (35/65) w/5% Salt, 4% Gel, 1% Extender, 5% Strength, 3#/sk Kolseal, 0.4#/sk Defoamer, #/sk Cellophane (yd @ 2.17 cuft/sk @ 12.5 PPG). Tail w/200 sks Class C Neat (yd @ 1.32 cuft/sk @ 14.8 PPG). Displaced w/192 bbls of FW. Plug down @ 2:30 P.M. 11/30/21. Circ 178 sks of cmt to the pit. (Notified Gabriel Beneway w/BLM but did not witness.) At 11:30 P.M. 11/30/21, tested csg to 1500# for 30 mins, held OK. Drilled out at 8 ¾". FIT to 10.0 PPG EMW. 12/04/2021 TD 8 ¾" hole @ 9142'. Ran 9067' of 7" 29# HPP110 BT&C csg. Set Cameron mandrel hanger through BOP w/180k#. 12/05/2021 Held safety meeting. Pump 30 bbls spacer. Par Five cmt w/550 sks PVL, 30% Beads, 11% Strength Enhancer, 0.5% Fluid Loss, 0.1% Settling Agent, 3#/sk Kolseal & 0.8#/sk Defoamer (yd @ 3.18 cuft/sk @ 9.8 PPG). Tail w/400 sks Class H w/0.5% Fluid Loss & 0.3% Retarder (yd @ 1.18 cuft/sk @ 15.6 PPG). Displaced w/335 bbls of OBM. Plug down @ 4:00 A.M. 12/05/21. Circ 337 sks of cmt to the pit. (Notified Joe Salcido w/BLM but did not witness.) 12/06/2021 At 5:30 P.M. 12/06/21, tested csg to 1500# for 30 mins, held OK. Drilled out at 6 1/8". FIT to 13.0 PPG EMW. 12/12/2021 TD 6 1/8" hole @19708' MD 12/13/2021 Ran 4 ½" 13.5# HCP110 CDC HTQ csg from 8830' (top of liner) to 19708'. 12/14/2021 Held safety meeting. Dropped 1.5" ball & set hanger w/1358#. Pushed w/80k# to test hanger. Pressured up to 2850# to blow ball seat. Established returns. Pumped 30 bbls diesel spacer & 20 bbls 10.5# Mud Push spacer. Par Five cmt w/800 sks Poz H (35:65) w/6% Gel, 0.9% Retarder, 0.5% Fluid Loss, 0.2% Extender & 10#/sk Obsidian Pumice (1.75

Received by OCD: 4/21/2022 7:23:15 AM

Page 2 of 3

Well Name: HOSS 2/11 W0AP FED COM	Well Location: T25S / R28E / SEC 2 / NENE / 32.1656765 / -104.0530884	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM134867	Unit or CA Name:	Unit or CA Number: NMNM138437
US Well Number: 3001548287	Well Status: Drilling Well	Operator: MEWBOURNE OIL COMPANY

ft³/sk @ 13.5 ppg). Drop dart. Displaced w/249 bbls of sugar BW (calculated volume). Lift Pressure 5000# @ 4.5 BPM. Plug down @ 5:30 A.M. 12/14/21. Bumped plug w/4782#. Shifted wet shoe sub w/5350#. Pump 2 additional bbls. Set packer w/90k#. Released from liner hanger w/2000# on DP. Displaced csg w/400 bbls of BW w/polymer sweep. Circ 194 sks off liner top. At 7:15 A.M. 12/14/21, test liner to 2500# for 30 mins, held OK. (Notified Abiy Sisay w/BLM but did not witness.) Rig released to walk @ 4:00 P.M. 12/14/21.

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: BRADLEY BISHOP	Signed on: MAR 07, 2022 02:10 PM
Name: MEWBOURNE OIL COMPANY	
Title: Regulatory	
Street Address: PO Box 5270	
City: Hobbs	State: NM
Phone: (575) 393-5905	
Email address: bbishop@mewbourne.com	

Field Representative

Representative Name: Rhet Maxey	
Street Address: 4801 Business Park Blvd	
City: Hobbs	State: NM
Phone: (575)393-5905	Zip: 88240
Email address: rmaxey@mewbourne.com	

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 04/16/2022
Signature: Jonathon Shepard	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 100436

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 100436
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
kelly.roberts	None	8/8/2023