

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-35455
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Eunice Monument South Unit
8. Well Number 623
9. OGRID Number 330679
10. Pool name or Wildcat Eunice Monument; Grayburg – San Andres

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator Empire Petroleum Corporation – New Mexico	
3. Address of Operator 2200 S. Utica Place Suite 150, Tulsa, Oklahoma 74114	
4. Well Location Unit Letter <u>K</u> : <u>2625</u> feet from the <u>South</u> line and <u>2560</u> feet from the <u>West</u> line Section <u>5</u> Township <u>21S</u> Range <u>36E</u> NMPM County <u>Lea</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3583' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☒	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- MIRU WOR
- POOH with ESP assembly
- Unset PKR, scan tubing OOH.
- RIH with bit and scraper to 3940'
- Redress pump
- RIH with PKR and TBG, replace bad joints; set PKR @3699'
- Run ESP assembly to 3653'
- Load and test
- Notify NMOCD
- RDMO WOR
- RTP

Perform PWOT BHT

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE Genaro Sanchez TITLE Engineer DATE 08/31/23

Type or print name Genaro Sanchez E-mail address: gsanchez@empirepetrocorp.com PHONE: 936-523-0102

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 9/1/23

Conditions of Approval (if any):

Current WBD**EUNICE MONUMENT SO. UNIT #623
WELLBORE DIAGRAM****DATA**

LOCATION: 2625 FSL & 2560 FWL, SEC 5, T21S, 436E
COUNTY/STATE: LEA, NM
FIELD: EUNICE MONUMENT
FORMATION: GRAYBURG
SPUD DATE: 5/19/01 **COMPLETION DATE:** 7/17/01
API #: 30-025-35455
STATUS: PRODUCER ESP
IP: 20 BPD, 53 MCFD, 573 BW

WELL HISTORY

COMMENTS: SHOULD BE 247' CMT ABOVE FLOAT COLLAR DISPLACEMENT FIG. ON 26# CSG.

05/19/01: SPUD.

06/28/01: DO FC @ 3895' & FIRM CMT TO 3948'. DO GOOD CMT FR/ 3948'-4065'. PICKLE TBG W/1000 GALS 15% HCL. PERF FR/3798'-3808', 3815'-24', 3846'-51', 3857'-62', 3874'-90', 3906'-10', 3972'-76', 3987'-96', 4003'-06' & 4032'-46' W/3 JHPF.

07/10/01: SPOT 500 GALS 15% NEFE. A. W/2500 GALS 15% NEFE HCL. DROPPING 350 1.1 RCNHC THRU ACID. A. W/4000 GALS NEFE HCL FOAMED TO 50 Q 1% KCL. RELEASED RIG 7/10/01.

09/29/04: SET CIBP @ 3960'. DMPD 20' OF CMT ON TOP. ADDED PERFS IN UPPER GRAYBURG. FR/3815'-3835' (21' 63 HOLES), 3800'-3810' (11', 33 HOLES), 3788'-3793' (6', 18 HOLES), 3745'-3754' (10', 30 HOLES) & 3722'-3726' (5', 15 HOLES). A. W/4000 GALS 15% NEFE HCL & 67.6 TONS CO2 @ 8 BPM & 2200 PSI, DROPPED 324 RCBS, ISIP 930 PSI, 15 MIN 315 PSI.

10/00/04: INSTALLED TEST SUB (149 STG RPCT 1500 SUB PMP). PI @ 3659'.


10/15/04: INCR SPM ON PMP/G UNIT FR/8.2 TO 9.3 SPM.

12/00/04: PURCHASED SUB EQUIP.

07/12/05: REPLACED MTR.

11/15/13: FAILURE: TSTD TBG IN HOLE BELOW SLIPS TO 5000 PSI. FOUND HOLE IN 21ST JFB. CABLE DID NOT TEST, CAUSE UNKNOWN.

Proposed WBD



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 260662

CONDITIONS

Operator: Empire New Mexico LLC 2200 S. Utica Place Tulsa, OK 74114	OGRID: 330679
	Action Number: 260662
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Run PWOT BHT	9/1/2023