

Submit 1 Copy To Appropriate District Office

District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-32329
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator RAYBAW Operating, LLC		6. State Oil & Gas Lease No. 330731
3. Address of Operator 2626 Cole Ave Ste 300 Dallas, Tx. 75204		7. Lease Name or Unit Agreement Name Kodiak State
4. Well Location Unit Letter P : 660 feet from the south line and 660 feet from the east line Section 36 Township 17S Range 29E NMPM County Eddy		8. Well Number #001
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3546' GL		9. OGRID Number 330220
		10. Pool name or Wildcat

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. MIRU workover rig. NU BOPE. Kill well with 10# bw.
2. Picked up on tubing string and found to be parted. Pull 26 jts tubing and found split 2 7/8" collar.
3. Ran tension pkr on 2 7/8" workstring tbg and set at 798'. Tested 5 1/2" csg to 500 psi. No bleed off. Pull pkr.
4. Ran overshot and latched on to tbg fish at 871'.
5. RU wireline. Chemical cut tbg at 10,890' (prod pkr @ 10'895'). RD WL.
6. Pulled 209 jts tbg fish and found another split 2 7/8" collar. New top of fish at 6759'.
7. Ran overshot and latched on to tbg fish at 6759'. Pulled 22 jts of 2 7/8" tbg fish and found another split 2 7/8" collar. New top of fish at 7558'.
8. Ran spear and latched into tbg fish at 7558'. Pulled out remaining 2 7/8" tbg fish. New top of fish at 10,890' (chem cut jt).
9. Ran 4 3/4" bit and scraper. Worked through tight spot at 2168'. Continue with bit to 7416' and tagged solid. Drill scale and metal f/ 7416'- 7428'. Could not drill past 7428'. Attempt to pull bit and scraper. Hung up w/ bit at 7030'. Could not move up or down. Could not rotate.
10. RU wireline. Ran freepoint tool to verify stuck bit/scraper. Back off tbg at 7031'. RD WL and pull workstring tbg. Top of fish #2 @ 7031' (scraper and bit).

SEE PAGE 2

Spud Date:

02/12/2022

Rig Release Date:

02/28/2022

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Nancy J. Winn TITLE Regulatory Analyst DATE 03/01/2022

Type or print name Nancy J. Winn E-mail address: nwinn@sbcglobal.net PHONE: 281-793-5452

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Kodiak St. #1 - Subsequent Report (cont...)

11. Ran 2 7/8" pin, bumper sub, oil jars, drill collars, and intensifier on 2 7/8" workstring to screw into top of fish at 7031'. Worked through tite spot in casing at 2110'. Tagged solid at 3329' and stacked out all tubing wt. Pull workstring tubing and found threads severely damaged on 2 7/8" pin (probable parted or collapsed tubing).
12. Ran 4 1/2" lead impression block on workstring tubing to determine extent of damaged casing at 3329'. Stacked out solid at 2087'. Pulled impression block and found impression block to show parted 5 1/2" casing.
13. Ran 3.5" lead impression block to determine extent of damaged casing at 3329'. Could not get past 2087'.
14. Shut down rig. Waiting on plug and abandon procedure.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 258898

CONDITIONS

Operator: RAYBAW Operating, LLC 2626 Cole Avenue Dallas, TX 75204	OGRID: 330220
	Action Number: 258898
	Action Type: [C-103] Sub. Workover (C-103R)

CONDITIONS

Created By	Condition	Condition Date
dmcclure	None	9/5/2023