

State of New Mexico  
Energy, Minerals and Natural ResourcesForm C-103  
Revised July 18, 2013

Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505WELL API NO.  
30-025-255385. Indicate Type of Lease  
STATE ☒ FEE ☐

6. State Oil &amp; Gas Lease No.

7. Lease Name or Unit Agreement Name  
STATE A A/C 1

8. Well Number #114

9. OGRID Number  
32932610. Pool name or Wildcat  
[33820] JALMAT; TAN-YATES-7 RVRS (OIL)SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH  
PROPOSALS.)1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐2. Name of Operator  
FAE II Operating LLC3. Address of Operator  
11757 Katy Freeway, Suite 725 Houston, TX 77079

4. Well Location

Unit Letter I: 1650 feet from the SOUTH line and 990 feet from the EAST line  
Section 21 Township 23S Range 36E NMPM LEA County11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3426' GR

## 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐  
CLOSED-LOOP SYSTEM ☐  
OTHER: ☐

## SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐  
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Plan to MIRU, pull rods/tbg/pump, drill out CIBP @ 3340', clean out, add perfs from 3322' to 3327', acidized, RIH w/prod string, and RTP.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jessica LaMarro TITLE Geologist DATE 5/13/2022Type or print name Jessica LaMarro E-mail address: jessica@faenergyus.com PHONE: 832-706-0051

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 9/18/23

Conditions of Approval (if any):

Well Name: STATE A A/C 1 #114 Lease No: \_\_\_\_\_ Lease Type: STATE  
 Township: 23-S Range: 36-E Sec: 21 Location: 1650' FSL & 990' FEL  
 County: Lea State: NM API: 30-025-25538 Formation: \_\_\_\_\_

Surface Csg

Size: 8-5/8"  
 Wt.&Thrd: 24#  
 Grade: K-55 ST&C  
 Set @: 820'  
 Sxs cmt: 500 sxs  
 Circ: Circ 65 sxs  
 TOC: Surface  
 Hole Size: 12-1/4"

KB: \_\_\_\_\_

DF: \_\_\_\_\_

GL: 3426'Spud Date: 5/21/1977Compl. Date: 6/21/1977History - Highlights

06/1977: Well completion and perforation & acidization  
 03/1990: Set CIBP @ 3340'. Add perforations and frac.  
 Clean out

All info from OCD well files ONLY

TANSILL (Top @ 2868')YATES (Top @ 3045')

3108'-3239' - 03/1990  
 Frac w/ 48700 gals and 104900# 12/20

7 RVRS (Top @ 3280')

3353'-56', 3360'-64', 3372'-78', 3401'-06' (1 SPF) - 06/1977  
 Acidize w/ 1000 gals 15% acid

Production Csg

Size: 5-1/2"  
 Wt.&Thrd: 14#  
 Grade: K-55 ST&C  
 Set @: 3450'  
 Sxs Cmt: 1100 sxs  
 Circ: Circ 300 sxs  
 TOC: Surface  
 Hole Size: 7-7/8"

PBTD 3420'  
 TD 3450'

Tubulars - Capacities and Performance

Well Name: STATE A A/C 1 #114 Lease No: \_\_\_\_\_ Lease Type: STATE  
 Township: 23-S Range: 36-E Sec: 21 Location: 1650' FSL & 990' FEL  
 County: Lea State: NM API: 30-025-25538 Formation: \_\_\_\_\_

Surface Csg

Size: 8-5/8"  
 Wt.&Thrd: 24#  
 Grade: K-55 ST&C  
 Set @: 820'  
 Sxs cmt: 500 sxs  
 Circ: Circ 65 sxs  
 TOC: Surface  
 Hole Size: 12-1/4"

KB: \_\_\_\_\_

DF: \_\_\_\_\_

GL: 3426'Spud Date: 5/21/1977Compl. Date: 6/21/1977History - Highlights

06/1977: Well completion and perforation & acidization  
 03/1990: Set CIBP @ 3340'. Add perforations and frac.  
 Clean out

**Plan to: Drill out CIBP @ 3340'****Add Perfs****Acidize****All info from OCD well files ONLY****PROPOSED**TANSILL (Top @ 2868')YATES (Top @ 3045')Production Csg

Size: 5-1/2"  
 Wt.&Thrd: 14#  
 Grade: K-55 ST&C  
 Set @: 3450'  
 Sxs Cmt: 1100 sxs  
 Circ: Circ 300 sxs  
 TOC: Surface  
 Hole Size: 7-7/8"

3108'-3239' - 03/1990

Frac w/ 48700 gals and 104900# 12/20

7 RVRS (Top @ 3280')**ADD PERFS 3322' to 3327'**

3353'-56', 3360'-64', 3372'-78', 3401'-06' (1 SPF) - 06/1977

Acidize w/ 1000 gals 15% acid

PBTD 3420'

TD 3450'

Tubulars - Capacities and Performance

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 186120

CONDITIONS

Operator: FAE II Operating LLC 11757 Katy Freeway, Suite 725 Houston, TX 77079	OGRID: 329326
	Action Number: 186120
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	9/18/2023