

<b>Well Name:</b> PAW SWAP 12-36 FEDERAL COM	<b>Well Location:</b> T22S / R32E / SEC 13 / NENW / 32.398485 / -103.631611	<b>County or Parish/State:</b> LEA / NM
<b>Well Number:</b> 11H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM085937	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 300255076500X1	<b>Well Status:</b> Drilling Well	<b>Operator:</b> OXY USA INCORPORATED

Accepted for Record Only

SUBJECT TO LIKE  
APPROVAL BY BLM

NMOCD 9/18/23 X7

### Notice of Intent

**Sundry ID:** 2716121

**Type of Submission:** Notice of Intent

**Type of Action:** Workover Operations

**Date Sundry Submitted:** 02/16/2023

**Time Sundry Submitted:** 08:30

**Date proposed operation will begin:** 02/18/2023

**Procedure Description:** OXY USA Inc. respectfully requests approval to remediate the perforations from 10825' to 11051' using a permanent expandable liner. The subject well has been drilled and completed, but has not been turned to production. See the following planned procedure and current/proposed wellbore attached for reference. RIH and set composite bridge plug @ 11,068' to isolate final stage from remaining lateral. Kill well with 325 bbl 13# mud. Will pump more or higher density as required by well pressures. RIH with tubing and packer to tag top of CBP and pressure test to 1000 psi for 30 minutes. Run 350' expandable liner from approximately 10,716'-11,066' MD Base seal assembly covering approximately 11,050-11,059' MD Expand liner. Pressure test liner to 1000 psi for 30 minutes. Drill out shoe and CBP and cleanout with coil tubing to toe. RD and TTP.

### Surface Disturbance

**Is any additional surface disturbance proposed?:** No

### NOI Attachments

**Procedure Description**

PawSwap11H\_WBDCurrentProposed\_20230216082948.pdf

Well Name: PAW SWAP 12-36  
FEDERAL COM

Well Location: T22S / R32E / SEC 13 /  
NENW / 32.398485 / -103.631611

County or Parish/State: LEA /  
NM

Well Number: 11H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM085937

Unit or CA Name:

Unit or CA Number:

US Well Number: 300255076500X1

Well Status: Drilling Well

Operator: OXY USA  
INCORPORATED

### Conditions of Approval

#### Specialist Review

Workover\_or\_Vertical\_Deepen\_COA\_20230216130235.pdf

### Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: LESLIE REEVES

Signed on: FEB 16, 2023 08:30 AM

Name: OXY USA INCORPORATED

Title: Advisor Regulatory

Street Address: 5 GREENWAY PLAZA, SUITE 110

City: HOUSTON

State: TX

Phone: (713) 497-2492

Email address: LESLIE\_REEVES@OXY.COM

### Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

### BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Approved

Disposition Date: 02/16/2023

Signature: Jonathon Shepard


## BUREAU OF LAND MANAGEMENT

Carlsbad Field Office  
620 East Greene Street  
Carlsbad, New Mexico 88220  
575-234-5972

### Conditions of Approval for Workover/Deepening of a Well


1. Notification: Contact the appropriate BLM office at least 24 hours prior to the commencing of any operations. For wells in Eddy County, call 575-361-2822. For wells in Lea County, call 575-689-5981
2. Blowout Preventers: A blowout preventer (BOP), as appropriate, shall be installed before commencing any operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,100 feet, a 3M system for a well not deeper than 13,600 feet, or a 5M system for a well not deeper than 22,700 feet (all depths are for measured well depth).
3. Cement: Notify BLM if cement fails to circulate.
4. Subsequent Reporting: Within 30 days after work is completed, file a Subsequent Report (Form 3160-5) to BLM. The report should give in detail the manner in which the work was carried out. Show date work was completed. If producing a new zone, submit a Completion Report (Form 3160-4) with the Subsequent Report.
5. Trash: All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.
6. If well location is within the Timing Limitation Stipulation Area for Lesser Prairie-Chicken: From March 1<sup>st</sup> through June 15<sup>th</sup> annually, activities will be allowed except between the hours from 3:00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted.

OXY USA Inc. (16696) - Current  
Paw Swap 12-36 Federal Com #11H  
API No. 30-025-50765



OXY USA Inc. (16696) - Proposed  
Paw Swap 12-36 Federal Com #11H  
API No. 30-025-50765

Expandable Liner // 10716'-11066' MD



**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 187257

**CONDITIONS**

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 187257
	Action Type: [C-103] NOI Workover (C-103G)

**CONDITIONS**

Created By	Condition	Condition Date
kfortner	Like approval from BLM	9/18/2023