

Submit 1 Copy To Appropriate District

Office

District I – (575) 393-6161

1625 N. French Dr., Hobbs, NM 88240

District II – (575) 748-1283

811 S. First St., Artesia, NM 88210

District III – (505) 334-6178

1000 Rio Brazos Rd., Aztec, NM 87410

District IV – (505) 476-3460

1220 S. St. Francis Dr., Santa Fe, NM

87505

State of New Mexico
Energy, Minerals and Natural ResourcesForm C-103
Revised July 18, 2013OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.

30-025-06149

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name
Skelly F State

8. Well Number

1

9. OGRID Number 330679

10. Pool name or Wildcat

Eumont; Yates – 7 Rivers - Queen

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator

Empire Petroleum Corporation – New Mexico

3. Address of Operator

2200 S. Utica Place Suite 150, Tulsa, Oklahoma 74114

4. Well Location

Unit Letter P : 330 feet from the South line and 330 feet from the East lineSection 17 Township 20S Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐TEMPORARILY ABANDON ☐ CHANGE PLANS ☐PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐DOWNHOLE COMMINGLE ☐CLOSED-LOOP SYSTEM ☐OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐ P AND A ☐CASING/CEMENT JOB ☐OTHER: TEMPORARILY ABANDON ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- MIRU WOR.
- Unset pump and POOH with rods and same.
- Unset TAC and POOH with tubing and same.
- RIH with bit and scraper to 2200'. POOH.
- RIH with CIBP and set @ 2150'.
- Loaded and tested casing.
- Dumped 4 sks class C cement on top of CIBP.
- Circulated packer fluid.
- Performed MIT, good test, and submit to NMOCD.
- RDMO WOR.
- TA well.

FINAL TA STATUS- EXTENSIONApproval of TA EXPIRES: 9/16/28Well needs to be **PLUGGED OR RETURNED**
to **PRODUCTION**BY THE DATE STATED ABOVE: 9/16/28


Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Genaro Sanchez TITLE Engineer DATE 9/18/23Type or print name Genaro Sanchez E-mail address: gsanchez@empirepetrocorp.com PHONE: 936-523-0102**For State Use Only**APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 9/20/23

Conditions of Approval:



Daniel J.
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 293-0729

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division Hobbs District Office

BRADENHEAD TEST REPORT

Operator Name Empire New Mexico LLC	*API Number 30-025-06149
Property Name Skelly f state	Well No. 1

* Surface Location									
UL - Lot P	Section 17	Township 20S	Range 37E	Feet from	NS Line	Feet from	E/W Line	County LEA	

Well Status									
TA'D WELL YES	NO	SHUT-IN YES	NO	INJ INJECTOR	SWD	OIL PRODUCER	GAS	DATE 9-16-23	

OBSERVED DATA

	(A)Surface	(B)Interm(1)	(C)Interm(2)	(D)Prod Cng	(E)Tubing
Pressure	0			0	none
Flow Characteristics					
Puff	Y/N	Y/N	Y/N	Y/N	CO2
Steady Flow	Y/N	Y/N	Y/N	Y/N	WTR
Surges	Y/N	Y/N	Y/N	Y/N	GAS
Down to nothing	Y/N	Y/N	Y/N	Y/N	Type of fluid Injected for Waterflood if applicable
Gas or Oil	Y/N	Y/N	Y/N	Y/N	
Water	Y/N	Y/N	Y/N	Y/N	


Remarks - Please state for each string (A,B,C,D,E) pertinent information regarding bleed down or continuous build up if applies.

TA
MIT/BHT

Signature: <i>Hector Bonel</i>	OIL CONSERVATION DIVISION
Printed name: Hector Bonel	Entered into RBDMS
Title: Consultant	Re-test
E-mail Address: hector.bonel@gmail.com	
Date: 9-16-23	
Phone: 575 942 4004	
Witness: G.R.	

Current WBD

SKELLY 'F' STATE #1 WELLBORE DIAGRAM



DATA

LOCATION: 330' FSL & 330' FEL, SEC. 17-P, T-20-S, R-37E
COUNTY/STATE: LEA COUNTY, NM
FIELD: EUNICE MONUMENT
FORMATION: GRAYBURG/SAN ANDRES
SPUD DATE: 7/19/36 **COMPLETION DATE:** 8/20/36
API #: 30-025-06149
STATUS: PRODUCER BEAM
IP: F 640 BO IN 4 HRS THRU 2 1/2\" OPEN TBG (9/1/56).

WELL HISTORY

COMPLETION DATA:

07/19/36: SPUD 15 1/2\" HOLE. RAN 13 3/8\" 45# CSG & SET @ 236'. CMT W/250 SX. CIRC CMT. CONT DRLG. DRL 11\" HOLE. RAN 9 5/8\" 36# CSG SET @ 1485'. CMT W/400 SX. CMT CIRC. CONT DRLG. DRL 8 1/2\" HOLE. RAN 7\" 24# CSG SET @ 3715'. CMT W/400 SX. CMT CIRC. DRLD TO 3880'. PERFD @ 3662-3680' (EUNICE MONUMENT GRAYBURG-SAN ANDRES).

04/25/78: PROCEDURE RUN IN ORDER TO RELIEVE PRESS ON 7\" & 9 5/8\" ANNULUS & CIRC CMT. PULLED RODS, PMP & TBG. RAN & SET RBP @ 3628'. RAN CMT BOND LOG & FOUND TOC @ 2239'. RAN NOISE LOG WHICH SHOWED FLUID MOVEMENT FR/1825-1650'. RAN MODEL AD-1 PKR & SET @ 2012'. PERF W/THRU-TBG GUN - 2 HOLES @ 2200'. CIRC 218 BFW W/FULL RETURNS. CMT W/920 SX CMT. DISPL CMT TO 2122' & CIRC 90 SX.

04/28/78: DEEPEN TO THE MONUMENT PADDOCK - TD 5285'. RAN 6 1/2\" BIT & DRLD CMT FR/2103-2216'. RETRIEVED BP. TAGGED FILL @ 3743' & CO TO 3860'. DRL NEW HOLE TO 5215'.

05/09/78: RAN COMP NEUTRON DENSITY LOG (5285-3500') & DUAL INDUCTION FOCUS LOG 5285-3500'. RAN 41 JTS (1731') 5\" OD 14.87#K-55 R-3 AB FL42 'A' LINER HANGER. 5\" SET @ 5285'. TOL @ 3556'. CMT 5\" LINER W/200 SX CL C.

05/16/78: RAN 6 1/8\" & TAG TOL @ 3556'. RAN 4 1/8\" BIT & TAGGED PLUG @ 5235'. SPOT 200 GALS 15% ACID DWN 2 3/8\" TBG. RAN GR CORREL COLLAR LOG & PERF 5\" LINER W/34\" HOLES @ 5166', 72, 87, 95, 98, 5200, & 07' (7 HOLES).

05/18/78: TRTD PERFS @ 5166-5207' W/500 GALS 15% NE ACID & 13 BS. PROD ON 5/22/78, 0 BO & 50 BW.


05/23/78: PULLED TBG & PKR. RAN 167 JTS 2 3/8\" TBG SET @ 5040'. RAN PMP & SET @ 5204'. INSTALL PMPG UNIT. WELL IS PMPG 10 X 120 SPM & MAKING 0 BO & 229 BW (9/26/78).

03/16/80: PLUGGED BACK TO GRAYBURG-SAN ANDRES. SET CIBP @ 4000'. DUMP 10 SX CMT @ 3990'. PERF 5\" W/1 SPF @ 3752-3790'. ACDZ W/2500 GALS 15% NE ACID.

03/25/04: SET CIBP @ 3525' & DUMP 35' CMT ON TOP. CIRC WELLBORE W/PKR FLUID & TST TO 500# FOR 30 MINS. WELL IS TAD.

04/02/09: RE-PERF & RE-STIMULATE. MI & RACK 3-1/2\" L-80 TBG [XTO]. NDWH, NU BOP, RU VAC TRK, PU & RIH W/ 6-1/8\" BIT, 7\" CSG SCRAPER & 20 JTS 3-1/2\" TBG. RIH W/ 6-1/8\" BIT, 7\" CSG SCRAPER & 3-1/2\" L-80 TBG. TAG @ 3,514' [CIBP @ 3,525' W/ 20 SX CMT]. RU PMP TRK. TST 7\" CSG TO 550 PSIG FOR 30 MIN W/ NO LOSS, CIRC TCA W/ 120 BBS 2% KCL. RD TRKS. POOH W/ 3-1/2\" L-80 TBG & LD BIT & SCRAPER. (PERFORATE) SICP \"0\". MIRU J.W. WIRELINE. PU & RIH W/ 3-1/8\" CSG GUN, W/ PREMIUM CHARGES & GAMMA RAY TOOL. SHOT 68 HOLES FR 3,100' - 2,686\" IN 4 RUNS. POOH & LD CSG GUN. RD WL EQUIP. RU HYDROSTATIC TT. PU & RIH W/

Proposed WBD



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 266493

COMMENTS

Operator: Empire New Mexico LLC 2200 S. Utica Place Tulsa, OK 74114	OGRID: 330679
	Action Number: 266493
	Action Type: [C-103] Sub. Temporary Abandonment (C-103U)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM.	9/21/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 266493

CONDITIONS

Operator: Empire New Mexico LLC 2200 S. Utica Place Tulsa, OK 74114	OGRID: 330679
	Action Number: 266493
	Action Type: [C-103] Sub. Temporary Abandonment (C-103U)

CONDITIONS

Created By	Condition	Condition Date
kfortner	TA expires 9/16/28	9/20/2023