

Form 3160-5
(June 2019)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.	NMNM077054
6. If Indian, Allottee or Tribe Name	

SUBMIT IN TRIPLICATE - Other instructions on page 2		7. If Unit of CA/Agreement, Name and/or No.
1. Type of Well ☒ Oil Well ☐ Gas Well ☐ Other		8. Well Name and No. CUTBOW 36 1 FEDERAL COM/604
2. Name of Operator AVANT OPERATING LLC		9. API Well No. 3002551035
3a. Address 1515 WYNKOOP STREET, SUITE 700, DENVER	3b. Phone No. (include area code) (720) 746-5045	10. Field and Pool or Exploratory Area GEM; BONE SPRING
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 25/T19S/R32E/NMP		11. Country or Parish, State LEA/NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA				
TYPE OF SUBMISSION	TYPE OF ACTION			
☒ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☐ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other
	☒ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

Avant Operating, LLC would like to request to change the 2nd intermediate casing depth from 5,100' to between 4,750'-4,900'. The base of the Capitan looks to be shallower than originally expected, between 4,750'-4,900', instead of 5,100' in the original APD. Attached is updated cement information for this change. Please let me know if additional information is needed for this request.

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed) SARAH FERREYROS / Ph: (720) 854-9020	Title Director of Regulatory
Signature	Date 07/14/2023

THE SPACE FOR FEDERAL OR STATE OFFICE USE		
Approved by LONG VO / Ph: (575) 234-5972 / Approved	Title Petroleum Engineer	Date 07/25/2023
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office CARLSBAD	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: SESE / 410 FSL / 1273 FEL / TWSP: 19S / RANGE: 32E / SECTION: 25 / LAT: 32.6251469 / LONG: -103.7152553 (TVD: 0 feet, MD: 0 feet)


PPP: SWSE / 375 FSL / 2173 FEL / TWSP: 19S / RANGE: 32E / SECTION: 25 / LAT: 32.625051 / LONG: -103.7181779 (TVD: 10823 feet, MD: 10918 feet)

PPP: NWNE / 0 FNL / 2178 FEL / TWSP: 19S / RANGE: 32E / SECTION: 36 / LAT: 32.624064 / LONG: -103.718203 (TVD: 11285 feet, MD: 11554 feet)

PPP: LOT 2 / 0 FNL / 2178 FEL / TWSP: 20S / RANGE: 32E / SECTION: 1 / LAT: 32.609621 / LONG: -103.718177 (TVD: 11300 feet, MD: 16799 feet)

BHL: SWSE / 100 FSL / 2178 FEL / TWSP: 20S / RANGE: 32E / SECTION: 1 / LAT: 32.5952714 / LONG: -103.718226 (TVD: 11300 feet, MD: 22029 feet)

PROPOSAL#: 220721081355-E



CEMENT PROCEDURE & PROPOSAL

PREPARED FOR:

Mr. Braden Harris

EMAIL: braden@avantnr.com

PHONE NUMBER: 406-600-3310

Avant Natural Resources Cutbow 36-1 Federal Com #604H

Lea County, NM

Rig: H&P 460

API Number: 30-025-51035

Service Point

Odessa

1400 S JBS Parkway Odessa, TX 79766

432-701-8955

Technical Writer

Jonathan Smith

jonathan@wtccementers.com

432-701-3719

WTC Representative

Jon Reynolds

jon@wtccementers.com

432-257-1234

.Disclaimer Notice:

The ability of West Texas Cementers to complete this work is subject to the availability of the raw materials required to complete the job.

This information is presented in good faith, but no warranty is given by and West Texas Cementers LLC assumes no liability for advice or recommendations made concerning results to be obtained from the use of any product or service. The results given are estimates based on calculations produced by a computer model including various assumptions on the well, reservoir and treatment. The results depend on input data provided by the Operator and estimates as to unknown data and can be no more accurate than the model, the assumptions and such input data. The information presented is WTC LLC best estimate of the actual results that may be achieved and should be used for comparison purposes rather than absolute values. The quality of input data, and hence results, may be improved through the use of certain tests and procedures which West Texas Cementers LLC can assist in selecting. The Operator has superior knowledge of the well, the reservoir, the field and conditions affecting them. If the Operator is aware of any conditions whereby a neighboring well or wells might be affected by the treatment proposed herein it is the Operator's responsibility to notify the owner or owners of the well or wells accordingly. Prices quoted are estimates only and are good for 30 days from the date of issue. Actual charges may vary depending upon time, equipment, and material ultimately required to perform these services. Freedom from infringement of patents of West Texas Cementers LLC or others is not to be inferred.

PRINTED

7/13/2023 11:11

VERSION: v0.29

Avant Natural Resources
Cutbow 36-1 Federal Com #604H
Lea County, NM
Rig: H&P 460

2nd Intermediate



PROPOSAL#: 220721081355-E

WELL INFORMATION						
MUD	8.4# Fresh Water					
PREVIOUS PIPE	13.375" 54.5# CSG to 2950					
OPEN HOLE	12.25" OH to 4852					
CASING/INJECTION	9.625" 40# J-55/BTC/L-80/HC to 4852					
MD	4852					
TVD	4850					
EST BHST/BHCT	119-F / 104-F (0.8-F/100-FT)					
NOTES	Standby charges start after WTC has been on location for more than 4-hrs.					
VOLUMES						
FLUID NAME	LENGTH (ft)	OD (in.)	ID (in.)	XS (%)	FACTOR (bbl/ft)	VOLUME (bbl)
Lead	2950	12.615	9.625		0.0646	190.5
Lead	930	12.25	9.625	50%	0.0837	77.8
Tail	972	12.25	9.625	20%	0.0669	65.1
SHOE JOINT	40	9.625	8.835		0.0758	3.0
FLUIDS						
SPACER						
Fresh Water						
VOLUME	40-bbl					
Lead						
35% B_Poz+65% Class C+6% Gel+5% SALT+0.2% R-1300+0.25PPS Pol-E-Flake+0.005GPS NoFoam V1A						
VOLUME	795-SX					
DENSITY	12.8-ppg					
YIELD	1.9-cf/sx					
MIX WATER	10.18-gps					
TOP OF CEMENT	Surface					
EXCESS	50%					
						269-bbls

269-bbls

Avant Natural Resources
Cutbow 36-1 Federal Com #604H
Lea County, NM
Rig: H&P 460

2nd Intermediate



PROPOSAL#: 220721081355-E

Tail		
	100% Class C+5% SALT+0.005GPS NoFoam V1A	
VOLUME	285-SX	69-bbls
DENSITY	14.8-ppg	
YIELD	1.36-cf/sx	
MIX WATER	6.51-gps	
TOP OF CEMENT	3880-ft	
EXCESS	20%	
DISPLACEMENT		
	Displacement	
VOLUME	364.9-bbl	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 244880

CONDITIONS

Operator: Avant Operating, LLC 1515 Wynkoop Street Denver, CO 80202	OGRID: 330396
	Action Number: 244880
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
pkautz	None	9/21/2023