

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-27469
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. State 648
7. Lease Name or Unit Agreement Name East Millman Unit
8. Well Number 212
9. OGRID Number 019958
10. Pool name or Wildcat Millman-Yates-SR-QN-GB-SA East

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐ Water Injection

2. Name of Operator

Stephens & Johnson Operating Co.

3. Address of Operator

P O Box 2249, Wichita Falls, TX 76307

4. Well Location

Unit Letter P : 1310 feet from the East line and 1310 feet from the South line
Section 15 Township 19S Range 28E NMPM County Eddy

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3443' KB; 3438' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attachment

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE William M. Kincaid TITLE Petroleum Engineer DATE 9-11-23

Type or print name William M. Kincaid E-mail address: mkincaid@sjoc.net PHONE: 940-723-2166

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Page 2 C-103

September 11, 2023

Stephens & Johnson Operating Co.

East Millman Unit (Ameristate) Well No. 212

30-015-27469

Eddy County, New Mexico

Well Data:

Elevation: 3443' KB; 3438' GL (Note: Logs measured from GL)

Total Depth: 2650'

PBTD: 2599'

Surface Casing: 8 5/8", 24# set @ 375', cmt w/350 sx,
TOC at surface.Production Casing: 5 1/2", 15.5# set @ 2647', cmt w/600 sx of
Lite plus 350 sx "C", TOC at 500' (CBL).

Tubing: 2 3/8" Plastic Coated tbg w/AD-1 pkr set @ 1860'

Perforations: One shot at each of the following depths - 1920,
1922, 1936, 1938, 1954, 1956, 1969, 1970, 2118, 2119, 2178,
2179, 2180, 2217, 2219, 2234, 2241, 2276, 2278, 2280, 2282,
2283.Recommended Workover Procedure

1. TOH w/tbg and pkr.
2. TIH w/bit, scraper and workstring to PBTD @ 2599'. TOH w/bit and scraper.
3. TIH w/treating pkr and tbg workstring and set pkr at $\pm 1850'$.
4. Acidize perfs 1920'-2283' w/1500 gals 15% NEFE acid.
5. Flow and swab back acid load.
6. TOH w/workstring and pkr.
7. TIH w/injection pkr and plastic coated tbg, circ pkr fluid, set pkr at 1860' and pressure test tbg-csg annulus to 300+ psig for 30 minutes.
8. Resume water injection.

East Millman Unit
(Ameristate) WELL 212
30-015-27469

Millman Yates-SR-QN-GB-SA East

9-11, 2023

FIELD

DATE

Current Wellbore Status

PRESENT COMPLETION _____

SUGGESTED COMPLETION _____

WELL CLASS WIW

KB ELEVATION 3443

DF ELEVATION _____

GL ELEVATION 3438

PERMANENT WELL BORE DATA

DATA ON THIS COMPLETION

8 5/8" 24# Surface Csg
set @ 375' cmt w/350sx
TOC @ surface

2 3/8" Plastic Coated Tbg
w/AD-1 Pkr set at
1860'

5 1/2" 15.50# Casing
set @ 2647' cmt w/600sx
Lfc + 350sx 'C'
TOC @ 500' (CBL)

TOC @ 500' (CBL)

QN-GB Perfs: One shot
@ each of the following
depths - 1920, 2236, 38, 54,
56, 69, 70, 2118, 19, 78, 79,
80, 2217, 19, 34, 41, 76,
78, 80, 82, 83

PBTD - 2599'
TD - 2650'

East Millman Unit
(Ameristate) WELL 212
30-015-27469

Millman Yates-SR-QN-GB-SA East

FIELD

9-11, 2023

DATE

Proposed Wellbore Status

PRESENT COMPLETION _____

SUGGESTED COMPLETION _____

WELL CLASS WTW


KB ELEVATION 3443

DF ELEVATION _____

GL ELEVATION 3438

PERMANENT WELL BORE DATA

DATA ON THIS COMPLETION



TOC @ 500' (CBL)

QN-GB Perfs: One shot
@ each of the following
depths - 1920, 2236, 3854,
5669, 7021, 1878, 7980,
2217, 1934, 4176,
7880, 8283

5 1/2" 15.50# casing
set @ 2647' cmt w/600sv
Lite + 350sv 'C'
TOC @ 500' (CBL)

PBTD - 2599'
TD - 2650'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 264008

CONDITIONS

Operator: STEPHENS & JOHNSON OP CO P.O. Box 2249 Wichita Falls, TX 76307	OGRID: 19958
	Action Number: 264008
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
mgebremichael	None	9/22/2023