

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-50441	⁵ Pool Name WC-025 G-07 S243517D; MIDDLE BONE SP	⁶ Pool Code 98294
⁷ Property Code 331322	⁸ Property Name COONSKIN FEE	⁹ Well Number 121H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
E	33	24S	35E	-	2328	NORTH	1223	WEST	LEA

¹¹ Bottom Hole Location

Bottom Hole Location									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	28	24S	35E	-	115	NORTH	339	WEST	LEA
¹² Lse Code	¹³ Producing Method Code	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number			¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date	
P	F	3/4/2023							

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBDT	²⁵ Perforations	²⁶ DHC, MC
11/7/2022	2/15/2023	19395'	19365'	11782 ft to 19296 ft	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	682'	555 sks		
12.25"	9.625"	5445'	1155 sks		
8.75"/7.875"	5.5"	19385'	1990 sks		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
3/4/2023	3/4/2023	3/25/2023	24 hrs.	600	934
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
64/64	1155	1939	2702		Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Specialist			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 9/22/2023		
Date: 4/11/2023		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-50441	² Pool Code 98294	³ Pool Name WC-025 G-07 S243517D; Middle Bone SP
⁴ Property Code 331322	⁵ Property Name COONSKIN FEE	⁶ Well Number 121H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3301'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	33	24-S	35-E	-	2328'	NORTH	1223'	WEST	LEA


¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	28	24-S	35-E	-	115'	NORTH	339'	WEST	LEA

¹² Dedicated Acres 240	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.





LEASE NAME & WELL NO.: _____ COONSKIN FEE 121H

SECTION 33 TWP 24-S RGE 35-E SURVEY N.M.P.M.

COUNTY LEA STATE NM ELEVATION 3301'

DESCRIPTION 2328' FNL & 1223' FEL



481 WINSOTT ROAD, Ste. 200 • BENBROOK, TEXAS 76126
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
TEXAS FIRM REGISTRATION NO. 10042504
WWW.TOPOGRAPHIC.COM



Ramon A. Dominguez, P.S. No. 24508
January 31, 2023

COONSKIN FEE 121H AS-DRILLED	REVISION:		NOTES:
	INT	DATE	
DATE: 01/31/23			1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
FILE:AD_COONSKIN_FEE_121H			
DRAWN BY: SAR			
SHEET: 2 OF 2			



Operator: TapRock Resources LLC
Well Name: Coonskin Fee 121H
County: Lea
State: New Mexico
Rig Name: H&P 312
API: 30-025-50441

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 5329' MD – 19336' MD
Projection to Bit: 19395' MD
Dates Performed: 11/18/2022 – 11/29/2022
Type of Survey: MWD

Sincerely,

Pat Bateman
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: **Tap Rock Resources, LLC.**
 Well Name: **Coonskin Fee 121H**
 Job Number: **ID3734**
 Survey Company: **Intrepid Directional Drilling Specialists**
 Rig Name: **H&P 312**

Target KBTVD: **11793**
 Target Inclination: **90.40°**
 Declination Correction: **6.29°**
 DF Elevation: **3327**


Vertical Section Calculated Along Azimuth: **359.50°**
 Survey Calculation Method: **Minimum Curvature**

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0.00	0.00	0.00	0	0	0	0	0	0.00
GYRO	1	88.98	0.12	104.89	89	88.98	-0.02	-0.02	0.09	0.13
GYRO	2	177.81	0.10	104.55	89	177.81	-0.07	-0.07	0.25	0.02
GYRO	3	265.81	0.09	305.09	88	265.81	-0.05	-0.05	0.27	0.21
GYRO	4	361.01	0.34	5.94	95	361.01	0.27	0.28	0.24	0.32
GYRO	5	453.45	0.37	21.73	92	453.45	0.82	0.83	0.38	0.11
GYRO	6	544.98	0.45	33.62	92	544.97	1.39	1.40	0.69	0.13
GYRO	7	637.03	0.57	57.16	92	637.02	1.94	1.95	1.27	0.26
GYRO	8	729.31	0.73	42.81	92	729.30	2.61	2.63	2.06	0.25
GYRO	9	821.24	0.84	34.47	92	821.22	3.59	3.62	2.84	0.17
GYRO	10	913.78	0.81	26.77	93	913.75	4.73	4.76	3.52	0.12
GYRO	11	1005.93	0.69	17.26	92	1005.89	5.84	5.87	3.97	0.19
GYRO	12	1098.42	0.69	4.13	92	1098.37	6.92	6.96	4.18	0.17
GYRO	13	1190.86	1.20	345.83	92	1190.80	8.42	8.45	3.98	0.63
GYRO	14	1283.05	1.70	336.16	92	1282.96	10.61	10.64	3.19	0.60
GYRO	15	1374.97	1.62	329.69	92	1374.84	12.99	13.01	1.99	0.22
GYRO	16	1467.39	1.21	324.99	92	1467.23	14.93	14.93	0.77	0.46
GYRO	17	1559.85	1.22	332.82	92	1559.67	16.61	16.61	-0.24	0.18
GYRO	18	1651.49	1.21	338.78	92	1651.29	18.39	18.38	-1.04	0.14
GYRO	19	1746.88	1.19	339.67	95	1746.66	20.26	20.25	-1.75	0.03
GYRO	20	1842.28	1.23	342.89	95	1842.04	22.17	22.15	-2.39	0.08
GYRO	21	1937.68	1.28	347.79	95	1937.42	24.20	24.17	-2.92	0.12
GYRO	22	2033.18	1.27	358.14	96	2032.89	26.30	26.27	-3.18	0.24
GYRO	23	2128.45	1.44	322.03	95	2128.14	28.31	28.27	-3.95	0.90
GYRO	24	2223.30	1.51	331.54	95	2222.96	30.36	30.31	-5.28	0.27
GYRO	25	2318.80	1.61	346.91	96	2318.42	32.78	32.72	-6.18	0.45
GYRO	26	2414.22	1.50	345.85	95	2413.81	35.30	35.24	-6.79	0.12
GYRO	27	2509.48	1.43	331.31	95	2509.04	37.56	37.49	-7.67	0.40
GYRO	28	2604.89	1.40	345.50	95	2604.42	39.74	39.67	-8.53	0.37
GYRO	29	2700.28	1.43	298.63	95	2699.78	41.45	41.36	-9.87	1.18
GYRO	30	2795.35	2.22	264.21	95	2794.81	41.86	41.75	-12.74	1.39
GYRO	31	2890.83	3.02	245.12	95	2890.19	40.65	40.50	-16.86	1.23
GYRO	32	2986.14	4.27	239.46	95	2985.30	37.83	37.64	-22.19	1.36
GYRO	33	3081.72	5.41	248.25	96	3080.54	34.42	34.16	-29.44	1.42
GYRO	34	3177.20	6.55	252.87	95	3175.50	31.23	30.89	-38.83	1.30
GYRO	35	3272.20	7.64	260.33	95	3269.77	28.67	28.24	-50.23	1.50
GYRO	36	3367.82	8.56	250.88	96	3364.44	25.39	24.84	-63.22	1.69
GYRO	37	3463.29	9.58	250.31	95	3458.72	20.51	19.83	-77.42	1.07
GYRO	38	3558.86	9.82	250.17	96	3552.92	15.20	14.39	-92.57	0.25
GYRO	39	3654.29	9.56	249.57	95	3646.99	9.80	8.86	-107.65	0.29
GYRO	40	3749.71	9.17	251.00	95	3741.14	4.69	3.62	-122.27	0.48
GYRO	41	3845.29	8.41	251.07	96	3835.59	0.06	-1.13	-136.08	0.80
GYRO	42	3940.84	9.07	245.68	96	3930.04	-5.19	-6.49	-149.55	1.10
GYRO	43	4036.45	7.65	238.73	96	4024.63	-11.49	-12.90	-161.86	1.82
GYRO	44	4131.83	8.00	235.35	95	4119.12	-18.46	-19.97	-172.75	0.61
GYRO	45	4227.27	8.63	242.53	95	4213.56	-25.44	-27.05	-184.56	1.27
GYRO	46	4322.71	8.93	249.02	95	4307.89	-31.28	-33.01	-197.83	1.08
GYRO	47	4417.99	10.38	253.15	95	4401.81	-36.28	-38.14	-212.96	1.69

GYRO	48	4513.44	10.12	261.84	95	4495.75	-39.82	-41.83	-229.49	1.64
GYRO	49	4608.71	9.26	266.87	95	4589.66	-41.29	-43.43	-245.43	1.27
GYRO	50	4703.83	7.84	270.51	95	4683.72	-41.53	-43.79	-259.56	1.60
GYRO	51	4799.26	8.25	255.27	95	4778.22	-43.09	-45.48	-272.69	2.27
GYRO	52	4894.90	9.25	248.19	96	4872.75	-47.57	-50.08	-286.46	1.53
GYRO	53	4990.51	8.81	244.58	96	4967.18	-53.45	-56.07	-300.21	0.75
GYRO	54	5086.18	9.42	243.30	96	5061.64	-60.00	-62.74	-313.82	0.67
GYRO	55	5181.65	8.99	243.24	95	5155.88	-66.75	-69.61	-327.46	0.45
GYRO	56	5276.80	10.00	243.94	95	5249.72	-73.60	-76.58	-341.52	1.07
MWD	57	5329.00	9.63	243.26	52	5301.16	-77.48	-80.54	-349.49	0.74
MWD	58	5389.00	9.01	244.49	60	5360.37	-81.69	-84.82	-358.21	1.09
MWD	59	5523.00	9.27	243.96	134	5492.66	-90.78	-94.08	-377.38	0.20
MWD	60	5619.00	10.37	245.19	96	5587.26	-97.67	-101.10	-392.17	1.17
MWD	61	5714.00	10.95	257.67	95	5680.63	-103.04	-106.61	-408.75	2.50
MWD	62	5810.00	11.43	259.78	96	5774.80	-106.52	-110.25	-427.02	0.66
MWD	63	5905.00	10.59	252.49	95	5868.06	-110.66	-114.54	-444.61	1.71
MWD	64	6000.00	10.20	250.12	95	5961.50	-116.00	-120.03	-460.84	0.61
MWD	65	6096.00	8.84	252.49	96	6056.18	-120.98	-125.14	-475.87	1.47
MWD	66	6191.00	8.13	250.56	95	6150.14	-125.30	-129.57	-489.17	0.81
MWD	67	6286.00	8.00	249.50	95	6244.20	-129.74	-134.12	-501.69	0.21
MWD	68	6382.00	8.13	248.53	96	6339.25	-134.45	-138.95	-514.27	0.20
MWD	69	6477.00	8.22	246.34	95	6433.28	-139.53	-144.13	-526.74	0.34
MWD	70	6572.00	8.40	246.07	95	6527.28	-144.96	-149.67	-539.30	0.19
MWD	71	6667.00	9.27	252.31	95	6621.16	-149.98	-154.81	-552.94	1.36
MWD	72	6763.00	9.80	255.57	96	6715.83	-154.23	-159.20	-568.22	0.79
MWD	73	6858.00	10.29	254.51	95	6809.38	-158.37	-163.48	-584.22	0.55
MWD	74	6953.00	9.14	252.75	95	6903.01	-162.74	-167.98	-599.61	1.25
MWD	75	7048.00	8.97	250.38	95	6996.83	-167.34	-172.71	-613.79	0.43
MWD	76	7144.00	9.27	251.87	96	7091.62	-172.14	-177.62	-628.19	0.40
MWD	77	7239.00	9.01	250.47	95	7185.41	-176.88	-182.49	-642.47	0.36
MWD	78	7334.00	9.10	249.76	95	7279.23	-181.84	-187.58	-656.53	0.15
MWD	79	7429.00	8.92	248.80	95	7373.05	-186.98	-192.84	-670.44	0.25
MWD	80	7524.00	8.62	248.71	95	7466.94	-192.11	-198.09	-683.94	0.32
MWD	81	7620.00	9.05	247.04	96	7561.80	-197.55	-203.65	-697.60	0.52
MWD	82	7715.00	8.88	248.80	95	7655.64	-203.00	-209.21	-711.31	0.34
MWD	83	7811.00	9.01	249.68	96	7750.48	-208.17	-214.50	-725.27	0.20
MWD	84	7906.00	7.52	248.18	95	7844.49	-212.95	-219.40	-738.02	1.58
MWD	85	8001.00	6.77	245.63	95	7938.75	-217.47	-224.02	-748.89	0.86
MWD	86	8096.00	7.60	251.17	95	8033.00	-221.72	-228.36	-759.94	1.14
MWD	87	8192.00	7.60	249.85	96	8128.16	-225.85	-232.59	-771.91	0.18
MWD	88	8287.00	7.74	250.47	95	8222.31	-230.05	-236.89	-783.83	0.17
MWD	89	8382.00	7.12	250.99	95	8316.51	-234.00	-240.95	-795.43	0.66
MWD	90	8477.00	5.63	249.85	95	8410.92	-237.44	-244.47	-805.37	1.57
MWD	91	8573.00	5.85	246.42	96	8506.44	-240.94	-248.05	-814.28	0.42
MWD	92	8668.00	5.89	245.37	95	8600.94	-244.83	-252.02	-823.14	0.12
MWD	93	8764.00	5.05	242.73	96	8696.50	-248.75	-256.01	-831.38	0.91
MWD	94	8859.00	5.14	259.61	95	8791.13	-251.36	-258.69	-839.28	1.58
MWD	95	8954.00	5.01	263.74	95	8885.76	-252.51	-259.91	-847.59	0.41
MWD	96	9049.00	4.26	265.32	95	8980.45	-253.18	-260.65	-855.23	0.80
MWD	97	9145.00	4.62	260.40	96	9076.16	-254.05	-261.59	-862.59	0.55
MWD	98	9240.00	4.44	261.54	95	9170.87	-255.17	-262.77	-870.00	0.21
MWD	99	9336.00	3.56	256.27	96	9266.63	-256.36	-264.02	-876.58	0.99
MWD	100	9431.00	3.03	252.58	95	9361.47	-257.77	-265.47	-881.84	0.60
MWD	101	9526.00	2.55	256.53	95	9456.36	-258.97	-266.72	-886.29	0.54
MWD	102	9622.00	2.73	262.86	96	9552.26	-259.72	-267.50	-890.63	0.36
MWD	103	9717.00	0.26	306.45	95	9647.22	-259.85	-267.65	-893.05	2.68
MWD	104	9813.00	0.62	14.04	96	9743.22	-259.22	-267.02	-893.10	0.60
MWD	105	9909.00	0.75	355.94	96	9839.21	-258.09	-265.89	-893.02	0.26
MWD	106	10004.00	0.88	343.72	95	9934.20	-256.76	-264.57	-893.27	0.23
MWD	107	10100.00	0.92	322.54	96	10030.19	-255.44	-263.25	-893.94	0.35
MWD	108	10195.00	1.41	309.71	95	10125.17	-254.07	-261.90	-895.31	0.58

MWD	109	10290.00	0.70	244.84	95	10220.16	-253.56	-261.40	-896.73	1.35
MWD	110	10386.00	0.79	244.05	96	10316.15	-254.09	-261.94	-897.86	0.09
MWD	111	10482.00	0.84	240.01	96	10412.14	-254.72	-262.58	-899.06	0.08
MWD	112	10577.00	1.27	246.95	95	10507.12	-255.47	-263.34	-900.63	0.47
MWD	113	10672.00	1.14	231.83	95	10602.10	-256.45	-264.33	-902.34	0.36
MWD	114	10768.00	0.84	135.68	96	10698.09	-257.54	-265.43	-902.60	1.55
MWD	115	10863.00	1.14	136.21	95	10793.08	-258.73	-266.61	-901.46	0.32
MWD	116	10958.00	1.14	181.47	95	10888.06	-260.36	-268.23	-900.83	0.92
MWD	117	11054.00	1.45	187.19	96	10984.04	-262.52	-270.39	-901.01	0.35
MWD	118	11149.00	0.57	322.98	95	11079.03	-263.33	-271.21	-901.44	2.00
MWD	119	11244.00	0.35	198.61	95	11174.03	-263.23	-271.11	-901.82	0.86
MWD	120	11295.00	1.71	186.60	51	11225.02	-264.13	-272.01	-901.96	2.69
MWD	121	11344.00	1.49	228.58	49	11274.00	-265.27	-273.16	-902.52	2.38
MWD	122	11439.00	11.82	352.86	95	11368.36	-256.38	-264.29	-904.66	13.39
MWD	123	11534.00	24.18	3.06	95	11458.56	-227.18	-235.08	-904.84	13.38
MWD	124	11629.00	34.15	5.43	95	11541.41	-181.12	-188.99	-901.27	10.56
MWD	125	11723.00	40.62	359.36	94	11616.09	-124.20	-132.05	-899.11	7.91
MWD	126	11820.00	52.26	353.39	97	11682.85	-54.21	-62.10	-903.89	12.79
MWD	127	11916.00	63.03	359.36	96	11734.18	26.60	18.67	-908.76	12.38
MWD	128	12011.00	76.53	2.09	95	11766.95	115.51	107.59	-907.54	14.46
MWD	129	12107.00	82.33	3.14	96	11784.55	209.70	201.82	-903.23	6.14
MWD	130	12180.00	86.64	2.35	73	11791.56	282.22	274.38	-899.75	6.00
MWD	131	12230.00	91.08	1.56	50	11792.56	332.15	324.33	-898.05	9.02
MWD	132	12326.00	89.14	0.95	96	11792.37	428.10	420.30	-895.94	2.12
MWD	133	12421.00	88.97	0.33	95	11793.94	523.07	515.28	-894.88	0.68
MWD	134	12516.00	89.98	0.42	95	11794.81	618.06	610.28	-894.26	1.07
MWD	135	12612.00	89.98	359.89	96	11794.84	714.05	706.27	-894.00	0.55
MWD	136	12707.00	89.63	359.54	95	11795.17	809.05	801.27	-894.47	0.52
MWD	137	12803.00	90.90	358.57	96	11794.72	905.04	897.26	-896.06	1.66
MWD	138	12897.00	90.73	357.87	94	11793.39	999.01	991.20	-898.98	0.77
MWD	139	12992.00	90.24	357.69	95	11792.58	1093.96	1086.13	-902.66	0.55
MWD	140	13087.00	91.38	358.75	95	11791.24	1188.92	1181.07	-905.61	1.64
MWD	141	13183.00	91.03	358.22	96	11789.22	1284.89	1277.01	-908.15	0.66
MWD	142	13278.00	89.49	357.43	95	11788.79	1379.84	1371.94	-911.75	1.82
MWD	143	13373.00	91.08	358.92	95	11788.32	1474.81	1466.88	-914.78	2.29
MWD	144	13468.00	92.92	0.33	95	11785.00	1569.75	1561.82	-915.40	2.44
MWD	145	13563.00	90.99	1.12	95	11781.76	1664.66	1656.75	-914.20	2.19
MWD	146	13658.00	91.30	1.47	95	11779.86	1759.60	1751.71	-912.05	0.49
MWD	147	13754.00	90.33	1.82	96	11778.50	1855.52	1847.65	-909.29	1.07
MWD	148	13849.00	89.10	2.09	95	11778.97	1950.43	1942.60	-906.05	1.33
MWD	149	13944.00	90.55	1.65	95	11779.26	2045.34	2037.54	-902.95	1.60
MWD	150	14040.00	89.58	0.24	96	11779.15	2141.31	2133.53	-901.37	1.78
MWD	151	14135.00	89.36	359.63	95	11780.03	2236.30	2228.52	-901.48	0.68
MWD	152	14231.00	89.89	359.63	96	11780.66	2332.30	2324.52	-902.10	0.55
MWD	153	14326.00	88.88	359.01	95	11781.68	2427.29	2419.50	-903.23	1.25
MWD	154	14422.00	90.73	358.22	96	11782.00	2523.28	2515.47	-905.55	2.10
MWD	155	14516.00	89.93	357.52	94	11781.46	2617.24	2609.40	-909.04	1.13
MWD	156	14612.00	90.55	358.92	96	11781.06	2713.21	2705.35	-912.02	1.59
MWD	157	14708.00	90.99	358.57	96	11779.77	2809.19	2801.32	-914.12	0.59
MWD	158	14803.00	90.90	358.05	95	11778.20	2904.16	2896.27	-916.92	0.56
MWD	159	14898.00	91.43	357.43	95	11776.27	2999.09	2991.17	-920.67	0.86
MWD	160	14994.00	91.47	357.87	96	11773.84	3095.01	3087.06	-924.61	0.46
MWD	161	15089.00	91.47	359.45	95	11771.41	3189.97	3182.00	-926.83	1.66
MWD	162	15184.00	92.09	359.36	95	11768.46	3284.92	3276.95	-927.81	0.66
MWD	163	15279.00	92.44	0.42	95	11764.70	3379.84	3371.87	-927.99	1.17
MWD	164	15374.00	90.73	0.86	95	11762.07	3474.78	3466.83	-926.93	1.86
MWD	165	15470.00	90.11	0.15	96	11761.37	3570.76	3562.82	-926.09	0.98
MWD	166	15565.00	90.59	0.15	95	11760.79	3665.76	3657.82	-925.84	0.51
MWD	167	15661.00	89.71	0.51	96	11760.54	3761.74	3753.81	-925.29	0.99
MWD	168	15756.00	89.80	0.77	95	11760.94	3856.72	3848.81	-924.22	0.29
MWD	169	15851.00	89.27	0.59	95	11761.71	3951.70	3943.80	-923.10	0.59

MWD	170	15946.00	88.70	359.98	95	11763.40	4046.68	4038.78	-922.62	0.88
MWD	171	16041.00	88.13	359.80	95	11766.03	4141.64	4133.74	-922.81	0.63
MWD	172	16137.00	89.36	358.84	96	11768.13	4237.61	4229.71	-923.95	1.63
MWD	173	16232.00	91.08	358.84	95	11767.76	4332.60	4324.69	-925.87	1.81
MWD	174	16327.00	91.43	357.96	95	11765.68	4427.56	4419.62	-928.52	1.00
MWD	175	16423.00	91.25	357.52	96	11763.44	4523.49	4515.52	-932.31	0.50
MWD	176	16518.00	91.25	359.89	95	11761.36	4618.45	4610.47	-934.45	2.49
MWD	177	16613.00	91.78	359.89	95	11758.85	4713.41	4705.44	-934.63	0.56
MWD	178	16708.00	89.93	359.54	95	11757.44	4808.40	4800.42	-935.11	1.98
MWD	179	16802.00	90.42	359.54	94	11757.15	4902.40	4894.42	-935.86	0.52
MWD	180	16897.00	90.86	359.45	95	11756.09	4997.39	4989.41	-936.70	0.47
MWD	181	16992.00	90.90	359.45	95	11754.63	5092.38	5084.39	-937.61	0.04
MWD	182	17088.00	91.38	359.54	96	11752.72	5188.36	5180.37	-938.46	0.51
MWD	183	17183.00	90.59	359.19	95	11751.09	5283.34	5275.35	-939.51	0.91
MWD	184	17278.00	91.03	358.22	95	11749.74	5378.32	5370.31	-941.66	1.12
MWD	185	17374.00	91.08	357.69	96	11747.97	5474.27	5466.23	-945.08	0.55
MWD	186	17469.00	90.15	359.89	95	11746.95	5569.25	5561.20	-947.09	2.51
MWD	187	17564.00	89.54	359.54	95	11747.21	5664.25	5656.20	-947.56	0.74
MWD	188	17659.00	90.90	0.42	95	11746.85	5759.24	5751.19	-947.59	1.71
MWD	189	17754.00	91.34	0.51	95	11744.99	5854.21	5846.17	-946.82	0.47
MWD	190	17849.00	92.00	0.77	95	11742.22	5949.15	5941.13	-945.76	0.75
MWD	191	17945.00	90.55	359.72	96	11740.09	6045.12	6037.10	-945.35	1.86
MWD	192	18040.00	92.13	0.24	95	11737.86	6140.08	6132.07	-945.38	1.75
MWD	193	18135.00	89.80	0.42	95	11736.26	6235.05	6227.05	-944.84	2.46
MWD	194	18230.00	89.58	359.63	95	11736.78	6330.05	6322.04	-944.80	0.86
MWD	195	18325.00	90.11	359.45	95	11737.04	6425.05	6417.04	-945.56	0.59
MWD	196	18421.00	90.42	359.10	96	11736.59	6521.05	6513.03	-946.77	0.49
MWD	197	18516.00	89.54	358.13	95	11736.62	6616.03	6608.00	-949.07	1.38
MWD	198	18611.00	89.67	357.69	95	11737.28	6710.99	6702.94	-952.53	0.48
MWD	199	18707.00	90.20	359.54	96	11737.39	6806.98	6798.90	-954.85	2.00
MWD	200	18802.00	89.89	1.03	95	11737.31	6901.97	6893.90	-954.38	1.60
MWD	201	18897.00	90.02	1.03	95	11737.39	6996.93	6988.88	-952.67	0.14
MWD	202	18992.00	89.67	0.77	95	11737.65	7091.90	7083.87	-951.18	0.46
MWD	203	19088.00	89.32	0.59	96	11738.49	7187.88	7179.86	-950.04	0.41
MWD	204	19183.00	89.14	0.24	95	11739.77	7282.86	7274.85	-949.35	0.41
MWD	205	19279.00	89.41	0.07	96	11740.98	7378.84	7370.84	-949.09	0.33
MWD	206	19336.00	89.71	0.15	57	11741.42	7435.84	7427.84	-948.99	0.54
PTB	207	19395.00	89.71	0.15	59	11741.72	7494.83	7486.84	-948.83	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name COONSKIN FEE		
								6. Well Number: 121H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043			
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat WC-025 G-07 S243517D; MIDDLE BONE SP			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	E	33	24S	35E	-	2328	NORTH	1223	WEST	LEA
BH:	D	28	24S	35E	-	115	NORTH	339	WEST	LEA
13. Date Spudded 11/7/2022	14. Date T.D. Reached 11/29/2022		15. Date Rig Released 12/1/2022			16. Date Completed (Ready to Produce) 2/15/2023		17. Elevations (DF and RKB, RT, GR, etc.) 3301 GR		
18. Total Measured Depth of Well 19395 ft			19. Plug Back Measured Depth 19365 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11782 ft to 19296 ft							BONE SPRING			
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		682'		17.5"		555 sks		0
9.625"		40		5445'		12.25"		1155 sks		0
5.5"		23		19385'		8.75"/7.875"		1990 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET		
						2.875	11535	11518		
26. Perforation record (interval, size, and number) Perforate from 11782 ft to 19296 ft, 1 SPF, .55 inch holes with 494 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						11782 ft to 19296 ft		38 stage frac with 18,938,302 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production 3/4/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 3/25/2023	Hours Tested 24 hrs	Choke Size 64/64	Prod'n For Test Period	Oil - Bbl 1155	Gas - MCF 2702	Water - Bbl. 1939	Gas - Oil Ratio 2339			
Flow Tubing Press. 600	Casing Pressure 934	Calculated 24-Hour Rate	Oil - Bbl. 1155	Gas - MCF 2702	Water - Bbl. 1939	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By			
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
			Latitude		Longitude		NAD83			
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name			Title			Date		
		Jeff Trlica			Regulatory Specialist			4/11/2023		
E-mail Address jtrlica@taprock.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	924		Quaternary					
924	1523		Rustler					
1523	5057		Top of Salt					
5057	5308		Base of Salt					
5308	5319		Lamar					
5319	6217		Bell Canyon					
6217	7785		Cherry Canyon					
7785	9115		Brushy Canyon					
9115	9505		Bone Spring					
9505	10362		Avalon					
10362	10924		1st Bone Spring Sand					
10924			2nd Bone Spring Sand					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 205968

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 205968
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 205968

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 205968
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	9/22/2023