

<b>Well Name:</b> SHANGHAI ROOSTER 15-3 FED	<b>Well Location:</b> T25S / R29E / SEC 15 / SESE / 32.123739 / -103.967076	<b>County or Parish/State:</b> EDDY / NM
<b>Well Number:</b> 107H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM14778	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3001553675	<b>Well Status:</b> Drilling Well	<b>Operator:</b> XTO ENERGY INCORPORATED

### Subsequent Report

**Sundry ID:** 2738078

**Type of Submission:** Subsequent Report

**Type of Action:** Drilling Operations

**Date Sundry Submitted:** 06/27/2023

**Time Sundry Submitted:** 07:52

**Date Operation Actually Began:** 06/19/2023

**Actual Procedure:** 6/8/23 Trested BOP as follows: Blinds, upper & lower pipe rams, hcr, mcr, both kill valves, check valve, choke manifold, blm line, tiw, dart valve-250/ 10K. Annular- 250/ 3500. Test stand pipe lines- 250/ 6500. All tests held for 10 min. Good. Test 7.625 csg to 1500 psi for 30 mins. (Good Test) 6/8/23 Drill 6.75 inch hole, TD at 25,079 ft. on 6/17/23 6/18/23 Run 5.5 inch, 23#, P-110 casing to 24,945 ft. 5 inch, 18#, P-110 casing to 25,064 ft 6/19/23 Cement casing with 111 sx, 53 bbls, 2.7 yld ,class H lead Cement. Followed with 815 sx, 270 bbls, 1.86 yld ,class H tail Cement. Bumped plug. Estimated Top of depth = 9,427 ft. TVD= 9,408 ft Rig Release = 6/20/23 (Total 926 sx cmt)

Well Name: SHANGHAI ROOSTER 15-3 FED	Well Location: T25S / R29E / SEC 15 / SESE / 32.123739 / -103.967076	County or Parish/State: EDDY / NM
Well Number: 107H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM14778	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001553675	Well Status: Drilling Well	Operator: XTO ENERGY INCORPORATED

**Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

**Operator Electronic Signature:** AMANDA THAMES**Signed on:** JUN 27, 2023 07:52 AM**Name:** XTO ENERGY INCORPORATED**Title:** Regulatory Analyst**Street Address:** 6401 HOLIDAY HILL ROAD BLDG 5**City:** MIDLAND**State:** TX**Phone:** (432) 221-7340**Email address:** AMANDA.THAMES@EXXONMOBIL.COM**Field****Representative Name:****Street Address:****City:****State:****Zip:****Phone:****Email address:****BLM Point of Contact****BLM POC Name:** JONATHON W SHEPARD**BLM POC Title:** Petroleum Engineer**BLM POC Phone:** 5752345972**BLM POC Email Address:** jshepard@blm.gov**Disposition:** Accepted**Disposition Date:** 07/05/2023**Signature:** Jonathon Shepard

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 236292

CONDITIONS

Operator: XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID: 5380
	Action Number: 236292
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
nmurphy	A Cement Bond Log (CBL) is required to be run and submitted, in order to verify tie-back. Must verify pressure test for production string according to NMAC 19.15.16 before C-104 can be approved.	10/3/2023