B ' 11 OCB 10/2//2023 11 10	20. 436		D 4
Received by OCD: 10/24/2023 11:18	State of New Mo	exico	Form C-103
Office District I – (575) 393-6161	Energy, Minerals and Nati	ural Resources	Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION	N DIVISION	30-005-20327 5. Indicate Type of Lease
District III – (505) 334-6178	1220 South St. Fra	ncis Dr.	STATE FEE Fed Surface
1000 Rio Brazos Rd., Aztec, NM 87410 District IV – (505) 476-3460	Santa Fe, NM 8	7505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM			308697
87505 SUNDRY NOT	TICES AND REPORTS ON WELLS	S	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPO	OSALS TO DRILL OR TO DEEPEN OR PL	UG BACK TO A	
DIFFERENT RESERVOIR. USE "APPL PROPOSALS.)	ICATION FOR PERMIT" (FORM C-101) F	OR SUCH	Double L Queen Unit
1. Type of Well: Oil Well	Gas Well Other Injection	on Well	8. Well Number. 001Q
2. Name of Operator			9. OGRID Number
State of New Mexico formerly	Canyon E&P Company		269864
3. Address of Operator 1625 N. French Drive, Hobbs, N 8	88240		10. Pool name or Wildcat Double L Queen
4. Well Location	38240		Double L Queen
	: 660 feet from the N	line and	949 feet from the W line
Section 6	Township 15S	Range 30E	NMPM Chaves County
Section	11. Elevation (Show whether DR		
The state of the state of	GR 3874'	, 100, 111, 011, 010./	
12. Check	Appropriate Box to Indicate N	Nature of Notice,	Report or Other Data
NOTICE OF I	ATENTION TO:	l CLID	SECULENT DEPORT OF
NOTICE OF II PERFORM REMEDIAL WORK □	NTENTION TO: PLUG AND ABANDON □	REMEDIAL WORK	SEQUENT REPORT OF: K □ ALTERING CASING □
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRI	
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMENT	
DOWNHOLE COMMINGLE	_		_
CLOSED-LOOP SYSTEM □	_		
OTHER:	plated enamations (Clearly state all	OTHER:	d give north out dates in cluding action and date
			d give pertinent dates, including estimated date appletions: Attach wellbore diagram of
proposed completion or re		e. Tor Maniple con	ipicions. Attuon wonoore diagram or
	•		
This well was plugged an	id abandoned by A-Plus P&A LL0	C on 10/18/23 per th	e following as plugged report.
0/18/23: MOI Hald ISA	Prep road to location Snot againme	ent and DII and servi	ce plugging equipment. Replace plumbing for
			OOH and LD 76 rods. ND wellhead, heat and
cut. Secure well and SDFI			
			nt. TOOH and LD prod tbg, dragging. RU A
			Load well, would not load, started to come out 03' to 600', try to load well to surface. Secure
well and SDFD.	io around ooo . NO Joi W.L., Mil di	id fair ODL Hom 190	5 to 500, ay to load wen to surface. Secure
	/ 60 jnts tbg, RU pump, est circ, circ		
			TIH and tag Plug #1 @ 1800', tagged high,

of 5

call for orders. NMOCD to WOC overnight and tag again in morning. TOOH standing back all tbg. Secure well and SDFD.

9/21/23: Held JSA. TIH and tag Plug #1 @ 1820'. NMOCD approved tag. PUH to 1200', RU pump and est. circ. Test casing, no test.

Plug #2. Spot 25 sxs Class C cmt from 1200' to 1100' 1.32 yield. TOOH and WOC for 1.5 hrs. TIH and tag Plug #2 @ 1050'. PU to 950', RU pump and est circ.

Plug #3. Spot 25 sxs Class C cmt from 950' to 850' 1.32 yield. TOOH and WOC for 3 hrs. TIH and tag Plug #3 @ 835'. Secure well and SDFD.

9/22/23: Held JSA. TOOH w/ tbg. RU A Plus WL, RIH and perf @ 442', TOOH and RD WL. TIH w/ 4-1/2" packer, RU pump and est circ.

Plug #4. Spot 25 sxs Class C cmt from 442' to 342' 1.32 yield; 17 sxs outside and 7 sxs inside casing. TOOH and WOC for 3 hrs. TIH and tag Plug #4 @ 285'. TOOH. RU A Plus WL, RIH and perf @ 50', RU pump and est circ.

Plug #5. Spot 25 sxs Class C cmt 1.32 yield from 50' to surface. ND BOP and check cement in casing, good. RD work floor and Plugging equipment. MOL. SDFN.

10/18/23: Travel to location. Dig out WH. Cut off WH. Found TOC at surface in annulus. Weld and install P&A marker. GPS: 33.051703 N/-103.963567 W.

I hereby certify that the information above is true and c	omplete to the best of my knowledge and belief.	, ,
SIGNATURE JM Lung	TITLE PTA Enjoyee Tect	DATE 10/23/23
Type or print name My Continuence	E-mail address: nelleaplus well-im	PHONE: 505 4866958
APPROVED BY: John Garcia	_TITLE_Supervisor	_DATE10/24/23
Conditions of Approval (if any):		

Double L Queen Unit 001Q As Plugged On 10/18/23 GPS:33.051703 N / -103.963567 W

Double L Queen
Unit D, 660' FNL & 949' FWL, Section 6, T15S, R30E
Chaves County, NM, API #30-005-20327

GR: 3874' DF: Plug #5: 50' - 0' Class C cement, 25 sxs 11" hole 8-5/8", 24# casing set @ 392' Cement w/ 300 sxs, circulated Plug #4: 442' - 342' Class C cement, 54 sxs; Perforate @ 442' Tagged @ 285' Plug #3: 950' - 850' Salt @ 900' Class C cement, 25 sxs Tagged @ 835' Plug #2: 1200' - 1100' Class C cement, 25 sxs Yates @ 1200' Tagged @ 1050' Plug #1: 1903' - 1803' Class C cement, 6 sxs Set CIBP @ 1903' Tagged @ 1820' Queen @ 1952' Queen Perforations: 1953' - 1970' 4-1/2",11.6# Casing set @ 1995' Cement with 350 sxs; TOC indicated to be @ 400' 7-7/8" hole

TD @ 1995'



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 278840

CONDITIONS

Operator:	OGRID:
A-PLUS WELL SERVICE, INC.	370317
P.O. Box 1979	Action Number:
Farmington, NM 87499	278840
Γ.	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
jagarcia	None	10/24/2023