

Submit 1 Copy To Appropriate District Office

District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

WELL API NO.

30-015-22512

5. Indicate Type of Lease

STATE X FEE

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Ford State

8. Well Number 001

9. OGRID Number

245872

10. Pool name or Wildcat

Indian Flats; Delaware

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL, OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well X Gas Well Other

2. Name of Operator

Judah Oil, LLC

3. Address of Operator

P.O. Box 568, Artesia, NM 88211

4. Well Location

Unit Letter C : 330 feet from the North line and 2310 feet from the West line

Section 2 Township 22S Range 28E NMPM Eddy County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDONTEMPORARILY ABANDON ☐ CHANGE PLANS ☐PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐DOWNHOLE COMMINGLE ☐OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐ P AND A XXCASING/CEMENT JOB ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHED

Approved for plugging of well bore only. Liability under bond is retained pending location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

DATE

Type or print name

E-mail address:

PHONE:

For State Use Only

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

**Plugging Report
Judah Oil, LLC
Ford State #1
30-015-22512**

9/5/2023 Move in rig and wireline unit to location.

9/6/2023 Rigged up and finished moving equipment. Picked up on rods. Weighing 6 points but did not fell the pump unseat. Laid down 142 full rods and 1 rod that was parted 10' from the top pin in the body. SION

9/7/2023 Shot drain hole in tubing at 3550'. Dug out cellar and installed connections in the surface head. Installed BOP. Tubing was stuck. Pumped 20 bbls down the casing and worked the tubing free. POOH with 117 joints 2 3/8" tubing. Last joint and the parted rod and the pump in it. Made gauge ring run and set CIBP on wireline at 3486'. RIH with tubing and tagged CIBP. Circulated MLF and tested casing to 500#. Casing good. Spot 25 sx Class C cement on top of CIBP. POOH and SION

9/8/2023 Tagged cement at 3258'. POOH to 2621' and spot 25 sx across the top of the Delaware. POOH and SION. Problem with wireline.

9/11/2023 Perforated at 1212'. Set packer at 925'. Good communication with the surface head. Squeezed with 40 sx cement with CaCl. WOC and tagged cement at 1048'. Laid down remaining tubing and perforated casing at 550'. Circulated cement in/out 5 1/2" casing with 155 sx. Good cement to the pit from the surface head. Rigged down.

9/12/2023 Dug out and removed the wellhead. Witnessed by David Alvarado. Topped off both strings with 2 sx cement. Installed standard marker. Installed sonotube and encapsulated casing stub and bottom of marker. Removed the anchors and cleaned the pit.

Proposed WBD

Cmt plug @ 550'

8 5/8" CSA 444' in 11' HOLE
Cmt w/ 425 sx Class C

Perf @ 550'
Top of Salt & Surface Shoe plug

MLF

1192-1222'
40 sx cmt plug

Perf @ 1212'

www.pwllc.net

TS 500'
BS 1162
Delaware 2610

Top of Delaware plug at 2621'. 25 sx

MLF

3236-3486'
25 sx Cmt Plug

Perfs 3536-3542'

5 1/2 CSA 3742' in 7 7/8" HOLE
CMT W/ 275 sx Class C
TOC 1646 by Calc

TD 3824

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 272327

CONDITIONS

Operator: JUDAH OIL LLC PO Box 568 Artesia, NM 88211	OGRID: 245872
	Action Number: 272327
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	10/26/2023