

|                             |  |                                    |
|-----------------------------|--|------------------------------------|
| Well Name: BURCH KEELY UNIT | Well Location: T17S / R29E / SEC 23 / SWSW / | County or Parish/State: EDDY / NM  |
| Well Number: 123            | Type of Well: OIL WELL                       | Allottee or Tribe Name:            |
| Lease Number: NMLC028784B   | Unit or CA Name: BURCH KEELY UNIT            | Unit or CA Number: NMNM88525X      |
| US Well Number: 3001524711  | Well Status: Abandoned                       | Operator: SPUR ENERGY PARTNERS LLC |

Accepted for record –NMOCD gc10/31/2023

Subsequent Report

Sundry ID: 2754646

|   |                                      |
|---|--------------------------------------|
| Type of Submission: Subsequent Report     | Type of Action: Plug and Abandonment |
| Date Sundry Submitted: 10/03/2023         | Time Sundry Submitted: 01:17         |
| Date Operation Actually Began: 08/25/2023 |                                      |

Actual Procedure: Please see attached P&A summary and WBD.

SR Attachments

Actual Procedure

BKU\_123\_\_\_WBD\_\_\_AS\_PLUGGED\_20231003131653.pdf

BKU\_123\_\_\_P\_A\_SUMMARY\_20231003131556.pdf

|                             |  |                                    |
|-----------------------------|--|------------------------------------|
| Well Name: BURCH KEELY UNIT | Well Location: T17S / R29E / SEC 23 / SWSW / | County or Parish/State: EDDY / NM  |
| Well Number: 123            | Type of Well: OIL WELL                       | Allottee or Tribe Name:            |
| Lease Number: NMLC028784B   | Unit or CA Name: BURCH KEELY UNIT            | Unit or CA Number: NMNM88525X      |
| US Well Number: 3001524711  | Well Status: Abandoned                       | Operator: SPUR ENERGY PARTNERS LLC |

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

|   |                                  |
|---|----------------------------------|
| Operator Electronic Signature: CYNTHIA VILLACORTA | Signed on: OCT 03, 2023 01:17 PM |
| Name: SPUR ENERGY PARTNERS LLC                    |                                  |
| Title: VP Regulatory                              |                                  |
| Street Address: 13201 NORTHWEST FREEWAY STE 320   |                                  |
| City: HOUSTON                                     | State: TX                        |
| Phone: (281) 688-8202                             |                                  |
| Email address: CV@RIGHTDECISIONREGULATORY.COM     |                                  |

Field

|                      |        |      |
|----------------------|--------|------|
| Representative Name: |        |      |
| Street Address:      |        |      |
| City:                | State: | Zip: |
| Phone:               |        |      |
| Email address:       |        |      |

BLM Point of Contact

|                            |   |
|----------------------------|---|
| BLM POC Name: JAMES A AMOS | BLM POC Title: Acting Assistant Field Manager |
| BLM POC Phone: 5752345927  | BLM POC Email Address: jamos@blm.gov          |
| Disposition: Accepted      | Disposition Date: 10/20/2023                  |
| Signature: James A Amos    |   |

| DATE      | SUMMARY  |
|-----------|--|
| 8/17/2023 | TGSM. MIRU. LD HH. BLEED OFF TBG. UNSEAT PUMP. LD RODS. RU WORK FLOOR. UNFLANGE WELL. NU BOP. SWSDFN.  |
| 8/22/2023 | TGSM. WORK ON RIG. POOH TBG. RIH 72 JTS W/ 4.5" CIBP ON BOTTOM. WORKED ON PUMP. SWSDFN.  |
| 8/23/2023 | TGSM. WAIT ON PUMP. PUMP 4 BBLS FW TO CLEAN TBG. DROP STEEL BALL TO SET CIBP. SET 4.5" CIBP @ 2216'. CIRC WELL W/ 37 BBLS MUD. POOH 1 JT. RIH 4.5" PACKER. TEST CSG TO 500# FOR 30 MIN. TESTED GOOD. POOH 4.5" PACKER. PUMP PLUG #1 W/ 25 SXS CLASS C CMT, EOT @ 2213', ETOC 1838', 3.7 MIX, 7.1 DISP, 33 C/FT, 14.8#. POOH 40 JTS. SWSDFN.                        |
| 8/24/2023 | TGSM. TAG PLUG #1 @ 1908'. LD 31 JTS. PUMP PLUG #2 W/ 25 SXS CLASS C CMT, EOT 954', ETOC 572', 3.7 MIX, 2.2 DISP, 33 C/FT, 14.8#, WOC & TAG. POOH TBG. TAG PLUG #2 @ 584', LD 31 JTS. PUMP PLUG #3 W/ 26 SXS CLASS C CMT, EOT @ 390', ETOC SURFACE, 3.9 MIX, 34.3 C/FT, 14.8#, LD 13 JTS. RU WORK FLOOR. ND BOP. RD PULLING UNIT & PUMP. CLEAN LOCATION. MOVE OUT. |


|           |                      |  |             |                          |
|-----------|----------------------|--|-------------|--------------------------|
| API #     | 30-015-24711         | <b>AS PLUGGED WBD</b><br><b>BURCH KEELY UNIT 123</b> | County, ST  | Eddy County, NM          |
| Operator  | Spur Energy Partners |  | Sec-Twn-Rng | 23-17S-29E               |
| Field     | GRAYBURG JACKSON     |  | Footage     | 1300 FSL, 530 FWL        |
| Spud Date | 1/4/1984             |  | Survey      | 32.8163834, -104.0523071 |

| Formation (MD)   |       |
|------------------|-------|
| BASE OF SALT     | 760   |
| YATES            | 897   |
| SEVEN RIVERS     | 1,190 |
| QUEEN            | 1,805 |
| PENROSE          | 2,044 |
| GRAYBURG         | 2,143 |
| LOCO HILLS       | 2,258 |
| METEX            | 2,370 |
| PREMIER          | 2,486 |
| SAN ANDRES       | 2,497 |
| LOVINGTON SAND   | 2,585 |
| LOWER SAN ANDRES | 2,625 |

|     |        |
|-----|--------|
| RKB | 3,588' |
| GL  | 3,575' |

|           |         |
|-----------|---------|
| Hole Size | 12 1/4" |
| TOC       |         |
| Method    | CIRC    |

|             |        |
|-------------|--------|
| Csg Depth   | 340'   |
| Size        | 8 5/8" |
| Weight      | 24#    |
| Grade       | K55    |
| Connections | STC    |
| Cement      | 425 SX |

**TOP OF SALT @ 332'**

PLUG #3: SPOT 26 SX CLASS C CMT FROM 390' - SURFACE

**BASE OF SALT @ 760'**

PLUG #2: SPOT 25 SX CLASS C CMT FROM 954' - 584'

**YATES @ 897'****SAN ANDRES @ 2,497**

|           |        |
|-----------|--------|
| Hole Size | 7 7/8" |
| TOC       |        |
| Method    | CIRC   |

|             |         |
|-------------|---------|
| Csg Depth   | 3,505'  |
| Size        | 4 1/2"  |
| Weight      | 11.6#   |
| Grade       | N80     |
| Connections | LTC     |
| Cement      | 2185 SX |

|             |           |
|-------------|-----------|
| Last Update | 4/12/2023 |
| By          | WSC       |

|        |        |
|--------|--------|
| PBTD   | 3,350' |
| TD MD  | 3,505' |
| TD TVD | 3,505' |

PLUG #1: SET CIBP @ 2,213'. SPOT 25 SXS @ 2,213' - 1,908'.

2,263' - 441': TREATED W/ 1K GAL 7.5% NEFE HCL ACID 1 BS/ 25 GAL  
FRAC W/ 26K GAL OIL W/ 52K# SAND2,705' - 854': TREATED W/ 1.75K GAL 15% NEFE HCL ACID 1 BS/25 GAL  
FRAC W/ 25.5K GAL XL GEL W/ 43.5K# SAND

2,947' - 3,087': TREATED W/ 1K GAL 15% NEFE HCL ACID, 1 BS/25 GALS

3,185' - 326': TREATED W/ 2.4K GAL 15% NEFE HCL ACID, 1 BS/25 GALS

EOT &amp; SN @ 3,310'

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 278677

CONDITIONS

|   |  |
|---|--|
| Operator:<br>Spur Energy Partners LLC<br>9655 Katy Freeway<br>Houston, TX 77024 | OGRID:<br>328947                               |
|   | Action Number:<br>278677                       |
|   | Action Type:<br>[C-103] Sub. Plugging (C-103P) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|-----------|----------------|
| gcordero   | None      | 10/31/2023     |