

Well Name: TACO TRUCK FED SWD	Well Location: T23S / R29E / SEC 5 / LOT 1 / 32.3393933 / -104.0008143	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: INJECTION - DISPOSAL	Allottee or Tribe Name:
Lease Number: NMNM59383	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001553310	Well Status: Drilling Well	Operator: BLACK RIVER WATER MANAGEMENT COMPANY LLC

Subsequent Report

Sundry ID: 2757339

Type of Submission: Subsequent Report Type of Action: Drilling Operations

Date Sundry Submitted: 10/26/2023 Time Sundry Submitted: 07:32

Date Operation Actually Began: 08/04/2023

Actual Procedure: Please find additional submittals required by COA for authority to inject. Additional information sheet and Wellbore diagram, attached.

SR Attachments

PActual Procedure

Sundry_package_20231026073144.pdf

Well Name: TACO TRUCK FED SWD	Well Location: T23S / R29E / SEC 5 / LOT 1 / 32.3393933 / -104.0008143	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: INJECTION - DISPOSAL	Allottee or Tribe Name:
Lease Number: NMNM59383	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001553310	Well Status: Drilling Well	Operator: BLACK RIVER WATER MANAGEMENT COMPANY LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: BRETT JENNINGS	Signed on: OCT 26, 2023 07:31 AM
Name: BLACK RIVER WATER MANAGEMENT COMPANY LLC	
Title: Regulatory Analyst	
Street Address: 5400 LBJ FREEWAY, STE 1500	
City: DALLAS	State: TX
Phone: (972) 629-2160	
Email address: BRETT.JENNINGS@MATADORRESOURCES.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 10/26/2023
Signature: Jonathon Shepard	

WELLBORE SCHEMATIC

WELL: Taco Truck Fed SWD #1			PROSPECT: Devonian SWD			API No: 30-015-53310		
GL ELEV : 3,022.4'			Surface Hole Location :			852' FNL & 773' FEL Sec. 5, TWP 23-S, RGE 29-E Eddy County, NM 32.3393933 N, 104.0008143 W NAD83		
RKB ELEV : 3,047.4'								
Updated Formation Tops (TVD @ 0' VS)		Directional and BHA Details	CASING DIAGRAM	Depth (MD)	Hole	Casing & Cement Details 30" Conductor @ 145'		
					26"	Surf. Csg Cmt: (90 bbls cmt to surface)		
				277'	↓	20", 94#, J-55, BTC		
				2,995'	↓	Int. 1 Csg Cmt: (186 bbls cmt to surface) 13-3/8", 54.5#, J-55, BTC, 0 – 1,705' 13-3/8", 68#, J-55, BTC, 1,705 - 2995'		
				10,075'	↓	Int. 2 Csg Cmt: (104 bbls cmt to surface)		
Bone Spring Lime @ 6635'					12-1/4"			
1 st Bone Spring @ 7662'					↓			
2 nd Bone Spring @ 8392'					↓			
3 rd Bone Spring @ 9610'					↓			
Wolfcamp @ 9899'					8-3/4"	Prod. Csg Cmt: (20 bbls cmt to surface)		
Strawn @ 11649'				14,272'	↓	Baker Control Set Flex Lock V Liner Hanger 7-5/8", 39#, P-110HC, USS Liberty FJM 9,574' – 14,272' 3 joint shoe track		
Atoka @ 11912'					↓			
Morrow @ 12428'					↓			
Mississippian @ 13205'					6-1/2"	Tubing:		
Miss Lime @ 13762'					↓	Baker Model F 25 Chrome Permanent Packer @ 14,200'		
Woodford @ 14169'					↓	7", 32#, P-110HC, BTC, Fiberglass Lined 0' – 9,324'		
Siluro-Devonian @ 14270'					↓	5-1/2", 20#, P-110IC, BTC, Fiberglass Lined, 9,324' – 14,200'		
Prepared By: WMW – 10/20/2023				15,250'	↓			

Taco Truck Fed SWD #001 General Sundry: Additional Information

Formation Tops

Top	MD
Bone Spring Lime	6635.37
First Bone Spring	7662.68
Second Bone Spring	8392.06
Third Bone Spring	9610.43
Wolfcamp	9899.37
Strawn	11649.05
Atoka	11912.52
Morrow	12428.01
Mississippian	13204.72
Miss. Lime	13762.57
Woodford	14169.56
Siluro-Devonian	14270.98

In Situ Water Salinity

15,000 ppm based upon offset water samples

Casing Shoe Depth

14,272' MD (Wellbore Diagram Attached): entire open hole interval from 14,272'-15,250' is in the Siluro-Devonian

Mudlog (Attached in previous sundry)

No hydrocarbon shows over the disposal interval

Open Hole Logs (Attached in previous sundry)

Porosity and resistivity logs show hydrocarbons cannot be produced in paying quantities

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 279740

CONDITIONS

Operator: BLACK RIVER WATER MANAGEMENT COMPANY, LLC 5400 LBJ Freeway Dallas, TX 75240	OGRID: 371287
	Action Number: 279740
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
mgebremichael	None	11/1/2023