

Submit 1 Copy To Appropriate District Office

District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-32329
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator RAYBAW Operating, LLC		6. State Oil & Gas Lease No.
3. Address of Operator 2626 Cole Ave, Ste 300, Dallas, TX 75204		7. Lease Name or Unit Agreement Name Kodiak State
4. Well Location Unit Letter P : 660 feet from the S line and 660 feet from the E line Section 36 Township 17S Range 29E NMPM County Eddy		8. Well Number #1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3563' GR		9. OGRID Number 330220
		10. Pool name or Wildcat Sand Tank (Morrow)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

09/26/23 MIRU plugging equipment. Bled down well. 09/27/23 Dug out cellar. Pumped 70 bbls brine H2O, well was flowing. ND wellhead, NU BOP. 09/28/23 Continued to pump Brine H2O to kill well. RIH w/ overshot, did not tag fish. POH w/ tbg & overshot. Ran back in hole w/ overshot, well started flowing. 09/29/23-10/02/23 Worked to fish tbg out of hole. Could not fish. Pumped Brine H2O to kill well. 10/03/23 Pumped 50 bbls brine H2O down tbg. Could not latch onto fish. POH. Pumped 200 bbls Brine H2O down csg. ND BOP. Speared 5 ½ csg & pulled free. NU BOP. 10/04/23 POH w/ 44 jts of 5 ½ csg. Latched onto tbg fish & worked free. POH w/ tbg. 10/05/23 POH w/ tbg. RIH w/ 5 ½ csg spear, latched onto fish. 10/06/23 Fished 13 jts of 5 ½ csg out of hole. RIH w/ mill, tagged @ 2699'. RU power swivel, dressed top inside of csg. RIH w/ tbg to 3710'. WOC. 10/09/23-10/10/23 Tagged plug @ 7065'. RU swivel & reverse unit. Pumped 3 ½ bbls per minute. Milled from 7065-7103'. Circ'd well clean. 10/11/23-10/13/23 RU swivel & RIH w/ overshot, latched on to fish & POH w/ tbg & rods. RIH w mill & drill collars, tagged top of csg @ 2699'. RU swivel, milled down to 7080'. Could not work tbg free.

****Continued on page 2 ****

Spud Date:

09/26/2023

Rig Release Date:

10/20/2023

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Nancy J. Winn TITLE Geoscience Analyst DATE 10/31/2023

Type or print name Nancy J. Winn E-mail address: nwinn@sbcglobal.net PHONE: 281-793-5452

For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 11/2/23

Conditions of Approval (if any):

Submit 1 Copy To Appropriate District Office

District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

WELL API NO. 30-015-32329
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Kodiak State
8. Well Number #1
9. OGRID Number 330220
10. Pool name or Wildcat Sand Tank (Morrow)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <input type="checkbox"/> 2. Name of Operator RAYBAW Operating, LLC 3. Address of Operator 2626 Cole Ave, Ste 300, Dallas, TX 75204 4. Well Location Unit Letter P : 660 feet from the S line and 660 feet from the E line Section 36 Township 17S Range 29E NMPM County Eddy 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3563' GR	
---	--

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>	
---	--	---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

10/16/23 Backed off tbg. RU wireline, spotted 400 sx class C cmt @ 10,800-6755'. WOC. 10/17/23 Tagged plug @ 5684'. Perf'd @ 4995'. 10/18/23 Spotted 250 sx class C cmt w/ 2% CACL @ 4995-3784'. POH w/ 30 stands. Pumped 25 bbls to try to reverse circ but would not circ. Tbg on vacuum. WOC Tbg & collars stuck @ 2750'. Cut tbg @ 2750' & POH w/ 51 jts. Tagged cement inside tbg @ 2830'. Spotted 60 sx class C cmt w/ 2% CACL @ 1151-929'. WOC. 10/19/23 Tagged plug @ 948'. Pressure tested 8 5/8 csg, held 500 PSI. Perf'd @ 578'. ND BOP. Sqz'd 125 sx class C cmt w/ 2% CACL @ 578-325'. WOC & tagged @ 250'. Spotted 60 sx class C cmt @ 250' to surface. 10/20/23 RDMO. 10/26/23 Moved in backhoe and welder. Cut off well head & anchors. David Alvarado w/ OCD verified cmt @ surface. Welded on "Above Ground Dry Hole Marker". Installed 2' concrete form w/ 5 sx cmt. Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Spud Date:

09/26/2023

Rig Release Date:

10/20/2023

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Nancy J. Winn TITLE Geoscience Analyst DATE 10/31/2023

Type or print name Nancy J. Winn E-mail address: nwinn@sbcglobal.net PHONE: 281-793-5452

For State Use Only


APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any): _____

RAYBAW		PLUGGED	
Author:	ABBY @ BCM	Well No.	#1
Well Name	Kodiak State	API #:	30-015-32329
Field/Pool	Sand Tank Morrow	Location:	Sec 36, T17S, R29E
County	Eddy		
State	NM		660' FSL & 660 FEL
Spud Date	6/28/2002	GL:	3546'

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3 /8	H40	48#	528	17 1/2	530	CIRC
Inter Csg	8 5/8	J55	32#	3,995	12 1/4	1,500	CIRC
Prod Csg	5 1/2	N80 & P110	17#	11,573	7 7/8	625	8020'

Formation	Top
Queen	2250
Anhy	3930
Bone Springs	4410
Wolfcamp	7940
Strawn Lime	10295
Atoka Clastics	10480
Morrow Clastics	10950



13 3 /8 48# CSG @ 528

4. Perf'd @ 578'. ND BOP. Sqz'd 125 sx class C cmt w/ 2% CACL @ 578-325'. WOC & tagged @ 250'. Spotted 60 sx class C cmt @ 250' to surface.

3. Spotted 60 sx class C cmt w/ 2% CACL @ 1151-929'. WOC & Tagged @ 948'.

POH w/ 44 JTS 5 1/2 CSG (1826 +/-)

8 5/8 32# CSG @ 3,995

HIC @ 4865' (Prod Log)

2. Perf'd @ 4995'. Sqz'd 250 sx class C cmt w/ 2% CACL @ 4995-3784'. POH w/ 30 stands & reverse w/ 25 bbls. WOC. Tbg stuck, cut @ 2750'. POH w/ 51 jts. Tagged cmt inside tbg @ 2830'.

1. Spotted 400 sx class C cmt @ 10,800-6755'. WOC & tagged plug @ 5684'.

Chem cut jt @ 10,890' (WLM)
5 1/2 x 2 7/8 Arrow set PKR (on/off tool) @ 10,895'

Perfs @ 10,992-11,046'

5 1/2 17# CSG @ 11,573

TDPB @ 11,481
TD @ 11,573

32.7855415
-104.0217972

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 281356

CONDITIONS

Operator: RAYBAW Operating, LLC 2626 Cole Avenue Dallas, TX 75204	OGRID: 330220
	Action Number: 281356
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	11/2/2023