

Submit Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-40126
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Poker Lake Unit CVX JV PC
8. Well Number 012H
9. OGRID Number 373075
10. Pool name or Wildcat Wildcat G-06 S243026M; Bone Spring

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐	
2. Name of Operator	
3. Address of Operator	
4. Well Location Unit Letter <u>O</u> : <u>50</u> feet from the <u>South</u> line and <u>1980</u> feet from the <u>East</u> line Section _____ Township <u>24S</u> Range <u>30E</u> NMPM County <u>Eddy</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3355' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: Temporary Abandonment ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

XTO Permian Operating, LLC. respectfully submits this NOI to TA the above mentioned well. Please find the attached Procedure, Current WBD, and Proposed WBD. This well was previously approved for P&A, however XTO geology would like to save the wellbore.

TA status may be granted after a successful MIT test is performed. Contact the OCD to schedule the test so it may be witnessed.

Spud Date:

05/20/2012

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kristen Houston TITLE Regulatory Analyst DATE 10/03/2023

Type or print name Kristen Houston E-mail address: Kristen.houston@exxonmobil.com PHONE: (505)320-3754

For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 11/3/23
Conditions of Approval (if any):

TA WELLBORE
POKER LAKE UNIT CVX JV PC 012H
EDDY COUNTY, NEW MEXICO
Class II

MASIP	MAOP	MAWP	Surface Csg Yield
1,000 psi	1,000 psi	3,000 psi	1730 PSI

SUMMARY: Plug and abandon wellbore according to BLM regulations.

- 1) MIRU pulling unit. Set open top steel pit for plugging.
- 2) POOH LD rods and pump.
- 3) ND WH and NU 3K manual BOP. Function test BOP.
- 4) POOH tbg.
- 5) MIRU WLU, RIH GR to 8250'; RIH set CIBP at 8200', pressure test to 500 PSI for 30 minutes; spot 25 SKS Class H cement from 8200' to 8000'. WOC and tag to verify TOC. (T/ Perf)
- 6) Circulate gel from 8000' to surface
- 7) ND BOP. RDMO PU, trucks, and pumps.

PLU CVX JV PC 012H - Proposed TA WBD

775' 13-3/8" Casing Shoe

993' T/Salt

3632' B/Salt


3725' 8-5/8" Casing Shoe

3878' T/Delaware

5445' TOC

7684' T/Bone Springs

8290' T/Delaware Perfs




Spot 25 SKS Class H atop
CIBP: 8200' to 8000'. PT CIBP
to 500 PSIG for 30 min. WOC
and Tag.



Downhole Well Profile - with Schematic

Well Name: POKER LAKE CVX JV PC 012H

API/UWI 3001540126	SAP Cost Center ID 1139971001	Permit Number	State/Province New Mexico	County Eddy	Ground Elevation (ft) 3,355.00	KB-Ground Distance (ft) 23.00	Surface Casing Flange Elevatio...
Surface Location T24S-R30E-S16	Spud Date 5/20/2012 13:42	Original KB Elevation (ft) 3,378.00	Ground Elevation (ft) 3,355.00	KB-Ground Distance (ft) 23.00	Surface Casing Flange Elevatio...		



Wellbores				
Wellbore Name Original Hole		Parent Wellbore Original Hole		Wellbore API/UWI
Start Depth (ftKB) 23.0		Profile Type Horizontal		
Section Des	Hole Sz (in)	Act Top (ftKB)	Act Btm (ftKB)	
Conductor	30	23.0	120.0	
Surface	17 1/2	23.0	775.0	
Intermediate	11	775.0	3,725.0	
Production	7 7/8	3,725.0	12,879.0	
Zones				
Zone Name	Top (ftKB)	Btm (ftKB)	Current Status	
Avalon Shale				
Casing Strings				
Csg Des	Set Depth (ftKB)	OD (in)	Wt/Len (lb/ft)	Grade
Conductor	120.0	20	169.00	K-55
Surface	775.0	13 3/8	48.00	H-40
Intermediate	3,725.0	8 5/8	32.00	J-55
Production	12,879.0	5 1/2	17.00	P-110
Cement				
Des	Type	Start Date	Top (ftKB)	Btm (ftKB)
Surface Casing Cement	Casing	5/20/2012	23.0	775.0
Intermediate Casing Cement	Casing	5/24/2012	23.0	3,725.0
Production Casing Cement	Casing	6/4/2012	5,445.7	12,879.0
Perforations				
Date	Top (ftKB)	Btm (ftKB)	Linked Zone	
7/3/2012	8,290.0	8,766.0		
7/2/2012	8,860.0	9,336.0		
7/2/2012	9,430.0	9,906.0		
7/2/2012	10,000.0	10,476.0		
7/2/2012	10,570.0	11,046.0		
7/1/2012	11,140.0	11,616.0		
7/1/2012	11,805.0	12,186.0		
6/28/2012	12,280.0	12,646.0		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 271819

CONDITIONS

Operator: XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID: 5380
	Action Number: 271819
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	11/3/2023