

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address EARTHSTONE OPERATING, LLC 1400 WOODLOCH FOREST DR. STE. 300 ATTN: REGULATORY THE WOODLANDS, TX 77380		² OGRID Number 331165	
		³ Reason for Filing Code/ Effective Date NW 06/29/2022	
⁴ API Number 30 - 025-49712	⁵ Pool Name CORBIN; BONE SPRING, SOUTH		⁶ Pool Code 13160
⁷ Property Code 332497	⁸ Property Name BEL AIR 5 8 2BS FEDERAL COM		⁹ Well Number 5H

II. ¹⁰ Surface Location

UL or lot no. C	Section 5	Township 19S	Range 33E	Lot Idn	Feet from the 125	North/South Line N	Feet from the 1470	East/West line W	County LEA
--------------------	--------------	-----------------	--------------	---------	----------------------	-----------------------	-----------------------	---------------------	---------------

¹¹ Bottom Hole Location

UL or lot no. M	Section 8	Township 19S	Range 33E	Lot Idn	Feet from the 100	North/South line S	Feet from the 408	East/West line W	County LEA
¹² Lse Code	¹³ Producing Method Code F	¹⁴ Gas Connection Date 06/29/2022	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
372603	DKL Field Services, LLC	G
020667	SHELL PIPELINE CORPORATION	O

IV. Well Completion Data

²¹ Spud Date 03/05/2022	²² Ready Date 06/28/2022	²³ TD 20079	²⁴ PBTD	²⁵ Perforations 11038-20020	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement
17-1/2		13-3/8	1511		2380
12-1/4		9-5/8	5304		1655
8-1/2		5-1/2	20045		2570

V. Well Test Data

³¹ Date New Oil 06/29/2022	³² Gas Delivery Date 06/30/2022	³³ Test Date 08/02/2022	³⁴ Test Length 24	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size 64/64	³⁸ Oil 1295	³⁹ Water 2426	⁴⁰ Gas 660		⁴¹ Test Method FLOW
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Deborah Marberry</i>			OIL CONSERVATION DIVISION		
Printed name: Deborah Marberry			Approved by:		
Title: SR. REGULATORY TECH			Title:		
E-mail Address: DMARBERRY@EARTHSTONEENERGY.COM			Approval Date:		
Date: 03/21/2023		Phone: 713-906-5868			

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address EARTHSTONE OPERATING, LLC 1400 WOODLOCH FOREST DR. STE. 300 ATTN: REGULATORY THE WOODLANDS, TX 77380			² OGRID Number 331165		
			³ Reason for Filing Code/ Effective Date NW 06/29/2022		
⁴ API Number 30 - 025-49712		⁵ Pool Name TONTO; BONE SPRING			⁶ Pool Code 59475
⁷ Property Code 332497		⁸ Property Name BEL AIR 5 8 2BS FEDERAL COM			⁹ Well Number 5H

II. ¹⁰ Surface Location

UL or lot no. C	Section 5	Township 19S	Range 33E	Lot Idn	Feet from the 125	North/South Line N	Feet from the 1470	East/West line W	County LEA
--------------------	--------------	-----------------	--------------	---------	----------------------	-----------------------	-----------------------	---------------------	---------------

¹¹ Bottom Hole Location

UL or lot no. M	Section 8	Township 19S	Range 33E	Lot Idn	Feet from the 100	North/South line S	Feet from the 408	East/West line W	County LEA
¹² Lse Code	¹³ Producing Method Code F	¹⁴ Gas Connection Date 06/29/2022	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
372603	DKL Field Services, LLC	G
020667	SHELL PIPELINE CORPORATION	O

IV. Well Completion Data

²¹ Spud Date 03/05/2022	²² Ready Date 06/28/2022	²³ TD 20079	²⁴ PBTD	²⁵ Perforations 11038-20020	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement
17-1/2		13-3/8	1511		2380
12-1/4		9-5/8	5304		1655
8-1/2		5-1/2	20045		2570

V. Well Test Data

³¹ Date New Oil 06/29/2022	³² Gas Delivery Date 06/30/2022	³³ Test Date 08/02/2022	³⁴ Test Length 24	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size 64/64	³⁸ Oil 1295	³⁹ Water 2426	⁴⁰ Gas 660		⁴¹ Test Method FLOW
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Deborah Marberry</i>			OIL CONSERVATION DIVISION		
Printed name: Deborah Marberry			Approved by:		
Title: SR. REGULATORY TECH			Title:		
E-mail Address: DMARBERRY@EARTHSTONEENERGY.COM			Approval Date:		
Date: 03/21/2023		Phone: 713-906-5868			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☒ AMENDED REPORT
AS DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-49712	² Pool Code 13160	³ Pool Name CORBIN; BONE SPRING, SOUTH
⁴ Property Code 332497	⁵ Property Name BEL-AIR 5-8 FED 2BS COM	⁶ Well Number 5H
⁷ OGRID No. 331165	⁸ Operator Name EARTHSTONE OPERATING, LLC	⁹ Elevation 3716.9


¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
3	5	19 S	33 E		125	NORTH	1470	WEST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	8	19 S	33 E		100	SOUTH	408	WEST	LEA
¹² Dedicated Acres 160.86	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Deborah Marberry 03/21/2023
Signature Date

Deborah Marberry
Printed Name

dmarberry@EARTHSTONEENERGY.COM
E-mail Address

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

OCTOBER 16, 2020

Date of Survey

Signature and Seal of Professional Surveyor:

Certificate Number: 12797
Surveyor No. 8558

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☒ AMENDED REPORT
AS DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-49712	² Pool Code 59475	³ Pool Name TONTO; BONE SPRING, SOUTH
⁴ Property Code 332497	⁵ Property Name BEL-AIR 5-8 FED 2BS COM	⁶ Well Number 5H
⁷ OGRID No. 331165	⁸ Operator Name EARTHSTONE OPERATING, LLC	⁹ Elevation 3716.9


¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	5	19 S	33 E		125	NORTH	1470	WEST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	8	19 S	33 E		100	SOUTH	408	WEST	LEA
¹² Dedicated Acres 160	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-21916 Compulsory Pooling						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Deborah Marberry 03/21/2023
Signature Date

Deborah Marberry

Printed Name

dmarberry@earthstoneenergy.com

E-mail Address

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

OCTOBER 16, 2020

Date of Survey

Signature and Seal of Professional Surveyor:

Certificate Number: 12797
SURVEY NO. 8558



Company:	Baker Hughes	Longitude:	103° 41' 20.34" W	Gt:	9.796 (m/s2)
Customer/Operator:	Chisholm Energy	Latitude:	32° 41' 46.7996" N	Bt:	47890 (nT)
Job Number:	111267532	Ref North:	Grid	Dip:	60.56 (deg)
API Number:	30025497120000	Mag Declination:	6.51 (deg) E	Nominal Mag Ref:	HDGM
Date Range:	3/4/2022 - 3/25/2022	Convergence:	0.35 (deg) E	Non-Mag Spacing:	Standard
Rig Name:	Scan Patriot	TAC:	6.16 (deg)	MagCorr:	ON
Rig Elv/Dat:	3742.90 (ft) / MSL	Vertical Section Azimuth:	179.69 (deg)	Sag:	OFF
Well:	BEL-AIR 5-8 FED 2BS COM 5H				
Wellbore:	BEL-AIR 5-8 FED 2BS COM 5H				

Scribeline (deg)

Run1: 158.83 Run2: 310.02 Run3: 224.47 Run4: 28.18 Run5: 65.85 Run6: 215.12 Run7: NA Run8: NA

Gyro Scribeline

Run1: NA Run2: NA Run3: NA Run4: NA Run5: NA Run6: NA Run7: NA Run8: NA

Tie/Proj	Measured Depth (ft)	Inclination (deg)	Azimuth (deg)	Temperature (degF)	True Vertical Depth (ft)	Northing (ft)	Easting (ft)	DLS (deg/100ft)	Vertical Section (ft)	Closure Distance (ft)	Course Length (ft)	Build Rate (deg/100ft)	Turn Rate (deg/100ft)
Tie	0.00	0.00	0.00		0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00
Tie	26.00	0.00	270.00		26.00	0.00	0.00	0.00	0.00	0.00	26.00	0.00	-346.15
	142.00	0.83	166.89	68.92	142.00	-0.82	0.19	0.72	0.82	0.84	116.00	0.72	-88.89
	266.00	0.93	159.42	71.62	265.98	-2.64	0.75	0.12	2.64	2.74	124.00	0.08	-6.02
	327.00	0.91	159.65	71.62	326.97	-3.55	1.09	0.03	3.56	3.72	61.00	-0.03	0.38
	389.00	0.76	207.67	74.33	388.97	-4.38	1.07	1.12	4.38	4.51	62.00	-0.24	77.45
	450.00	1.43	249.90	77.03	449.96	-5.00	0.17	1.65	5.00	5.00	61.00	1.10	69.23
	510.00	1.70	256.38	82.44	509.93	-5.47	-1.40	0.54	5.46	5.64	60.00	0.45	10.80
	632.00	1.67	261.59	85.14	631.88	-6.15	-4.92	0.13	6.12	7.88	122.00	-0.02	4.27
	728.00	1.53	262.32	85.14	727.84	-6.53	-7.57	0.15	6.49	10.00	96.00	-0.15	0.76
	791.00	1.30	266.93	101.36	790.83	-6.68	-9.12	0.41	6.63	11.30	63.00	-0.37	7.32
	885.00	1.02	281.65	93.25	884.81	-6.57	-11.00	0.43	6.51	12.81	94.00	-0.30	15.66
	1072.00	0.52	298.51	298.69	1071.79	-5.82	-13.38	0.29	5.75	14.59	187.00	-0.27	9.02
	1165.00	0.15	324.10	298.69	1164.79	-5.52	-13.82	0.42	5.45	14.88	93.00	-0.40	27.52
	1259.00	0.06	126.65	104.06	1258.79	-5.45	-13.85	0.22	5.38	14.89	94.00	-0.10	172.93
	1353.00	0.07	77.02	106.77	1352.79	-5.47	-13.76	0.06	5.40	14.81	94.00	0.01	-52.80
	1455.00	0.11	275.45	109.47	1454.79	-5.45	-13.79	0.17	5.37	14.83	102.00	0.04	-158.40
	1540.00	0.11	72.58	85.14	1539.79	-5.42	-13.80	0.25	5.34	14.82	85.00	0.00	184.86
	1634.00	0.13	55.03	87.84	1633.79	-5.33	-13.62	0.04	5.25	14.63	94.00	0.02	-18.67
	1729.00	0.19	58.49	90.55	1728.79	-5.18	-13.40	0.06	5.11	14.37	95.00	0.06	3.64
	1822.00	0.28	74.72	93.25	1821.79	-5.04	-13.05	0.12	4.97	13.99	93.00	0.10	17.45
	1916.00	0.28	54.35	93.25	1915.78	-4.85	-12.64	0.11	4.78	13.54	94.00	0.00	-21.67
	2010.00	0.26	57.18	50.00	2009.78	-4.60	-12.28	0.03	4.53	13.11	94.00	-0.02	3.01
	2104.00	0.31	57.54	98.66	2103.78	-4.35	-11.88	0.05	4.28	12.65	94.00	0.05	0.38
	2198.00	0.26	45.01	101.36	2197.78	-4.06	-11.52	0.08	4.00	12.21	94.00	-0.05	-13.33
	2292.00	0.22	43.44	104.06	2291.78	-3.78	-11.24	0.04	3.72	11.86	94.00	-0.04	-1.67
	2386.00	0.39	21.66	104.06	2385.78	-3.35	-11.00	0.22	3.29	11.50	94.00	0.18	-23.17
	2480.00	0.46	45.88	106.77	2479.78	-2.79	-10.61	0.20	2.73	10.97	94.00	0.07	25.77
	2574.00	0.59	54.26	106.77	2573.77	-2.24	-9.95	0.16	2.19	10.20	94.00	0.14	8.91
	2668.00	0.51	48.90	106.77	2667.77	-1.69	-9.24	0.10	1.64	9.39	94.00	-0.09	-5.70
	2762.00	0.52	51.39	106.77	2761.76	-1.15	-8.59	0.03	1.10	8.67	94.00	0.01	2.65
	2856.00	0.75	46.66	106.77	2855.76	-0.46	-7.81	0.25	0.41	7.82	94.00	0.24	-5.03
	2949.00	0.76	43.89	71.62	2948.75	0.41	-6.94	0.04	-0.44	6.95	93.00	0.01	-2.98
	3043.00	0.70	47.48	109.47	3042.74	1.24	-6.09	0.08	-1.28	6.21	94.00	-0.06	3.82
	3136.00	0.72	32.07	109.47	3135.74	2.12	-5.36	0.21	-2.15	5.76	93.00	0.02	-16.57
	3229.00	0.69	36.91	112.17	3228.73	3.06	-4.71	0.07	-3.09	5.62	93.00	-0.03	5.20
	3324.00	0.63	30.85	112.17	3323.72	3.97	-4.10	0.10	-3.99	5.71	95.00	-0.06	-6.38
	3419.00	0.56	26.02	114.87	3418.72	4.84	-3.63	0.09	-4.86	6.04	95.00	-0.07	-5.08
	3512.00	0.56	21.40	117.58	3511.71	5.67	-3.26	0.05	-5.69	6.54	93.00	0.00	-4.97
	3606.00	0.53	12.27	117.58	3605.71	6.52	-3.00	0.10	-6.54	7.18	94.00	-0.03	-9.71
	3700.00	0.44	359.95	117.58	3699.71	7.31	-2.91	0.15	-7.32	7.86	94.00	-0.10	-13.11
	3794.00	0.50	356.89	117.58	3793.70	8.08	-2.93	0.07	-8.09	8.59	94.00	0.06	-3.26
	3888.00	0.63	8.22	120.28	3887.70	9.00	-2.88	0.18	-9.01	9.45	94.00	0.14	12.05
	3981.00	0.62	356.12	120.28	3980.69	10.01	-2.84	0.14	-10.02	10.40	93.00	-0.01	-13.01
	4075.00	0.65	0.99	120.28	4074.69	11.05	-2.87	0.07	-11.06	11.41	94.00	0.03	5.18
	4168.00	0.59	354.68	341.94	4167.68	12.05	-2.90	0.10	-12.07	12.39	93.00	-0.06	-6.78



4262.00	0.57	350.60		4261.68	12.99	-3.02	0.05	-13.01	13.34	94.00	-0.02	-4.34
4356.00	0.50	353.60	120.28	4355.67	13.86	-3.15	0.08	-13.88	14.21	94.00	-0.07	3.19
4450.00	0.62	349.26	122.98	4449.67	14.77	-3.29	0.14	-14.79	15.13	94.00	0.13	-4.62
4543.00	0.64	340.57	128.39	4542.66	15.75	-3.55	0.10	-15.77	16.15	93.00	0.02	-9.34
4637.00	0.65	340.51	128.39	4636.66	16.75	-3.90	0.01	-16.77	17.20	94.00	0.01	-0.06
4731.00	0.70	336.58	128.39	4730.65	17.78	-4.31	0.07	-17.80	18.30	94.00	0.05	-4.18
4825.00	0.69	335.23	131.09	4824.64	18.82	-4.78	0.02	-18.85	19.42	94.00	-0.01	-1.44
4917.00	0.71	329.29	131.09	4916.64	19.81	-5.30	0.08	-19.84	20.51	92.00	0.02	-6.46
5010.00	0.76	328.99	131.09	5009.63	20.84	-5.91	0.05	-20.87	21.66	93.00	0.05	-0.32
5104.00	0.64	331.98	82.44	5103.62	21.84	-6.48	0.13	-21.87	22.78	94.00	-0.13	3.18
5197.00	0.70	328.97	131.09	5196.61	22.78	-7.02	0.07	-22.82	23.84	93.00	0.06	-3.24
5267.00	0.69	335.98	131.09	5266.61	23.53	-7.41	0.12	-23.57	24.67	70.00	-0.01	10.01
5338.00	0.66	335.61	114.87	5337.60	24.30	-7.75	0.04	-24.34	25.50	71.00	-0.04	-0.52
5401.00	1.55	278.78	120.28	5400.59	24.76	-8.74	2.08	-24.80	26.26	63.00	1.41	-90.21
5495.00	3.16	266.87	125.69	5494.51	24.81	-12.59	1.78	-24.88	27.82	94.00	1.71	-12.67
5589.00	2.61	268.58	128.39	5588.39	24.61	-17.31	0.59	-24.71	30.09	94.00	-0.59	1.82
5682.00	3.95	266.09	128.39	5681.24	24.34	-22.63	1.45	-24.47	33.24	93.00	1.44	-2.68
5775.00	5.75	265.21	128.39	5773.90	23.74	-30.46	1.94	-23.90	38.62	93.00	1.94	-0.95
5870.00	7.76	265.95	131.09	5868.24	22.89	-41.61	2.12	-23.11	47.49	95.00	2.12	0.78
5963.00	9.65	261.08	131.09	5960.16	21.23	-55.57	2.18	-21.53	59.49	93.00	2.03	-5.24
6058.00	9.66	260.24	131.09	6053.82	18.65	-71.29	0.15	-19.03	73.69	95.00	0.01	-0.88
6152.00	11.62	259.95	131.09	6146.20	15.66	-88.39	2.09	-16.14	89.76	94.00	2.09	-0.31
6246.00	11.43	260.73	133.80	6238.30	12.51	-106.90	0.26	-13.08	107.63	94.00	-0.20	0.83
6340.00	10.39	260.72	131.09	6330.60	9.64	-124.46	1.11	-10.31	124.83	94.00	-1.11	-0.01
6434.00	9.87	261.26	133.80	6423.13	7.05	-140.79	0.56	-7.81	140.96	94.00	-0.55	0.57
6528.00	10.77	264.85	133.80	6515.61	5.04	-157.50	1.18	-5.89	157.58	94.00	0.96	3.82
6622.00	10.33	265.14	133.80	6608.03	3.53	-174.64	0.47	-4.48	174.68	94.00	-0.47	0.31
6716.00	9.52	264.27	133.80	6700.62	2.04	-190.78	0.88	-3.07	190.79	94.00	-0.86	-0.93
6809.00	10.91	267.28	136.50	6792.14	0.86	-207.22	1.60	-1.98	207.22	93.00	1.49	3.24
6902.00	10.44	267.71	136.50	6883.53	0.10	-224.43	0.51	-1.32	224.43	93.00	-0.51	0.46
6997.00	9.75	266.18	139.20	6977.06	-0.78	-241.06	0.78	-0.53	241.06	95.00	-0.73	-1.61
7090.00	9.00	266.33	136.50	7068.82	-1.77	-256.17	0.81	0.38	256.18	93.00	-0.81	0.16
7184.00	11.06	268.88	139.20	7161.38	-2.41	-272.53	2.24	0.94	272.54	94.00	2.19	2.71
7278.00	10.05	270.26	141.91	7253.79	-2.55	-289.75	1.11	0.99	289.76	94.00	-1.07	1.47
7371.00	8.92	269.71	141.91	7345.51	-2.55	-305.07	1.22	0.90	305.08	93.00	-1.22	-0.59
7465.00	9.92	266.12	141.91	7438.24	-3.14	-320.44	1.23	1.40	320.45	94.00	1.06	-3.82
7559.00	8.98	267.67	144.61	7530.97	-3.98	-335.85	1.04	2.17	335.87	94.00	-1.00	1.65
7653.00	10.59	265.61	144.61	7623.60	-4.94	-351.79	1.75	3.04	351.82	94.00	1.71	-2.19
7747.00	9.82	266.99	147.31	7716.11	-6.03	-368.41	0.86	4.03	368.46	94.00	-0.82	1.47
7841.00	8.53	267.22	147.31	7808.91	-6.78	-383.38	1.37	4.71	383.44	94.00	-1.37	0.24
7936.00	10.07	269.69	147.31	7902.65	-7.17	-398.72	1.67	5.01	398.78	95.00	1.62	2.60
8030.00	9.56	270.30	147.31	7995.28	-7.17	-414.74	0.55	4.93	414.80	94.00	-0.54	0.65
8124.00	8.01	272.49	147.31	8088.17	-6.85	-429.09	1.69	4.53	429.15	94.00	-1.65	2.33
8218.00	9.50	263.06	150.02	8181.08	-7.50	-443.34	2.20	5.10	443.40	94.00	1.59	-10.03
8312.00	10.86	258.98	150.02	8273.60	-10.13	-459.73	1.64	7.64	459.84	94.00	1.45	-4.34
8406.00	9.33	259.87	155.42	8366.14	-13.17	-475.92	1.64	10.59	476.11	94.00	-1.63	0.95
8499.00	10.73	265.55	147.31	8457.72	-15.16	-491.98	1.84	12.50	492.21	93.00	1.51	6.11
8593.00	10.74	269.17	147.31	8550.08	-15.97	-509.46	0.72	13.21	509.71	94.00	0.01	3.85
8690.00	10.91	268.16	122.98	8645.35	-16.39	-527.67	0.26	13.54	527.93	97.00	0.18	-1.04
8783.00	9.62	273.25	131.09	8736.86	-16.24	-544.23	1.69	13.29	544.47	93.00	-1.39	5.47
8877.00	11.22	276.72	141.91	8829.31	-14.72	-561.15	1.83	11.68	561.35	94.00	1.70	3.69
8971.00	10.31	277.86	141.91	8921.65	-12.50	-578.57	0.99	9.37	578.70	94.00	-0.97	1.21
9066.00	9.27	278.21	144.61	9015.27	-10.25	-594.56	1.10	7.03	594.65	95.00	-1.09	0.37
9131.00	8.86	278.16	144.61	9079.46	-8.79	-604.70	0.63	5.52	604.76	65.00	-0.63	-0.08
9192.00	10.03	276.47	128.39	9139.63	-7.52	-614.63	1.97	4.20	614.67	61.00	1.92	-2.77
9239.00	14.92	271.70	131.09	9185.51	-6.88	-624.75	10.62	3.50	624.79	47.00	10.40	-10.15
9285.00	19.67	269.00	133.80	9229.42	-6.84	-638.42	10.47	3.39	638.45	46.00	10.33	-5.87
9332.00	25.76	266.10	133.80	9272.75	-7.67	-656.53	13.17	4.12	656.58	47.00	12.96	-6.17
9378.00	31.38	262.12	136.50	9313.14	-10.00	-678.39	12.89	6.33	678.46	46.00	12.22	-8.65
9425.00	36.34	255.00	139.20	9352.17	-15.28	-703.99	13.50	11.48	704.15	47.00	10.55	-15.15
9472.00	39.74	247.73	139.20	9389.20	-24.59	-731.36	11.96	20.63	731.78	47.00	7.23	-15.47
9519.00	42.99	245.48	139.20	9424.47	-36.94	-759.85	7.60	32.83	760.75	47.00	6.91	-4.79
9566.00	45.45	240.11	139.20	9458.16	-51.94	-788.97	9.53	47.67	790.68	47.00	5.23	-11.43
9613.00	48.48	235.56	141.91	9490.24	-70.25	-818.01	9.57	65.82	821.02	47.00	6.45	-9.68
9660.00	51.30	231.12	141.91	9520.53	-91.72	-846.82	9.39	87.14	851.77	47.00	6.00	-9.45
9707.00	54.29	227.02	141.91	9548.95	-116.25	-875.07	9.42	111.52	882.75	47.00	6.36	-8.72
9754.00	57.23	223.62	141.91	9575.40	-143.58	-902.67	8.65	138.69	914.02	47.00	6.26	-7.23
9801.00	58.77	218.78	144.61	9600.32	-173.56	-928.90	9.33	168.53	944.98	47.00	3.28	-10.30
9848.00	60.69	215.00	141.91	9624.01	-206.03	-953.25	8.06	200.86	975.26	47.00	4.09	-8.04
9895.00	62.12	210.61	141.91	9646.52	-240.70	-975.59	8.75	235.42	1004.84	47.00	3.04	-9.34
9942.00	64.10	206.84	141.91	9667.78	-277.46	-995.72	8.30	272.07	1033.65	47.00	4.21	-8.02
9989.00	66.30	205.18	133.80	9687.49	-315.80	-1014.42	5.67	310.31	1062.44	47.00	4.68	-3.53
10036.00	68.74	201.44	136.50	9705.47	-355.68	-1031.59	9.00	350.09	1091.18	47.00	5.19	-7.96
10083.00	70.13	196.77	139.20	9721.98	-397.25	-1045.98	9.76	391.58	1118.87	47.00	2.96	-9.94



	10130.00	72.55	193.13	139.20	9737.03	-440.26	-1057.45	8.96	434.53	1145.44	47.00	5.15	-7.74
	10177.00	77.17	190.56	139.20	9749.30	-484.65	-1066.75	11.16	478.87	1171.68	47.00	9.83	-5.47
	10224.00	81.18	187.60	139.20	9758.13	-530.22	-1074.03	10.54	524.40	1197.78	47.00	8.53	-6.30
	10271.00	85.54	182.83	141.91	9763.56	-576.69	-1078.26	13.70	570.84	1222.79	47.00	9.28	-10.15
	10318.00	86.21	178.02	139.20	9766.95	-623.55	-1078.61	10.31	617.70	1245.87	47.00	1.43	-10.23
	10420.00	88.80	176.66	141.91	9771.39	-725.33	-1073.88	2.87	719.51	1295.88	102.00	2.54	-1.33
	10514.00	89.08	177.96	144.61	9773.13	-819.21	-1069.47	1.41	813.41	1347.17	94.00	0.30	1.38
	10608.00	89.08	176.61	141.91	9774.63	-913.09	-1065.01	1.44	907.31	1402.85	94.00	0.00	-1.44
	10702.00	89.14	177.66	147.31	9776.10	-1006.96	-1060.32	1.12	1001.21	1462.27	94.00	0.06	1.12
	10796.00	89.14	179.84	147.31	9777.51	-1100.92	-1058.27	2.32	1095.18	1527.07	94.00	0.00	2.32
	10890.00	89.17	179.90	150.02	9778.89	-1194.91	-1058.05	0.07	1189.17	1596.02	94.00	0.03	0.06
	10983.00	89.17	179.71	152.72	9780.24	-1287.90	-1057.74	0.20	1282.16	1666.58	93.00	0.00	-0.20
	11078.00	89.32	178.36	155.42	9781.49	-1382.88	-1056.14	1.43	1377.14	1740.05	95.00	0.16	-1.42
	11172.00	89.17	179.36	150.02	9782.73	-1476.85	-1054.27	1.08	1471.12	1814.54	94.00	-0.16	1.06
	11266.00	89.14	178.53	160.83	9784.12	-1570.82	-1052.54	0.88	1565.10	1890.85	94.00	-0.03	-0.88
	11360.00	89.29	179.84	158.12	9785.40	-1664.80	-1051.20	1.40	1659.09	1968.90	94.00	0.16	1.39
	11454.00	89.08	179.54	158.12	9786.74	-1758.79	-1050.69	0.39	1753.08	2048.73	94.00	-0.22	-0.32
	11548.00	89.23	179.65	160.83	9788.13	-1852.78	-1050.03	0.20	1847.07	2129.63	94.00	0.16	0.12
	11641.00	89.26	179.86	160.83	9789.35	-1945.77	-1049.63	0.23	1940.06	2210.82	93.00	0.03	0.23
	11735.00	89.23	179.55	160.83	9790.59	-2039.76	-1049.14	0.33	2034.05	2293.76	94.00	-0.03	-0.33
	11829.00	89.14	179.32	160.83	9791.93	-2133.74	-1048.22	0.26	2128.04	2377.31	94.00	-0.10	-0.24
	11923.00	89.14	179.71	163.53	9793.34	-2227.73	-1047.42	0.41	2222.03	2461.68	94.00	0.00	0.41
	12017.00	89.08	176.85	163.53	9794.80	-2321.67	-1044.60	3.04	2315.98	2545.85	94.00	-0.06	-3.04
	12111.00	89.23	179.05	166.23	9796.19	-2415.59	-1041.24	2.35	2409.92	2630.45	94.00	0.16	2.34
	12204.00	89.26	180.51	163.53	9797.41	-2508.58	-1040.88	1.57	2502.91	2715.95	93.00	0.03	1.57
	12298.00	89.17	180.79	166.23	9798.70	-2602.56	-1041.95	0.31	2596.89	2803.39	94.00	-0.10	0.30
	12392.00	89.26	180.35	168.94	9799.99	-2696.55	-1042.88	0.48	2690.87	2891.19	94.00	0.10	-0.47
	12487.00	88.98	180.26	168.94	9801.45	-2791.54	-1043.39	0.31	2785.85	2980.16	95.00	-0.29	-0.09
	12580.00	89.11	180.42	171.64	9803.00	-2884.52	-1043.94	0.22	2878.83	3067.62	93.00	0.14	0.17
	12674.00	89.08	180.57	168.94	9804.48	-2978.51	-1044.75	0.16	2972.81	3156.42	94.00	-0.03	0.16
	12768.00	89.14	180.73	166.23	9805.94	-3072.49	-1045.82	0.18	3066.79	3245.60	94.00	0.06	0.17
	12861.00	89.35	180.54	168.94	9807.17	-3165.48	-1046.85	0.30	3159.77	3334.09	93.00	0.23	-0.20
	12955.00	89.11	180.81	171.64	9808.43	-3259.46	-1047.96	0.38	3253.74	3423.78	94.00	-0.26	0.29
	13049.00	89.17	180.63	171.64	9809.84	-3353.44	-1049.14	0.20	3347.72	3513.73	94.00	0.06	-0.19
	13143.00	89.11	180.71	171.64	9811.25	-3447.43	-1050.24	0.11	3441.69	3603.85	94.00	-0.06	0.09
	13237.00	89.11	180.54	171.64	9812.71	-3541.41	-1051.26	0.18	3535.67	3694.15	94.00	0.00	-0.18
	13331.00	89.11	180.55	171.64	9814.17	-3635.39	-1052.16	0.01	3629.65	3784.59	94.00	0.00	0.01
	13425.00	89.20	180.65	171.64	9815.56	-3729.38	-1053.14	0.14	3723.63	3875.22	94.00	0.10	0.11
	13519.00	89.29	180.20	174.34	9816.80	-3823.37	-1053.84	0.49	3817.61	3965.94	94.00	0.10	-0.48
	13613.00	89.11	180.43	171.64	9818.11	-3917.36	-1054.35	0.31	3911.59	4056.77	94.00	-0.19	0.24
	13707.00	88.98	180.41	177.05	9819.68	-4011.34	-1055.04	0.14	4005.57	4147.77	94.00	-0.14	-0.02
	13801.00	89.01	179.45	174.34	9821.32	-4105.33	-1054.93	1.02	4099.56	4238.70	94.00	0.03	-1.02
	13896.00	89.35	179.65	171.64	9822.68	-4200.31	-1054.18	0.42	4194.55	4330.58	95.00	0.36	0.21
	13989.00	89.17	179.87	177.05	9823.89	-4293.30	-1053.79	0.31	4287.54	4420.74	93.00	-0.19	0.24
	14083.00	89.23	179.47	168.94	9825.20	-4387.29	-1053.25	0.43	4381.53	4511.95	94.00	0.06	-0.43
	14177.00	89.23	179.85	177.05	9826.46	-4481.28	-1052.69	0.40	4475.52	4603.27	94.00	0.00	0.40
	14270.00	89.14	179.57	177.05	9827.78	-4574.27	-1052.22	0.32	4568.51	4693.73	93.00	-0.10	-0.30
	14365.00	89.11	179.71	174.34	9829.23	-4669.26	-1051.63	0.15	4663.50	4786.22	95.00	-0.03	0.15
	14459.00	89.17	179.70	171.64	9830.65	-4763.25	-1051.14	0.06	4757.49	4877.85	94.00	0.06	-0.01
	14553.00	89.04	179.70	174.34	9832.11	-4857.23	-1050.65	0.14	4851.48	4969.57	94.00	-0.14	0.00
	14648.00	89.11	179.68	177.05	9833.65	-4952.22	-1050.14	0.08	4946.47	5062.34	95.00	0.07	-0.02
	14741.00	89.14	179.75	177.05	9835.07	-5045.21	-1049.67	0.08	5039.46	5153.25	93.00	0.03	0.08
	14835.00	89.20	179.90	174.34	9836.43	-5139.20	-1049.39	0.17	5133.45	5245.24	94.00	0.06	0.16
	14929.00	89.08	178.67	177.05	9837.84	-5233.18	-1048.21	1.31	5227.43	5337.13	94.00	-0.13	-1.31
	15022.00	89.23	178.63	171.64	9839.21	-5326.14	-1046.02	0.17	5320.41	5427.89	93.00	0.16	-0.04
	15117.00	89.20	178.64	174.34	9840.51	-5421.11	-1043.76	0.03	5415.38	5520.67	95.00	-0.03	0.01
	15210.00	88.92	178.58	174.34	9842.04	-5514.07	-1041.50	0.31	5508.35	5611.57	93.00	-0.30	-0.06
	15305.00	88.80	178.81	177.05	9843.93	-5609.02	-1039.34	0.27	5603.32	5704.50	95.00	-0.13	0.24
	15399.00	88.86	179.75	177.05	9845.85	-5703.00	-1038.16	1.00	5697.29	5796.72	94.00	0.06	1.00
	15492.00	88.89	179.67	174.34	9847.67	-5795.98	-1037.69	0.09	5790.28	5888.14	93.00	0.03	-0.09
	15586.00	88.77	179.74	174.34	9849.59	-5889.96	-1037.21	0.15	5884.26	5980.58	94.00	-0.13	0.07
	15680.00	88.77	179.60	177.05	9851.61	-5983.93	-1036.67	0.15	5978.24	6073.06	94.00	0.00	-0.15
	15774.00	88.77	179.47	179.75	9853.63	-6077.91	-1035.90	0.14	6072.21	6165.55	94.00	0.00	-0.14
	15867.00	89.32	179.55	179.75	9855.18	-6170.89	-1035.11	0.60	6165.20	6257.10	93.00	0.59	0.09
	15961.00	88.61	179.51	179.75	9856.88	-6264.87	-1034.34	0.76	6259.18	6349.68	94.00	-0.76	-0.04
	16055.00	88.95	179.68	182.45	9858.88	-6358.85	-1033.67	0.40	6353.16	6442.31	94.00	0.36	0.18
	16148.00	88.92	179.63	179.75	9860.61	-6451.83	-1033.11	0.06	6446.15	6534.02	93.00	-0.03	-0.05
	16242.00	88.83	179.74	179.75	9862.45	-6545.81	-1032.60	0.15	6540.13	6626.76	94.00	-0.10	0.12
	16336.00	89.17	179.58	179.75	9864.09	-6639.79	-1032.04	0.40	6634.11	6719.52	94.00	0.36	-0.17
	16430.00	89.14	179.61	179.75	9865.48	-6733.78	-1031.37	0.05	6728.10	6812.31	94.00	-0.03	0.03
	16523.00	89.08	179.70	179.75	9866.92	-6826.77	-1030.81	0.12	6821.09	6904.15	93.00	-0.06	0.10
	16618.00	89.14	179.64	182.45	9868.40	-6921.76	-1030.27	0.09	6916.08	6998.01	95.00	0.06	-0.06
	16712.00	89.08	179.68	179.75	9869.86	-7015.74	-1029.71	0.08	7010.07	7090.91	94.00	-0.06	0.04
	16806.00	89.08	179.60	177.05	9871.37	-7109.73	-1029.12	0.09	7104.06	7183.82	94.00	0.00	-0.09



	16900.00	89.08	179.55	179.75	9872.88	-7203.71	-1028.42	0.05	7198.04	7276.75	94.00	0.00	-0.05
	16993.00	89.08	179.70	158.12	9874.37	-7296.70	-1027.81	0.16	7291.03	7368.73	93.00	0.00	0.16
	17087.00	89.32	179.74	163.53	9875.68	-7390.69	-1027.35	0.26	7385.02	7461.75	94.00	0.26	0.04
	17181.00	89.14	179.47	166.23	9876.95	-7484.68	-1026.70	0.35	7479.01	7554.77	94.00	-0.19	-0.29
	17276.00	89.01	179.67	168.94	9878.48	-7579.66	-1025.99	0.25	7574.00	7648.79	95.00	-0.14	0.21
	17369.00	89.17	179.54	171.64	9879.96	-7672.65	-1025.35	0.22	7666.99	7740.86	93.00	0.17	-0.14
	17463.00	89.11	179.60	168.94	9881.37	-7766.64	-1024.65	0.09	7760.98	7833.93	94.00	-0.06	0.06
	17556.00	89.08	179.72	171.64	9882.84	-7859.62	-1024.09	0.13	7853.97	7926.06	93.00	-0.03	0.13
	17650.00	89.11	179.54	177.05	9884.32	-7953.61	-1023.49	0.19	7947.96	8019.19	94.00	0.03	-0.19
	17743.00	89.14	179.60	174.34	9885.74	-8046.60	-1022.79	0.07	8040.94	8111.34	93.00	0.03	0.06
	17838.00	89.01	179.57	174.34	9887.28	-8141.58	-1022.10	0.14	8135.93	8205.49	95.00	-0.14	-0.03
	17932.00	89.17	179.45	177.05	9888.77	-8235.57	-1021.30	0.21	8229.92	8298.65	94.00	0.17	-0.13
	18026.00	89.11	179.64	179.75	9890.18	-8329.55	-1020.55	0.21	8323.91	8391.84	94.00	-0.06	0.20
	18119.00	89.48	179.64	177.05	9891.32	-8422.54	-1019.97	0.40	8416.90	8484.08	93.00	0.40	0.00
	18213.00	89.08	179.78	177.05	9892.51	-8516.53	-1019.49	0.45	8510.89	8577.34	94.00	-0.43	0.15
	18307.00	89.08	179.60	171.64	9894.02	-8610.52	-1018.98	0.19	8604.88	8670.60	94.00	0.00	-0.19
	18400.00	88.92	179.68	179.75	9895.64	-8703.50	-1018.40	0.19	8697.87	8762.88	93.00	-0.17	0.09
	18494.00	89.11	179.62	179.75	9897.25	-8797.49	-1017.82	0.21	8791.85	8856.17	94.00	0.20	-0.06
	18589.00	89.14	179.64	179.75	9898.70	-8892.48	-1017.21	0.04	8886.84	8950.47	95.00	0.03	0.02
	18682.00	89.17	179.38	182.45	9900.08	-8985.46	-1016.42	0.28	8979.83	9042.77	93.00	0.03	-0.28
	18775.00	89.14	179.59	179.75	9901.45	-9078.45	-1015.58	0.23	9072.82	9135.08	93.00	-0.03	0.23
	18869.00	89.11	179.59	182.45	9902.88	-9172.43	-1014.91	0.03	9166.81	9228.41	94.00	-0.03	0.00
	18963.00	88.98	179.64	182.45	9904.45	-9266.42	-1014.28	0.15	9260.80	9321.76	94.00	-0.14	0.05
	19058.00	88.83	179.03	182.45	9906.27	-9361.40	-1013.17	0.66	9355.78	9416.06	95.00	-0.16	-0.64
	19152.00	89.20	179.60	182.45	9907.88	-9455.37	-1012.05	0.72	9449.76	9509.38	94.00	0.39	0.61
	19245.00	89.04	179.67	182.45	9909.31	-9548.36	-1011.46	0.19	9542.75	9601.78	93.00	-0.17	0.08
	19339.00	89.29	179.53	182.45	9910.68	-9642.35	-1010.80	0.30	9636.74	9695.19	94.00	0.27	-0.15
	19433.00	89.20	179.56	182.45	9911.92	-9736.34	-1010.05	0.10	9730.73	9788.59	94.00	-0.10	0.03
	19526.00	89.26	179.56	182.45	9913.17	-9829.33	-1009.34	0.06	9823.72	9881.01	93.00	0.06	0.00
	19620.00	89.26	179.57	182.45	9914.38	-9923.32	-1008.63	0.01	9917.71	9974.44	94.00	0.00	0.01
	19714.00	89.01	179.45	182.45	9915.80	-10017.30	-1007.82	0.30	10011.70	10067.87	94.00	-0.27	-0.13
	19808.00	89.08	179.55	182.45	9917.37	-10111.29	-1007.00	0.13	10105.69	10161.31	94.00	0.07	0.11
	19901.00	89.08	179.54	182.45	9918.86	-10204.27	-1006.26	0.01	10198.68	10253.77	93.00	0.00	-0.01
	19995.00	89.04	179.57	182.45	9920.40	-10298.25	-1005.53	0.05	10292.66	10347.23	94.00	-0.04	0.03
	20054.00	89.14	179.52	182.45	9921.34	-10357.25	-1005.07	0.19	10351.66	10405.90	59.00	0.17	-0.08
Proj	20079.00	89.14	179.52		9921.72	-10382.24	-1004.86	0.00	10376.65	10430.76	25.00	0.00	0.00

Intent ☐ As Drilled ☒

API # 30-025-49712		
Operator Name: EARTHSTONE OPERATING, LLC	Property Name: BEL-AIR 5-8 FED 2BS COM	Well Number 5H

Kick Off Point (KOP)

UL D	Section 5	Township 19S	Range 33E	Lot	Feet 122	From N/S NORTH	Feet 855	From E/W WEST	County LEA
Latitude 32.696325					Longitude 103.691014				NAD 83

First Take Point (FTP)

UL E	Section 5	Township 19S	Range 33E	Lot	Feet 1452	From N/S NORTH	Feet 414	From E/W WEST	County LEA
Latitude 32.692662					Longitude 103.692445				NAD 83

Last Take Point (LTP)

UL M	Section 8	Township 19S	Range 33E	Lot	Feet 339	From N/S SOUTH	Feet 407	From E/W WEST	County LEA
Latitude 32.668471					Longitude 103.692455				NAD 83

Is this well the defining well for the Horizontal Spacing Unit?

☐ YES

Is this well an infill well?

☐ NO

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: BEL-AIR 5-8 FED 2BS COM	Well Location: T19S / R33E / SEC 5 / LOT 3 /	County or Parish/State: /
Well Number: 5H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM077002	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254971200X1	Well Status: Drilling Well	Operator: EARTHSTONE OPERATING LLC

Subsequent Report

Sundry ID: 2664861

Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 03/31/2022	Time Sundry Submitted: 03:29
Date Operation Actually Began: 03/05/2022	

Actual Procedure: 03/5/2022-DRILL 17.5" SURFACE HOLE TO 1525'MD 03/06/2022-NOTIFIED BLM OF INTENT TO RUN & CMNT 13.375" SURF CSG. -RUN 35 JTS, 13.375", 54#, J55 CSG SET @ 1511'MD -NOTIFIED BLM OF INTENT TO CMNT 13.375" SURF CSG -CMNT 13.375" SURF CSG W/248 BBLS(1830SXS) CLASS C LEAD CMNT @ 1.68 YIELD FOLLOWED BY 130 BBLS(550 SXS) CLASS C TAIL CMNT @ 1.33 YIELD W/127 BBLS(424SXS) CMNT CIRCULATED TO SURFACE -WOC 8 HOURS -NOTIFIED BLM OF INTENT TO TEST BOP'S 03/07/2022-TEST BOP'S; CHOKE, RAM; VALVES @ 250 LOW/5000 HIGH; 10 MIN EACH TEST; ALL GOOD TESTS. TEST ANNULAR 250 LOW/2500 HIGH; 10 MIN; GOOD TEST -PRESSURE TEST 13.375" SURF CSG; 1500 PSI; 30 MIN; GOOD TEST 03/09/2022-DRILL 12.25" INT HOLE TO 5335'MD -NOTIFIED BLM OF INTENT TO RUN & CMNT 9.625" INT CSG -RAN 117 JTS; 9.625", 40#, J55 CSG SET @ 5304'MD 03/10/2022-PUMP 650 BBLS(1285 SXS) CLASS C LEAD CMNT @ 2.84 YIELD FOLLOWED BY 88 BBLS (370 SXS) CLASS C TAIL CMNT @ 1.33 YIELD W/ 240 BBLS(474 SXS) CMNT CIRCULATED TO SURFACE. -WOC 8 HOURS -PRESSURE TEST 9.625" INT CSG TO 1500 PSI; 30 MIN; GOOD TEST 03/25/2022-NOTIFY BLM OF INTENT TO RUN & CMNT 5.5" PROD CSG. 03/26/-03/27/2022-RUN 465 JTS OF 5.5", 20#, P-110 CSG SET @ 20045'MD 03/27/2022-PUMP 154 BBLS OBM; PUMP 272 BBLS (525 SXS) CLASS H LEAD CMNT @ 2.92 YIELD FOLLOWED BY 556 BBLS (2045 SXS) CLASS H TAIL CMNT @ 1.53 YIELD W/140 BBLS OBM RETURNED TO SURFACE. 03/28/2022-RIG RELEASED **CBL & 5.5" CSG PRESSURE TEST WILL BE CONDUCTED PRIOR TO COMPLETIONS OPERATIONS**

Received by OCD: 3/22/2023 12:24:45 PM

Well Name: BEL-AIR 5-8 FED 2BS
COM

Well Location: T19S / R33E / SEC 5 /
LOT 3 /

County or Parish/State: /

Well Number: 5H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM077002

Unit or CA Name:

Unit or CA Number:

US Well Number: 300254971200X1

Well Status: Drilling Well

Operator: EARTHSTONE
OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JENNIFER ELROD

Signed on: MAR 31, 2022 03:29 PM

Name: CHISHOLM ENERGY OPERATING LLC

Title: Senior Regulatory Technician

Street Address: 1400 WOODLOCH FOREST DR STE 300

City: THE WOODLANDSState: TX

Phone: (817) 953-3728

Email address: JELROD@EARTHSTONEENERGY.COM

Field

Representative Name:

Street Address:

City:State:Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: Jonathon W Shepard

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 04/17/2022

Signature: Jonathon Shepard

Well Name: BEL-AIR 5-8 FED 2BS COM	Well Location: T19S / R33E / SEC 5 / LOT 3 /	County or Parish/State: /
Well Number: 5H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM077002	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254971200X1	Well Status: Drilling Well	Operator: EARTHSTONE OPERATING LLC

Subsequent Report

Sundry ID: 2680154

Type of Submission: Subsequent Report	Type of Action: Hydraulic Fracturing
Date Sundry Submitted: 07/01/2022	Time Sundry Submitted: 11:06
Date Operation Actually Began: 05/10/2022	

Actual Procedure: 05/10/2022-RUN CBL w/EST TOC@ 444'MD 05/16/2022-SET CBP; PRESSURE TEST 5.5" PROD CSG TO 9500 PSI, 30 MIN, GOOD TEST -PERFORATE STAGE 1 @ 20,020' -19,858' MD 05/17-05/30/2022-PERFORATE STAGES 2-50 @ 19.840'-11,038' MD -FRACTURE ALL STAGES W/ 1184 BBLS HCI + 434,794 BBLS SW W/12,623,300# 100 MESH + 6,943,700# 40/70 SAND 06/06-06/11/2022-DRILL OUT 06/14-06/16/2022-RUN 275 JTS OF 2 7/8" TBNG SET @ 9140', PKR SET @ 9127' MD 06/17/2022-TURN WELL OVER TO PRODUCTION 06/27/2022-BEGIN FLOWBACK **REQUEST FOR OCD OF EXTENSION OF TIME TO FILE BLM-APPROVED FORM 3160-4**

SR Attachments

Actual Procedure

- BEL_AIR_5_8_FED_2BS_COM_5H_Survey_Report_20220701110501.pdf
- BEL_AIR_5_8_FED_2BS_COM_5H_AS_DRILLED__ TONTO_BONE_SPRING_C102_20220701110416.pdf
- BEL_AIR_5_8_FED_2BS_COM_5H_AS_DRILLED__ CORBIN_BONE_SPRING_C102_20220701110416.pdf

Well Name: BEL-AIR 5-8 FED 2BS COM	Well Location: T19S / R33E / SEC 5 / LOT 3 /	County or Parish/State: /
Well Number: 5H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM077002	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254971200X1	Well Status: Drilling Well	Operator: EARTHSTONE OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JENNIFER ELROD	Signed on: JUL 01, 2022 11:05 AM
Name: EARTHSTONE OPERATING LLC	
Title: Senior Regulatory Technician	
Street Address: 1400 WOODLOCH FOREST DR STE 300	
City: THE WOODLANDS	State: TX
Phone: (817) 953-3728	
Email address: JELROD@EARTHSTONEENERGY.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 07/28/2022
Signature: Jonathon Shepard	

Released to Imaging: 11/3/2023 8:50:57 AM

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon CHERRY 5078	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 3143	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 7489	T. Todilto	
T. Abo	T. 1ST BONE SPRING 8843	T. Entrada	
T. Wolfcamp	T. 2ND BONE SPRING 9381	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☐ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name BEL-AIR 5-8 FED 2BS COM 6. Well Number: 5H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____										
8. Name of Operator EARTHSTONE OPERATING, LL						9. OGRID 331165				
10. Address of Operator 1400 WOODLOCH FOREST DR. STE 300 ATTN: REGULATORY THE WOODLANDS, TX 77380						11. Pool name or Wildcat TONTO; BONE SPRING, SOUTH				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	C	5	19S	33E		125	NORTH	1470	WEST	LEA
BH:	M	8	19S	33E		100	SOUTH	408	WEST	LEA
13. Date Spudded 03/05/2022	14. Date T.D. Reached 03/25/2022		15. Date Rig Released 03/28/2022			16. Date Completed (Ready to Produce) 06/27/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3716.9		
18. Total Measured Depth of Well 20079 MD			19. Plug Back Measured Depth			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run RBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name [13160] CORBIN; BONE SPRING, SOUTH; [59475] TONTO; BONE SPRING 11038'-20020' MD							R-21916 Compulsory Pool			
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8		54#, J55		1511		17-1/2		2380sxs Class C		
9-5/8		9.625", 40#, J55		5304		12-1/4		1655sxs Class C		
5-1/2		20#, P-110		20045		8-1/2		2570sxs Class H		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
						SIZE	DEPTH SET	PACKER SET		
						2 7/8	9140	9127		
26. Perforation record (interval, size, and number) 11038-20020 0.42 diameter Total 31568										
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.										
DEPTH INTERVAL						AMOUNT AND KIND MATERIAL USED				
11038-20020						ALL STAGES W/ 1184 BBLS HCl + 434,794 BBLS SW				
						W/12,623,300# 100 MESH + 6,943,700# 40/70 SAND				
28. PRODUCTION										
Date First Production 06/29/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) flowing				Well Status (Prod. or Shut-in) producing				
Date of Test 08/02/2022	Hours Tested 24	Choke Size 64/64	Prod'n For Test Period	Oil - Bbl 1295	Gas - MCF 660	Water - Bbl. 2426	Gas - Oil Ratio			
Flow Tubing Press. 575	Casing Pressure 478	Calculated 24-Hour Rate	Oil - Bbl. 1295	Gas - MCF 660	Water - Bbl. 2426	Oil Gravity - API - (Corr.) 36				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____			Longitude _____			NAD83				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <i>Deborah Marberry</i>			Printed Name Deborah Marberry			Title Sr. Reg. Tech			Date 03/21/2023	
E-mail Address dmarberry@earthstoneenergy.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon CHERRY 5078	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates_3143	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 7489	T. Todilto	
T. Abo	T. 1ST BONE SPRING 8843	T. Entrada	
T. Wolfcamp	T. 2ND BONE SPRING 9381	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....









Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

AS DRILLED

MD		Geological		Wellbore Sketch		Hole Size	Casing	Drilling Fluids	Cement	OH Evaluation/Logs	
ft-RKB	Tops										
1,000'	1,465 Rustler					17-1/2"	Surface 13-3/8" 54.5# J55 BTC	FW Spud Mud 8.5 - 9.2 ppg 38 - 40 Vis 8 - 10 PV 8 - 10 YP	Top of Lead: Surface 12.8 ppg 1.68 cuft/sk 1830 sks - 100% XS Top of Tail: 800' 14.8 ppg 1.33 cuft/sk 550 sks - 100% XS	NA	
2,000'	1,744 Salado										
3,000'	3143 YATES					12-1/4"	Intermediate 9-5/8" 40# J55 LTC	Brine 9.8 - 10.2 ppg 28 - 32 Vis 1 - 3 PV 1 - 3 YP	Top of Lead: Surface 11.5 ppg 2.84 cuft/sk 1,285 sks - 200% XS Top of Tail: 2,800' 14.8 ppg 1.33 cuft/sk 370 sks - 200% XS	NA	
4,000'	3706 CAPITAN										
5,000'	5708 CHERRY CANYON					8-3/4" to KOP & Curve 8-1/2" Lateral	Production 5-1/2" 20# P110 BTC	& Lateral Curve OBM 9.3 - 9.8 ppg 15 - 20 PV 8 - 12 YP	Top of Lead: 444' 154 BBLS OBM 11.3 ppg 2.62 cuft/sk 525 sks - 10% XS Top of Tail: 8,300' 13.2 ppg 1.2 cuft/sk 2,045 sks - 10% XS	GR from Under Intermediate to TD	
6,000'	5923 BRUSHY CANYON										
7,000'	7489 Bone Spring										
8,000'											
9,000'	8,843 1st Bone Spring SS										
	9381 2nd Bone Spring SS										
10,000'						PERFORATIONS @ 11, 038' - 20,020'				csg 20,045	20,079' TD 9,922' TVD

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 158185

ACKNOWLEDGMENTS

Operator: Earthstone Operating, LLC 1400 Woodloch Forest; Ste 300 The Woodlands, TX 77380	OGRID: 331165
	Action Number: 158185
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 158185

CONDITIONS

Operator: Earthstone Operating, LLC 1400 Woodloch Forest; Ste 300 The Woodlands, TX 77380	OGRID: 331165
	Action Number: 158185
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
jwrinkle	None	11/3/2023