

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-05231
5. Indicate Type of Lease STATE [X] FEE []
6. State Oil & Gas Lease No. 300380
7. Lease Name or Unit Agreement Name STATE T
8. Well Number 06
9. OGRID Number 2280541
10. Pool name or Wildcat [17290] DENTON;WOLFCAMP
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3812 RT

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: Oil Well [X] Gas Well [] Other []
2. Name of Operator AMERICO ENERGY RESOURCES LLC
3. Address of Operator 7575 San Felipe Suite#200 Houston TX 77063
4. Well Location Unit Letter F: 2310 feet from the North line and 2310 feet from the West line
Section 02 Township 15S Range 37E NMPM Lea County
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3812 RT

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [] PLUG AND ABANDON []
TEMPORARILY ABANDON [] CHANGE PLANS []
PULL OR ALTER CASING [] MULTIPLE COMPL []
DOWNHOLE COMMINGLE []
CLOSED-LOOP SYSTEM []
OTHER: []
SUBSEQUENT REPORT OF:
REMEDIAL WORK [X] ALTERING CASING []
COMMENCE DRILLING OPNS. [] P AND A []
CASING/CEMENT JOB []
OTHER: []

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

The workover operation detail includes as follow:

- Moved the rig to well location and checked the rig anchors.
- Hold safety meeting.
- Unbeam the head, laid down polished rod and liner and bled off tubing and casing pressure.
- Unset the pump and pulled out rod string and pumsp.
- Nipple down Wellhead, Nipple up BOP and release Tuning Anchor (TAC).
- Pulled out tubing string.
- Ran tubing string with pressure hydro test and replaced bad joints.
- Set the Tubing Anchor.
- Nipple down BOP and Nipple up Wellhead.
- Ran and set the pump and rod string. Replaced 4 weight bar with 1" steel rod.
- Set the pump spacing out.
- Installed head and carrier bar.
- Tested the pump action. OK

Spud Date: 09/06/2023 Rig Release Date: 09/09/2023

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Petroleum Engineer DATE 10/02/2023

Type or print name Vahid Sabzevari E-mail address: vahid.sabzevari@americoenergy.com PHONE: (713) 984 9700 ext.110

For State Use Only

APPROVED BY: [Signature] TITLE Compliance Officer A DATE 11/6/23

The workover operation detail includes as follow:

- Move the rig to well location and check the rig anchors.
- Hold safety meeting.
- Unbeam the head, lay down polished rod and liner and release tubing and casing pressure.
- Unseat the pump and pull out rod string and pump.
- Nipple down Wellhead, Nipple up BOP and release Tuning Anchor (TAC).
- Pull out and scan tubing string.
- Run tubing string with pressure hydro test.
- Seat the Tubing Anchor.
- Nipple down BOP and Nipple up Wellhead.
- Run and seat the pump and rod string.
- Set the pump spacing out.
- Install head and carrier bar.
- Test the pump.

State T # 6

API # 30-025-05231

D&C 11/7/1952


Elev. ' DF **3811'**

Elev. RT,15' **3812.25'**

RT= 1.25'

Location: 2310' FNL & 2310' FWL.
Section 2, T. 15-S, Range 37 E.
Lea County, New Mexico. (Denton Field)

Producing oil well.



13 3/8" 48# J-55&S-80 csg set @ 360'
Cmt with 400 sxs circ to surface

Logs: Electric Log, (SP, Resistivity)
And Gamma Ray/ Neutron. 11/2/1952

9 5/8", 36&40# csg set @ 4654'
w/3000 sxs cmt

4/5/2018
266 jts 2-7/8" tubing
S/N
7" TAC-
Perforated sub
1 jt 2-7/8" tubing
B.plug-8690' EOT

8/31/2018
1-1/2" polished rod
134- 1-1/4" fiber rods
63- 1" settl rods
68-7/8" steel rods
9 1-1/2" k-bars
4' pony with guides
250-175-RHBC-30-6 new pump

Perforations:
Wolfcamp. 4 SPF.
8948'- Top 4 spf
8994' Bottom Perfs.
Dowell Acidized Perfs. 8946- 92 W 2500 gal
M-38 Acid. Well started flowing.
Production Test was 290 BOPD.
on 24/64" Choke. Tubing pressure of 100 psi.

PBTD @ 9487'
TD @ 9550'

7" 23#, & 26# csg @ 9536'
w/650sxs cmt.

State T # 6

API # 30-025-05231

D&C 11/7/1952


Elev. ' DF 3811'

Elev. RT,15' 3812.25'

RT= 1.25'

Location: 2310' FNL & 2310' FWL.
Section 2, T. 15-S, Range 37 E.
Lea County, New Mexico. (Denton Field)

Producing oil well.



13 3/8" 48# J-55&S-80 csg set @ 360'
Cmt with 400 sxs circ to surface

Logs: Electric Log, (SP, Resistivity)
And Gamma Ray/ Neutron. 11/2/1952

9 5/8", 36&40# csg set @ 4654'
w/3000 sxs cmt

4/5/2018
266 jts 2-7/8" tubing
S/N
7" TAC-
Perforated sub
1 jt 2-7/8" tubing
B.plug-8690' EOT

8/31/2018
1-1/2" polished rod
134- 1-1/4" fiber rods
63- 1" settl rods
68-7/8" steel rods
9 1-1/2" k-bars
4' pony with guides
250-175-RHBC-30-6 new pump

Perforations:
Wolfcamp. 4 SPF.
8948'- Top 4 spf
8994' Bottom Perfs.
Dowell Acidized Perfs. 8946- 92 W 2500 gal
M-38 Acid. Well started flowing.
Production Test was 290 BOPD.
on 24/64" Choke. Tubing pressure of 100 psi.

PBTD @ 9487'
TD @ 9550'

7" 23#, & 26# csg @ 9536'
w/650sxs cmt.

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 271198

CONDITIONS

Operator: AMERICO ENERGY RESOURCES LLC 7575 San Felipe Houston, TX 77063	OGRID: 228051
	Action Number: 271198
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	11/6/2023