

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-46845	⁵ Pool Name WC 015 G06 S242630A BONE SPRING	⁶ Pool Code 98319
⁷ Property Code 327308	⁸ Property Name NAILED IT FED COM	⁹ Well Number 156H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
2	36	26S	30E	-	711	SOUTH	1945	EAST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	25	26S	30E	-	2638	SOUTH	1259	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 7/15/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	G

IV. Well Completion Data

²¹ Spud Date 2/17/2022	²² Ready Date 7/4/2022	²³ TD 14703'	²⁴ PBTB 14640'	²⁵ Perforations 10110 ft to 14556 ft	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1253'	1080 sks		
12.25"	9.625"	3699'	927 sks		
8.75"/7.875"	5.5"	14689'	1134 sks		

V. Well Test Data

³¹ Date New Oil 7/15/2022	³² Gas Delivery Date 7/15/2022	³³ Test Date 7/30/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 1200
³⁷ Choke Size 40/64	³⁸ Oil 193	³⁹ Water 2345	⁴⁰ Gas 2890		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 11/7/2023		
Date: 8/3/2022		Phone: 720-771-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-46845	² Pool Code 98319	³ Pool Name WC 015 G06 S242630A BONE SPRING
⁴ Property Code 327308	⁵ Property Name NAILED IT FED COM	⁶ Well Number 156H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3031'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
2	36	26-S	30-E	-	711'	SOUTH	1945'	EAST	EDDY


¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	25	26-S	30-E	-	2638'	SOUTH	1259'	EAST	EDDY

¹² Dedicated Acres 280	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.







Final MWD Survey Certification

Eddy County, New Mexico

Client: Tap Rock Resources

Well Name: Nailed It Fed Com 156H

Total Job No: SW220223

API No: 30-015-46844

Start Date: 02/17/2022

End Date: 3/21/2022

Measured Start Depth: 0 feet

Measured End Depth: 14703 feet

Vertical Section from well center at TD: 10082.56 feet

I, Jamie Stephenson, certify that; I am employed by Total Directional Services, LLC and we conducted or supervised the taking of these open hole MWD surveys at the request of this client. This data is true, correct, complete and within the limitations of the tool as set forth by Total Directional Services, LLC. I am authorized and qualified to make this report and have reviewed this report and find that it conforms to the principals and procedures as set forth by Total Directional Services, LLC.

Date: 3/21/2022

Signed: *Jamie Stephenson* *Jose Perozo Casanova*

Nailed It Fed Com 156H

Company:	Tap Rock Resources LLC	Start date:	February 17,2022
Well name:	Nailed It Fed Com 156H	End date:	March 21,2022
Field:	Delaware	Proposed direction:	359.68
Rig:	H&P 425	Declination:	6.23
API/UWI:	30-015-46844	North Reference:	Grid
State/Province:	New Mexico	Latitude/Longitude:	32.002113 / -103.832396
County/Parish:	Eddy County	KB:	3057
Location	32.002113 / -103.8322396	DF:	26
		GL:	3031

SVY	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
Tiein	153.00	0.04	59.58	153.00	0.03	0.05	0.03	0.00		0.00	0.00
1	242.00	0.26	138.77	242.00	-0.11	0.21	-0.11	0.29	89.00	0.00	0.00
2	332.00	0.26	164.96	332.00	-0.46	0.39	-0.46	0.13	90.00	0.00	0.00
3	422.00	0.31	166.28	422.00	-0.89	0.50	-0.90	0.06	90.00	0.00	0.00
4	511.00	0.26	178.58	511.00	-1.33	0.57	-1.33	0.09	89.00	1B	0.00
5	600.00	0.22	263.49	600.00	-1.55	0.40	-1.55	0.37	89.00	1B	0.00
6	688.00	0.44	249.25	687.99	-1.69	-0.08	-1.69	0.26	88.00	1B	0.00
7	777.00	0.62	244.06	776.99	-2.02	-0.83	-2.02	0.21	89.00	2B	0.00
8	866.00	0.79	251.18	865.98	-2.43	-1.85	-2.42	0.21	89.00	2B	1L
9	956.00	1.10	271.48	955.97	-2.61	-3.30	-2.59	0.50	90.00	3B	2L
10	1045.00	1.19	275.53	1044.95	-2.50	-5.07	-2.47	0.14	89.00	3B	4L
11	1135.00	1.41	278.08	1134.93	-2.25	-7.10	-2.21	0.25	90.00	3B	6L
12	1215.00	1.23	284.14	1214.91	-1.90	-8.91	-1.85	0.28	80.00	3B	8L
13	1327.00	1.32	296.27	1326.88	-1.04	-11.23	-0.98	0.25	112.00	0.00	11L
14	1422.00	1.54	299.43	1421.85	0.07	-13.32	0.15	0.25	95.00	0.00	13.00
15	1516.00	1.58	296.88	1515.82	1.28	-15.58	1.37	0.09	94.00	1A	15L
16	1610.00	1.63	301.98	1609.78	2.57	-17.87	2.67	0.16	94.00	2A	17L
17	1704.00	0.75	255.14	1703.76	3.12	-19.60	3.23	1.32	94.00	15B	12R
18	1799.00	1.80	153.18	1798.74	1.63	-19.52	1.74	2.20	95.00	15B	13R
19	1893.00	3.25	135.69	1892.65	-1.59	-17.00	-1.50	1.73	94.00	13B	13R
20	1987.00	4.66	130.24	1986.43	-5.96	-12.22	-5.90	1.55	94.00	11B	13R
21	2081.00	5.89	122.86	2080.03	-11.05	-5.25	-11.02	1.49	94.00	8B	11R
22	2175.00	7.43	121.89	2173.39	-16.88	3.96	-16.90	1.64	94.00	4B	8R
23	2270.00	8.66	124.53	2267.45	-24.18	15.07	-24.26	1.35	95.00	0.00	5R
24	2364.00	9.58	128.31	2360.27	-33.04	27.03	-33.19	1.17	94.00	4A	2R
25	2458.00	10.29	129.28	2452.86	-43.20	39.67	-43.42	0.78	94.00	8A	0.00
26	2552.00	10.81	130.77	2545.27	-54.27	52.85	-54.57	0.62	94.00	12A	1L

P.O Box 831, Windsor, CO 80550 | P:970.686.8893 | F:970.686.8894 | www.totaldirectional.com

27	2646.00	11.43	130.24	2637.50	-66.05	66.63	-66.42	0.67	94.00	16A	3L
28	2740.00	10.73	131.74	2729.75	-77.89	80.27	-78.34	0.81	94.00	18A	5L
29	2834.00	9.58	141.49	2822.28	-89.84	91.67	-90.35	2.20	94.00	17A	5L
30	2928.00	8.57	145.71	2915.10	-101.74	100.49	-102.30	1.29	94.00	15A	4L
31	3022.00	8.26	147.56	3008.09	-113.23	108.06	-113.83	0.44	94.00	11A	2L
32	3117.00	9.10	145.62	3102.00	-125.19	115.96	-125.83	0.94	95.00	8A	0.00
33	3211.00	9.10	146.06	3194.82	-137.49	124.31	-138.18	0.07	94.00	5A	2R
34	3305.00	9.23	147.29	3287.62	-150.00	132.53	-150.74	0.25	94.00	3A	5R
35	3399.00	9.67	147.21	3380.34	-162.98	140.88	-163.77	0.47	94.00	1A	8R
36	3493.00	9.01	149.76	3473.10	-175.98	148.86	-176.81	0.83	94.00	0.00	11R
37	3587.00	7.69	153.53	3566.10	-187.97	155.37	-188.83	1.52	94.00	4B	14R
38	3656.00	6.86	154.33	3634.54	-195.81	159.22	-196.70	1.21	69.00	9B	17R
39	3763.00	7.96	151.43	3740.65	-208.08	165.53	-209.00	1.09	107.00	15B	20R
40	3857.00	9.54	144.57	3833.56	-220.14	173.16	-221.11	2.01	94.00	18B	23R
41	3952.00	10.99	139.12	3927.03	-233.41	183.65	-234.43	1.84	95.00	18B	24R
42	4046.00	11.03	135.65	4019.31	-246.61	195.80	-247.70	0.71	94.00	18B	24R
43	4140.00	11.08	133.50	4111.56	-259.26	208.64	-260.42	0.44	94.00	17B	24R
44	4234.00	10.51	131.39	4203.90	-271.15	221.62	-272.38	0.74	94.00	16B	22R
45	4329.00	11.25	132.00	4297.19	-283.07	235.01	-284.38	0.79	95.00	16B	21R
46	4422.00	11.69	131.03	4388.33	-295.33	248.86	-296.72	0.52	93.00	14B	19R
47	4517.00	11.21	129.89	4481.44	-307.57	263.20	-309.04	0.56	95.00	13B	17R
48	4611.00	10.99	131.65	4573.68	-319.38	276.91	-320.93	0.43	94.00	12B	15R
49	4705.00	11.03	130.51	4665.95	-331.18	290.44	-332.80	0.24	94.00	11B	13R
50	4799.00	10.59	137.63	4758.29	-343.40	303.10	-345.09	1.49	94.00	11B	12R
51	4893.00	10.68	136.66	4850.67	-356.12	314.90	-357.87	0.21	94.00	10B	12R
52	4987.00	10.86	136.66	4943.02	-368.90	326.95	-370.72	0.19	94.00	10B	12R
53	5081.00	10.59	136.31	5035.38	-381.58	339.00	-383.47	0.30	94.00	10B	12R
54	5176.00	9.93	135.87	5128.86	-393.77	350.73	-395.73	0.70	95.00	10B	12R
55	5270.00	10.77	136.13	5221.33	-405.92	362.46	-407.94	0.89	94.00	10B	11R
56	5364.00	10.29	137.19	5313.74	-418.41	374.25	-420.50	0.55	94.00	10B	11R
57	5458.00	10.90	134.11	5406.14	-430.76	386.34	-432.91	0.89	94.00	10B	11R
58	5552.00	10.90	133.41	5498.45	-443.05	399.18	-445.27	0.14	94.00	9B	10R
59	5646.00	11.03	133.32	5590.73	-455.33	412.17	-457.62	0.14	94.00	9B	9R
60	5740.00	10.59	133.41	5683.06	-467.43	424.99	-469.80	0.47	94.00	8B	7R
61	5834.00	9.67	134.99	5775.59	-478.95	436.85	-481.38	1.02	94.00	9B	7R
62	5928.00	9.85	135.69	5868.23	-490.29	448.05	-492.78	0.23	94.00	10B	6R
63	6022.00	10.95	141.41	5960.69	-503.02	459.24	-505.58	1.60	94.00	10B	7R
64	6116.00	11.21	142.11	6052.94	-517.21	470.42	-519.83	0.31	94.00	9B	8R
65	6210.00	10.11	145.19	6145.32	-531.19	480.74	-533.87	1.32	94.00	9B	10R
66	6304.00	10.42	141.93	6237.81	-544.66	490.69	-547.39	0.70	94.00	10B	12R

67	6399.00	10.11	140.18	6331.29	-557.83	501.33	-560.62	0.46	95.00	10B	13R
68	6493.00	10.37	139.03	6423.79	-570.55	512.16	-573.40	0.35	94.00	11B	14R
69	6587.00	10.51	137.19	6516.24	-583.23	523.53	-586.14	0.38	94.00	11B	14R
70	6680.00	9.45	133.94	6607.83	-594.75	534.79	-597.73	1.29	93.00	12B	14R
71	6774.00	8.75	132.44	6700.65	-604.93	545.62	-607.97	0.79	94.00	13B	13R
72	6869.00	9.10	131.03	6794.50	-614.74	556.62	-617.84	0.43	95.00	13B	12R
73	6963.00	9.36	132.09	6887.28	-624.74	567.90	-627.90	0.33	94.00	12B	10R
74	7057.00	7.74	129.80	6980.23	-633.92	578.44	-637.14	1.76	94.00	9B	9R
75	7151.00	6.15	130.07	7073.54	-641.21	587.16	-644.48	1.69	94.00	8B	7R
76	7245.00	4.57	132.09	7167.13	-646.96	593.79	-650.27	1.69	94.00	8B	7R
77	7340.00	4.04	137.80	7261.86	-651.98	598.85	-655.31	0.72	95.00	8B	6R
78	7434.00	3.65	142.02	7355.65	-656.79	602.91	-660.15	0.51	94.00	7B	6R
79	7528.00	3.21	130.86	7449.48	-660.87	606.74	-664.25	0.85	94.00	6B	6.9R
80	7622.00	2.95	135.17	7543.34	-664.31	610.44	-667.71	0.37	94.00	3B	6R
81	7716.00	2.55	139.91	7637.23	-667.62	613.49	-671.04	0.49	94.00	0.00	6R
82	7811.00	1.54	114.42	7732.17	-669.77	616.02	-673.20	1.41	95.00	6B	2L
83	7905.00	0.66	137.80	7826.16	-670.69	617.53	-674.13	1.03	94.00	8B	0.00
84	7999.00	0.66	4.47	7920.15	-670.55	617.94	-673.99	1.29	94.00	7B	0.00
85	8093.00	0.84	334.94	8014.15	-669.39	617.69	-672.83	0.45	94.00	6B	0.00
86	8187.00	1.01	271.57	8108.14	-668.74	616.57	-672.17	1.05	94.00	5B	1L
87	8281.00	2.11	290.38	8202.10	-668.12	614.12	-671.53	1.28	94.00	5B	4L
88	8375.00	0.84	327.03	8296.07	-666.93	612.12	-670.34	1.62	94.00	3B	6L
89	8469.00	0.70	284.76	8390.06	-666.21	611.19	-669.61	0.61	94.00	3B	7L
90	8564.00	1.49	264.72	8485.04	-666.18	609.40	-669.57	0.91	95.00	3B	8L
91	8657.00	0.57	169.18	8578.03	-666.74	608.28	-670.13	1.77	93.00	3B	9L
92	8752.00	0.84	162.94	8673.02	-667.87	608.57	-671.26	0.30	95.00	4B	9L
93	8846.00	1.01	190.80	8767.01	-669.34	608.62	-672.73	0.51	94.00	6B	9L
94	8940.00	0.48	99.66	8861.01	-670.22	608.85	-673.61	1.20	94.00	7B	9L
95	9034.00	0.44	107.57	8955.00	-670.40	609.58	-673.79	0.08	94.00	7B	8L
96	9128.00	0.57	187.90	9049.00	-670.97	609.86	-674.37	0.70	94.00	7B	8L
97	9222.00	0.26	103.88	9143.00	-671.49	610.01	-674.88	0.64	94.00	8B	8L
98	9316.00	0.88	0.87	9237.00	-670.81	610.23	-674.21	1.03	94.00	7B	8L
99	9411.00	0.92	305.59	9331.99	-669.64	609.62	-673.04	0.88	95.00	6B	8L
100	9505.00	1.49	281.59	9425.96	-668.96	607.81	-672.34	0.80	94.00	5B	10L
101	9568.00	1.85	272.36	9488.94	-668.75	605.99	-672.12	0.71	63.00	5B	12L
102	9649.00	0.84	339.69	9569.92	-668.14	604.47	-671.51	2.11	81.00	5B	13L
103	9744.00	13.41	45.25	9664.03	-659.69	612.09	-663.10	13.77	95.00	5B	6L
104	9838.00	23.08	39.36	9753.20	-637.72	631.56	-641.24	10.46	94.00	4B	10R
105	9886.00	29.19	32.33	9796.29	-620.54	643.80	-624.12	14.25	48.00	3B	20R
106	9932.00	32.66	23.54	9835.76	-599.66	654.77	-603.31	12.37	46.00	3B	28R

107	9979.00	33.19	11.68	9875.25	-575.41	662.45	-579.10	13.74	47.00	3B	33R
108	10026.00	37.41	13.79	9913.60	-548.93	668.46	-552.66	9.34	47.00	5B	36R
109	10120.00	49.67	10.27	9981.62	-485.70	681.70	-489.50	13.29	94.00	8B	41R
110	10215.00	61.27	3.07	10035.43	-408.14	690.43	-411.99	13.70	95.00	8B	40R
111	10309.00	76.48	4.56	10069.21	-320.92	696.30	-324.80	16.25	94.00	3B	35R
112	10403.00	85.63	3.07	10083.81	-228.37	702.46	-232.29	9.86	94.00	4.8A	30R
113	10497.00	89.36	2.80	10087.92	-134.60	707.27	-138.54	3.98	94.00	7A	24R
114	10520.00	89.71	2.71	10088.11	-111.62	708.37	-115.58	1.57	23.00	7A	22R
115	10614.00	90.24	2.54	10088.15	-17.72	712.68	-21.70	0.59	94.00	6A	18R
116	10708.00	89.14	0.69	10088.65	76.23	715.33	72.24	2.29	94.00	6A	16R
117	10803.00	89.23	0.69	10090.01	171.22	716.47	167.21	0.09	95.00	4A	16R
118	10897.00	89.63	0.87	10090.94	265.20	717.75	261.19	0.47	94.00	4A	18R
119	10991.00	89.85	0.08	10091.37	359.20	718.53	355.18	0.87	94.00	3A	19R
120	11086.00	90.42	359.90	10091.14	454.20	718.51	450.18	0.63	95.00	4A	20R
121	11179.00	90.64	358.67	10090.28	547.19	717.35	543.17	1.34	93.00	4A	19R
122	11274.00	90.81	358.58	10089.08	642.15	715.07	638.15	0.20	95.00	5A	19R
123	11368.00	91.47	358.58	10087.21	736.10	712.74	732.11	0.70	94.00	7A	16R
124	11462.00	90.15	357.88	10085.88	830.05	709.84	826.07	1.59	94.00	9A	14R
125	11556.00	91.03	357.70	10084.91	923.97	706.22	920.01	0.96	94.00	10A	11R
126	11650.00	89.85	358.14	10084.19	1017.90	702.80	1013.96	1.34	94.00	10A	8R
127	11744.00	89.36	358.94	10084.84	1111.87	700.41	1107.94	1.00	94.00	10A	6R
128	11838.00	89.32	358.94	10085.92	1205.85	698.67	1201.93	0.04	94.00	8A	5R
129	11932.00	89.32	359.02	10087.04	1299.83	697.00	1295.91	0.09	94.00	7A	4R
130	12026.00	89.36	358.76	10088.12	1393.80	695.18	1389.90	0.28	94.00	6A	3R
131	12120.00	89.71	358.67	10088.89	1487.77	693.07	1483.88	0.38	94.00	8B	2R
132	12214.00	90.37	359.02	10088.82	1581.75	691.17	1577.87	0.79	94.00	3B	1R
133	12308.00	90.90	359.20	10087.78	1675.74	689.71	1671.86	0.60	94.00	1B	0.00
134	12402.00	90.46	359.29	10086.66	1769.72	688.47	1765.85	0.48	94.00	0.00	0.00
135	12496.00	89.76	358.76	10086.48	1863.71	686.88	1859.84	0.93	94.00	0.00	1L
136	12590.00	89.54	357.70	10087.06	1957.66	683.97	1953.81	1.15	94.00	0.00	3L
137	12685.00	90.37	357.79	10087.13	2052.58	680.23	2048.75	0.88	95.00	0.00	6L
138	12779.00	90.15	358.58	10086.70	2146.54	677.26	2142.72	0.87	94.00	1A	8L
139	12873.00	89.93	358.14	10086.64	2240.50	674.57	2236.69	0.52	94.00	1A	11L
140	12967.00	89.71	359.20	10086.93	2334.47	672.38	2330.68	1.15	94.00	1A	12L
141	13062.00	89.76	359.20	10087.37	2429.46	671.06	2425.67	0.05	95.00	1A	13L
142	13156.00	90.15	1.13	10087.45	2523.45	671.33	2519.67	2.09	94.00	1A	12L
143	13251.00	91.12	1.48	10086.39	2618.42	673.49	2614.62	1.09	95.00	3A	9L
144	13345.00	89.10	359.99	10086.21	2712.41	674.70	2708.60	2.67	94.00	4A	7L
145	13439.00	89.71	0.08	10087.19	2806.40	674.76	2802.59	0.66	94.00	3A	6L
146	13534.00	90.11	0.17	10087.34	2901.40	674.96	2897.59	0.43	95.00	3A	6L

147	13628.00	90.33	0.25	10086.98	2995.40	675.31	2991.58	0.25	94.00	4A	4L
148	13722.00	91.21	0.43	10085.71	3089.39	675.87	3085.57	0.96	94.00	5A	3L
149	13817.00	90.15	359.64	10084.59	3184.38	675.92	3180.56	1.39	95.00	6A	3L
150	13911.00	89.54	358.50	10084.84	3278.37	674.40	3274.55	1.38	94.00	6A	3L
151	14004.00	90.15	359.02	10085.09	3371.34	672.38	3367.53	0.86	93.00	6A	5L
152	14098.00	89.85	357.97	10085.09	3465.31	669.92	3461.51	1.16	94.00	7A	7L
153	14193.00	89.19	357.88	10085.89	3560.24	666.48	3556.46	0.70	95.00	7A	9L
154	14287.00	89.01	358.85	10087.37	3654.19	663.79	3650.43	1.05	94.00	5A	11L
155	14381.00	90.11	359.55	10088.09	3748.18	662.48	3744.42	1.39	94.00	5A	12L
156	14475.00	91.12	0.34	10087.08	3842.17	662.39	3838.41	1.36	94.00	6A	11L
157	14569.00	91.47	0.34	10084.95	3936.14	662.95	3932.38	0.37	94.00	9A	10L
158	14648.00	92.00	359.99	10082.56	4015.11	663.18	4011.34	0.80	79.00	12A	10L
PTB	14703.00	92.00	359.99	10080.64	4070.07	663.17	4066.31	0.00	55.00		

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-46845										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name NAILED IT FED COM		
								6. Well Number: 156H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat WC 015 G06 S242630A BONE SPRING		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	2	36	26S	30E	-	711	SOUTH	1945	EAST	EDDY
BH:	I	25	26S	30E	-	2638	SOUTH	1259	EAST	EDDY
13. Date Spudded 2/17/2022	14. Date T.D. Reached 3/21/2022		15. Date Rig Released 3/23/2022			16. Date Completed (Ready to Produce) 7/4/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3031 GR		
18. Total Measured Depth of Well 14703 ft			19. Plug Back Measured Depth 14640 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 10110 ft to 14556 ft								BONE SPRING		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		1253'		17.5"		1080 sks		0
9.625"		40		3699'		12.25"		927 sks		0
5.5"		20		14689'		8.75"/7.875"		1134 sks		0
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD		SIZE		DEPTH SET
26. Perforation record (interval, size, and number) Perforate from 10110 ft to 14556 ft, 1 SPF, .55 inch holes with 260 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 10110 ft to 14556 ft 20 stage frac with 12,426,900 lbs of 100 mesh sand				
28. PRODUCTION										
Date First Production 7/15/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 7/30/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 193	Gas - MCF 2890	Water - Bbl. 2345	Gas - Oil Ratio 14974			
Flow Tubing Press. 0	Casing Pressure 1200	Calculated 24-Hour Rate	Oil - Bbl. 193	Gas - MCF 2890	Water - Bbl. 2345	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name			Title			Date		
		Jeff Trlica			Regulatory Analyst			8/3/2022		
E-mail Address jtrlica@taprllc.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	1109		Quaternary					
1109	1420		Rustler					
1420	3426		Top of Salt					
3426	3644		Base of Salt					
3644	3661		Lamar					
3661	4840		Bell Canyon					
4840	5775		Cherry Canyon					
5775	7555		Brushy Canyon					
7555	8043		Bone Spring					
8043	8475		Avalon					
8475	9125		1st Bone Spring Sand					
9125			2nd Bone Spring Sand					

Well Name: NAILED IT FED COM	Well Location: T26S / R30E / SEC 36 / LOT 2 / 32.0020851 / -103.8328797	County or Parish/State: EDDY / NM
Well Number: 156H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM138850	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546845	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2657773

Type of Submission: Subsequent Report

Date Sundry Submitted: 02/18/2022

Date Operation Actually Began: 02/17/2022

Type of Action: Drilling Operations

Time Sundry Submitted: 08:25

Actual Procedure: Well spud on 2/17/2022 at 06:00 2/16/2022: Drill 17.5 inch surface hole to 1275 ft. Run 13.375 inch 54.5 lb J-55 surface casing to 1253 ft. Pump 20 bbls fresh water, 40 bbls gel spacer, followed by 635 sks of 13.5 ppg lead and 445 sks of 14.8 ppg tail. Drop plug and displace with 188 bbls freshwater. 184 bbls of cement returned back to surface. Pressure test casing to 1500 PSI for 30 minutes, good test. Surface Casing Details: Casing ran: 2/16/2022, Fluid Type Fresh Water, Hole 17.5 inch, Csg Size 13.375 inch, Weight 54.5 lbs, Grade J-55, Est TOC 0 ft, Depth set 1253 ft, Cement 1080 sacks, Yield 1.72 lead/1.34 Tail, Class C. Pressure test: 1500 PSI, Pressure Drop: 0.

Well Name: NAILED IT FED COM	Well Location: T26S / R30E / SEC 36 / LOT 2 / 32.0020851 / -103.8328797	County or Parish/State: EDDY / NM
Well Number: 156H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM138850	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546845	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: JEFFREY TRLICA	Signed on: FEB 18, 2022 08:25 AM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 772-5910	
Email address: JTRLICA@TAPRK.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 03/11/2022
Signature: Jonathon Shepard	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 131845

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 131845
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 131845

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 131845
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	11/7/2023