

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-46885	⁵ Pool Name WC 015 G06 S242630A BONE SPRING	⁶ Pool Code 98319
⁷ Property Code 327308	⁸ Property Name NAILED IT FED COM	⁹ Well Number 123H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
2	36	26S	30E	-	736	SOUTH	2050	EAST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	25	26S	30E	-	2412	SOUTH	1978	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 7/15/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTB	²⁵ Perforations	²⁶ DHC, MC
2/18/2022	7/5/2022	13845'	13779'	9475 ft to 13694 ft	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1252'	1080 sks		
12.25"	9.625"	3684'	979 1100 sks		
8.75"/7.875"	5.5"	13825'	1401 2036 sks		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
7/15/2022	7/15/2022	7/30/2022	24 hrs.	0	1450
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
40/64	338	3322 2998	2998 3322		Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 11/8/2023		
Date: 8/3/2022		Phone: 720-771-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-46885		² Pool Code 98319	³ Pool Name WC 015 G06 S242630A BONE SPRING
⁴ Property Code 327308	⁵ Property Name NAILED IT FED COM		⁶ Well Number 123H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.		⁹ Elevation 3031'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
2	36	26-S	30-E	-	736'	SOUTH	2050'	EAST	EDDY


¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	25	26-S	30-E	-	2412'	SOUTH	1978'	EAST	EDDY

¹² Dedicated Acres 288	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.







Final MWD Survey Certification

Eddy County, New Mexico

Client: Tap Rock Resources

Well Name: Nailed It Fed Com 123H

Total Job No: SW220225

API No: 30-015-46885

Start Date: 02/18/2022

End Date: 2/28/2022

Measured Start Depth: 0 feet

Measured End Depth: 13845 feet

Vertical Section from well center at TD: 9532.13 feet

I, Jamie Stephenson, certify that; I am employed by Total Directional Services, LLC and we conducted or supervised the taking of these open hole MWD surveys at the request of this client. This data is true, correct, complete and within the limitations of the tool as set forth by Total Directional Services, LLC. I am authorized and qualified to make this report and have reviewed this report and find that it conforms to the principals and procedures as set forth by Total Directional Services, LLC.

Date: 2/28/2022

Signed: *Jamie Stephenson* *Jose Perozo Casanova*

Company:	Tap Rock Resources LLC	Start date:	February 18,2022
Well name:	Nailed It Fed Com 123H	End date:	February 28,2022
Field:	Delaware	Proposed direction:	359.68
Rig:	H&P 425	Declination:	6.23
API/UWI:	30-015-46885	North Reference:	Grid 32.002181 / -
State/Province:	New Mexico	Latitude/Longitude:	103.832735
County/Parish:	Lea County	KB:	3056
Location	32.0021814 / -103.8327346	DF:	26
		GL:	3030

SVY	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
Tiein	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
1	153.00	0.31	150.63	153.00	-0.36	0.20	-0.36	0.20	153.00	0.00	0.00
2	242.00	0.35	159.78	242.00	-0.83	0.42	-0.83	0.07	89.00	0.00	0.00
3	332.00	0.04	96.93	332.00	-1.09	0.54	-1.09	0.37	90.00	0.00	0.00
4	422.00	0.18	126.38	422.00	-1.17	0.69	-1.18	0.16	90.00	1B	0.00
5	511.00	0.09	48.77	511.00	-1.21	0.85	-1.22	0.21	89.00	1B	0.00
6	600.00	0.22	279.39	600.00	-1.14	0.74	-1.14	0.32	89.00	1B	0.00
7	688.00	0.44	285.55	688.00	-1.02	0.24	-1.02	0.25	88.00	1B	0.00
8	777.00	0.62	296.88	776.99	-0.71	-0.52	-0.71	0.23	89.00	0.00	0.00
9	866.00	0.88	296.01	865.98	-0.19	-1.56	-0.18	0.29	89.00	0.00	0.00
10	956.00	1.19	308.93	955.97	0.70	-2.91	0.71	0.43	90.00	0.00	2L
11	1045.00	1.10	309.98	1044.95	1.83	-4.28	1.85	0.10	89.00	1A	4L
12	1135.00	1.32	327.91	1134.93	3.26	-5.49	3.29	0.48	90.00	3A	5L
13	1215.00	1.58	349.09	1214.91	5.12	-6.19	5.16	0.74	80.00	5A	6L
14	1326.00	2.11	357.35	1325.85	8.67	-6.58	8.70	0.53	111.00	8A	7L
15	1420.00	2.37	0.08	1419.78	12.34	-6.65	12.38	0.30	94.00	12A	7L
16	1514.00	2.51	3.59	1513.69	16.34	-6.52	16.37	0.22	94.00	16A	7L
17	1608.00	2.24	2.63	1607.61	20.23	-6.31	20.26	0.29	94.00	20A	7L
18	1702.00	1.89	323.43	1701.55	23.31	-7.15	23.35	1.51	94.00	23A	7L
19	1797.00	1.45	311.56	1796.51	25.36	-8.98	25.41	0.59	95.00	25A	9L
20	1891.00	0.31	47.36	1890.50	26.32	-9.68	26.38	1.61	94.00	26A	10L
21	1985.00	1.19	113.02	1984.50	26.11	-8.60	26.16	1.17	94.00	26A	9L
22	2079.00	1.19	145.10	2078.48	24.93	-7.14	24.97	0.70	94.00	25A	7L
23	2174.00	1.45	161.97	2173.45	22.98	-6.20	23.01	0.49	95.00	23A	6L
24	2268.00	1.10	131.12	2267.43	21.26	-5.16	21.28	0.81	94.00	21A	5L
25	2362.00	1.32	113.72	2361.41	20.23	-3.49	20.25	0.45	94.00	20A	4L
26	2456.00	1.98	134.55	2455.37	18.65	-1.34	18.66	0.94	94.00	19A	2L

P.O Box 831, Windsor, CO 80550 | P:970.686.8893 | F:970.686.8894 | www.totaldirectional.com

27	2550.00	3.30	148.53	2549.27	15.21	1.23	15.20	1.55	94.00	15B	1L
28	2644.00	3.96	161.53	2643.08	9.82	3.67	9.80	1.12	94.00	12B	3L
29	2738.00	3.60	177.97	2736.88	3.79	4.81	3.76	1.21	94.00	8B	4L
30	2832.00	3.87	178.14	2830.68	-2.33	5.01	-2.36	0.29	94.00	7B	5L
31	2926.00	5.36	166.98	2924.37	-9.78	6.11	-9.81	1.84	94.00	6B	6L
32	3021.00	6.73	163.73	3018.84	-19.44	8.66	-19.49	1.49	95.00	4B	9L
33	3115.00	8.22	162.68	3112.04	-31.15	12.21	-31.22	1.59	94.00	2B	13L
34	3209.00	9.41	172.87	3204.94	-45.19	15.16	-45.27	2.08	94.00	1A	15L
35	3303.00	10.37	182.10	3297.54	-61.27	15.81	-61.36	1.97	94.00	5A	16L
36	3397.00	10.77	184.30	3389.95	-78.48	14.84	-78.56	0.60	94.00	8A	16L
37	3491.00	9.98	185.44	3482.41	-95.35	13.41	-95.42	0.87	94.00	10A	15L
38	3585.00	9.27	185.18	3575.09	-111.00	11.95	-111.06	0.76	94.00	9A	13L
39	3639.00	8.97	186.32	3628.41	-119.51	11.10	-119.57	0.65	54.00	8A	13L
40	3760.00	8.84	191.24	3747.95	-138.01	8.25	-138.05	0.64	121.00	6A	11L
41	3854.00	9.27	192.03	3840.78	-152.50	5.26	-152.53	0.48	94.00	4A	8L
42	3948.00	9.85	190.98	3933.47	-167.80	2.15	-167.81	0.64	94.00	3A	5L
43	4043.00	10.46	188.34	4026.98	-184.31	-0.65	-184.30	0.81	95.00	3A	3L
44	4137.00	11.16	186.05	4119.31	-201.80	-2.84	-201.78	0.87	94.00	5A	1L
45	4231.00	11.56	185.35	4211.47	-220.22	-4.68	-220.19	0.45	94.00	7A	1R
46	4325.00	11.60	182.19	4303.56	-239.04	-5.92	-239.00	0.68	94.00	9A	2R
47	4419.00	10.59	177.71	4395.80	-257.12	-5.94	-257.08	1.41	94.00	11A	1R
48	4513.00	10.24	176.65	4488.26	-274.09	-5.10	-274.05	0.42	94.00	12A	0.00
49	4607.00	10.24	175.51	4580.76	-290.76	-3.96	-290.73	0.22	94.00	12A	1L
50	4702.00	10.59	172.08	4674.19	-307.82	-2.10	-307.81	0.75	95.00	13A	3L
51	4796.00	10.02	170.50	4766.68	-324.44	0.44	-324.44	0.68	94.00	13A	6L
52	4890.00	9.89	170.06	4859.26	-340.46	3.19	-340.47	0.16	94.00	12A	9L
53	4984.00	10.73	167.51	4951.74	-356.96	6.47	-356.99	1.02	94.00	13A	13L
54	5078.00	10.55	167.07	5044.13	-373.89	10.29	-373.94	0.21	94.00	13A	17L
55	5172.00	8.66	169.62	5136.81	-389.24	13.49	-389.31	2.06	94.00	12A	20L
56	5266.00	7.96	178.67	5229.82	-402.70	14.92	-402.78	1.58	94.00	9A	22L
57	5361.00	7.52	181.13	5323.96	-415.50	14.95	-415.57	0.58	95.00	6A	22L
58	5455.00	7.74	184.91	5417.13	-427.95	14.28	-428.03	0.58	94.00	2A	22L
59	5549.00	7.82	187.02	5510.26	-440.61	12.96	-440.67	0.32	94.00	2B	21L
60	5643.00	8.88	187.11	5603.26	-454.15	11.28	-454.21	1.13	94.00	5B	19L
61	5737.00	9.19	187.02	5696.10	-468.80	9.47	-468.85	0.33	94.00	6B	18L
62	5831.00	9.36	187.81	5788.87	-483.83	7.51	-483.86	0.23	94.00	8B	16L
63	5925.00	10.42	187.55	5881.47	-499.83	5.35	-499.85	1.13	94.00	8B	14L
64	6019.00	10.99	188.34	5973.83	-517.12	2.94	-517.13	0.63	94.00	7B	11L
65	6113.00	10.15	187.20	6066.24	-534.20	0.60	-534.20	0.92	94.00	6B	9L
66	6207.00	9.85	187.72	6158.81	-550.39	-1.52	-550.37	0.33	94.00	6B	8L

67	6301.00	8.88	187.28	6251.55	-565.55	-3.52	-565.52	1.03	94.00	7B	6L
68	6395.00	9.63	187.20	6344.33	-580.55	-5.42	-580.51	0.80	94.00	8B	4L
69	6489.00	8.75	187.64	6437.12	-595.43	-7.36	-595.38	0.94	94.00	10B	3L
70	6584.00	9.10	188.43	6530.97	-610.03	-9.42	-609.97	0.39	95.00	11B	1L
71	6678.00	8.04	187.11	6623.92	-623.90	-11.32	-623.83	1.15	94.00	12B	OTL
72	6771.00	7.87	186.32	6716.03	-636.69	-12.83	-636.60	0.22	93.00	12B	1R
73	6865.00	8.44	187.46	6809.08	-649.92	-14.43	-649.83	0.63	94.00	11B	3R
74	6960.00	8.53	184.56	6903.04	-663.86	-15.90	-663.76	0.46	95.00	7B	4R
75	7054.00	6.95	183.68	6996.18	-676.48	-16.82	-676.38	1.69	94.00	3B	5R
76	7148.00	5.58	187.55	7089.61	-686.69	-17.78	-686.58	1.52	94.00	OTL	6R
77	7242.00	4.18	186.85	7183.27	-694.62	-18.79	-694.51	1.49	94.00	2A	7R
78	7336.00	3.21	183.33	7277.07	-700.65	-19.36	-700.53	1.06	94.00	5A	7R
79	7430.00	2.15	182.98	7370.97	-705.04	-19.60	-704.92	1.13	94.00	7A	7R
80	7525.00	1.67	191.59	7465.92	-708.18	-19.97	-708.05	0.59	95.00	8A	7R
81	7619.00	0.84	190.27	7559.89	-710.20	-20.37	-710.07	0.88	94.00	10B	8L
82	7713.00	0.57	212.95	7653.89	-711.27	-20.75	-711.14	0.41	94.00	11B	8L
83	7807.00	1.01	233.87	7747.88	-712.15	-21.67	-712.01	0.55	94.00	12B	9L
84	7901.00	1.41	241.60	7841.86	-713.19	-23.36	-713.04	0.46	94.00	13B	11L
85	7996.00	0.97	320.70	7936.84	-713.12	-24.89	-712.97	1.63	95.00	13B	12L
86	8090.00	1.58	320.09	8030.82	-711.51	-26.23	-711.35	0.65	94.00	12B	14L
87	8184.00	1.76	312.79	8124.78	-709.53	-28.12	-709.37	0.30	94.00	10B	15L
88	8278.00	0.97	352.96	8218.75	-707.76	-29.28	-707.59	1.27	94.00	8B	17L
89	8372.00	1.98	324.48	8312.72	-705.65	-30.32	-705.47	1.30	94.00	6B	18L
90	8466.00	3.08	315.96	8406.63	-702.52	-33.02	-702.32	1.23	94.00	3B	21L
91	8560.00	2.29	332.48	8500.53	-699.04	-35.64	-698.83	1.17	94.00	0.00	23L
92	8654.00	1.89	326.33	8594.46	-696.08	-37.37	-695.86	0.49	94.00	4A	25L
93	8748.00	1.58	332.48	8688.42	-693.64	-38.83	-693.41	0.38	94.00	6A	26L
94	8842.00	1.93	325.10	8782.38	-691.19	-40.33	-690.96	0.44	94.00	8A	20L
95	8937.00	2.77	327.56	8877.30	-687.94	-42.48	-687.70	0.89	95.00	12A	30L
96	8994.00	3.25	320.97	8934.22	-685.53	-44.23	-685.27	1.04	57.00	14A	32L
97	9125.00	8.70	12.38	9064.53	-672.95	-44.45	-672.69	5.45	131.00	4A	4R`
98	9219.00	23.08	18.53	9154.70	-648.40	-37.03	-648.19	15.38	94.00	9A	10R
99	9313.00	32.62	20.82	9237.72	-607.16	-22.13	-607.02	10.21	94.00	16A	20R
100	9407.00	42.20	19.94	9312.30	-553.67	-2.31	-553.65	10.21	94.00	22A	32R
101	9501.00	51.03	13.44	9376.84	-488.29	16.99	-488.37	10.64	94.00	26A	39R
102	9595.00	61.41	10.62	9429.04	-411.96	33.14	-412.14	11.32	94.00	29A	42R
103	9690.00	68.70	8.43	9469.08	-327.07	47.34	-327.33	7.95	95.00	28A	39R
104	9784.00	76.53	6.23	9497.15	-238.17	58.73	-238.49	8.62	94.00	23A	33R
105	9878.00	84.09	7.37	9512.96	-146.23	69.71	-146.62	8.13	94.00	12A	25R
106	9925.00	87.56	5.26	9516.38	-99.65	74.86	-100.07	8.63	47.00	9A	22R

107	9972.00	88.62	4.65	9517.95	-52.85	78.92	-53.29	2.60	47.00	8A	19R
108	10067.00	90.90	2.98	9518.35	41.93	85.24	41.45	2.97	95.00	8A	13R
109	10161.00	90.11	0.52	9517.52	135.87	88.11	135.38	2.75	94.00	8.7A	8R
110	10255.00	90.42	0.17	9517.09	229.87	88.67	229.37	0.50	94.00	8A	6R
111	10350.00	87.91	359.38	9518.47	324.85	88.30	324.35	2.77	95.00	7.6A	6R
112	10444.00	87.78	359.55	9522.00	418.78	87.42	418.28	0.23	94.00	4A	5R
113	10538.00	87.96	359.37	9525.50	512.71	86.54	512.22	0.27	94.00	2A	5R
114	10632.00	90.90	0.08	9526.43	606.69	86.09	606.20	3.22	94.00	1A	5R
115	10731.00	91.43	359.81	9524.42	705.67	85.99	705.18	0.60	99.00	3A	6R
116	10826.00	90.29	0.96	9522.99	800.66	86.63	800.16	1.70	95.00	5A	7R
117	10920.00	91.91	0.87	9521.19	894.62	88.13	894.12	1.73	94.00	7A	9R
118	11014.00	90.73	0.25	9519.02	988.59	89.05	988.08	1.42	94.00	10A	11R
119	11108.00	89.41	359.46	9518.91	1082.59	88.81	1082.08	1.64	94.00	10A	11R
120	11202.00	88.31	358.94	9520.78	1176.56	87.50	1176.05	1.29	94.00	9A	11R
121	11296.00	89.80	359.38	9522.33	1270.53	86.12	1270.03	1.65	94.00	8A	10R
122	11391.00	89.98	359.46	9522.51	1365.53	85.16	1365.03	0.21	95.00	8A	10R
123	11485.00	88.48	358.32	9523.78	1459.50	83.34	1459.01	2.00	94.00	7A	9R
124	11579.00	89.45	357.79	9525.47	1553.43	80.15	1552.96	1.18	94.00	6A	7R
125	11674.00	89.36	358.32	9526.46	1648.37	76.93	1647.91	0.57	95.00	5A	4R
126	11768.00	88.62	359.11	9528.12	1742.33	74.82	1741.88	1.15	94.00	3A	3R
127	11862.00	89.41	358.94	9529.73	1836.30	73.22	1835.86	0.86	94.00	2A	2R
128	11956.00	90.99	359.20	9529.41	1930.28	71.69	1929.85	1.70	94.00	3A	1R
129	12050.00	89.58	359.20	9528.94	2024.27	70.38	2023.85	1.50	94.00	4A	1R
130	12144.00	88.04	358.58	9530.89	2118.23	68.56	2117.81	1.77	94.00	2A	0.00
131	12239.00	88.75	358.14	9533.55	2213.15	65.84	2212.75	0.88	95.00	0.00	2L
132	12333.00	90.02	358.14	9534.56	2307.10	62.79	2306.71	1.35	94.00	1B	4L
133	12427.00	91.08	357.70	9533.66	2401.03	59.38	2400.66	1.22	94.00	0.00	6L
134	12521.00	89.58	358.58	9533.12	2494.97	56.33	2494.62	1.85	94.00	0.00	8L
135	12615.00	89.19	357.88	9534.12	2588.92	53.43	2588.58	0.85	94.00	0.00	10L
136	12709.00	90.15	357.62	9534.67	2682.85	49.74	2682.53	1.06	94.00	0.00	13L
137	12803.00	89.71	358.32	9534.78	2776.79	46.41	2776.48	0.88	94.00	0.00	15L
138	12897.00	90.33	358.06	9534.75	2870.74	43.44	2870.45	0.72	94.00	0.00	17L
139	12991.00	91.38	357.79	9533.35	2964.67	40.03	2964.40	1.15	94.00	2A	20L
140	13085.00	90.73	359.29	9531.61	3058.62	37.64	3058.36	1.74	94.00	4A	21L
141	13179.00	89.27	0.87	9531.61	3152.61	37.77	3152.35	2.29	94.00	4A	19L
142	13273.00	90.29	1.13	9531.98	3246.59	39.41	3246.32	1.12	94.00	4A	17L
143	13367.00	89.58	1.31	9532.08	3340.57	41.41	3340.29	0.78	94.00	4A	14L
144	13461.00	90.33	1.66	9532.16	3434.54	43.85	3434.24	0.88	94.00	4A	10L
145	13556.00	89.49	1.31	9532.31	3529.51	46.31	3529.19	0.96	95.00	5A	6L
146	13650.00	89.45	0.69	9533.17	3623.49	47.95	3623.16	0.66	94.00	4A	4L

147	13744.00	90.37	0.87	9533.32	3717.48	49.23	3717.15	1.00	94.00	4A	1L
148	13791.00	90.77	0.69	9532.85	3764.47	49.87	3764.13	0.93	47.00	4A	0.00
PTB	13845.00	90.77	0.69	9532.13	3818.46	50.52	3818.12	0.00	54.00		

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-46885										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name NAILED IT FED COM		
								6. Well Number: 123H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat WC 015 G06 S242630A BONE SPRING		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	2	36	26S	30E	-	736	SOUTH	2050	EAST	EDDY
BH:	J	25	26S	30E	-	2412	SOUTH	1978	EAST	EDDY
13. Date Spudded 2/18/2022	14. Date T.D. Reached 2/28/2022		15. Date Rig Released 3/3/2022			16. Date Completed (Ready to Produce) 7/5/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3031 GR		
18. Total Measured Depth of Well 13845 ft			19. Plug Back Measured Depth 13779 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 9475 ft to 13694 ft								BONE SPRING		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		1252'		17.5"		1080 sks		0
9.625"		40		3684'		12.25"		979 1400 sks		0
5.5"		20		13825'		8.75"/7.875"		1401 2036 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
Perforate from 9475 ft to 13694 ft, 1 SPF, .55 inch holes with 221 total shots						9475 ft to 13694 ft		17 stage frac with 10,734,720 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production 7/15/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 7/30/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 338	Gas - MCF 3322	Water - Bbl. 2998	Gas - Oil Ratio 9828			
Flow Tubing Press. 0	Casing Pressure 1450	Calculated 24-Hour Rate	Oil - Bbl. 338	Gas - MCF 3322	Water - Bbl. 2998	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 		Printed Name Jeff Trlica			Title Regulatory Analyst			Date 8/3/2022		
E-mail Address jtrlica@taprock.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	1127		Quaternary					
1127	1381		Rustler					
1381	3433		Top of Salt					
3433	3628		Base of Salt					
3628	3657		Lamar					
3657	4835		Bell Canyon					
4838	5804		Cherry Canyon					
5804	7551		Brushy Canyon					
7551	8027		Bone Spring					
8027	8471		Avalon					
8471	9110		1st Bone Spring Sand					
9110			2nd Bone Spring Sand					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 131847

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 131847
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 131847

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 131847
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	11/8/2023