

Well Name: W D HEATH B	Well Location: T30N / R9W / SEC 31 / NESE / 36.765396 / -107.815002	County or Parish/State: SAN JUAN / NM
Well Number: 1A	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMSF076337	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004522682	Well Status: Producing Gas Well	Operator: SIMCOE LLC

Notice of Intent

Sundry ID: 2760191

Type of Submission: Notice of Intent

Type of Action: Temporary Abandonment

Date Sundry Submitted: 11/07/2023

Time Sundry Submitted: 09:39

Date proposed operation will begin: 12/04/2023

Procedure Description: Simcoe requests approval to temporarily abandon W D Heath B 001A (30-045-22682). After a period not to exceed 5 years after the temporary abandonment has been completed, the cast iron bridge plug will be removed, and the reservoir pressure will be monitored for a two-week period to determine if the well is capable of economic production and re-evaluated for future status.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

W_D_Heath_B_001A_TA_WBD_Proc_20231107093853.pdf

W_D_Heath_B_001A_TA_WBD_proposed_20231107093842.pdf

W_D_Heath_B_001A_TA_WBD_current_20231107093829.pdf

Well Name: W D HEATH B

Well Location: T30N / R9W / SEC 31 / NESE / 36.765396 / -107.815002

County or Parish/State: SAN JUAN / NM

Well Number: 1A

Type of Well: CONVENTIONAL GAS WELL

Allottee or Tribe Name:

Lease Number: NMSF076337

Unit or CA Name:

Unit or CA Number:

US Well Number: 3004522682

Well Status: Producing Gas Well

Operator: SIMCOE LLC

Conditions of Approval

Specialist Review

W_D_Heath_B_1A_ID_2760191_TA_COAs_MHK_11.9.2023_20231109133716.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CHRISTY KOST

Signed on: NOV 07, 2023 09:38 AM

Name: SIMCOE LLC

Title: Permitting Agent

Street Address: 1199 MAIN AVE STE 101

City: DURANGO

State: CO

Phone: (719) 251-7733

Email address: CHRISTY.KOST@IKAVENERGY.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: MATTHEW H KADE

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736

BLM POC Email Address: MKADE@BLM.GOV

Disposition: Approved

Disposition Date: 11/09/2023

Signature: Matthew Kade

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-045-22682
5. Indicate Type of Lease STATE [] FEE []
6. State Oil & Gas Lease No. NMSF076337
7. Lease Name or Unit Agreement Name WD Heath B
8. Well Number #001A
9. OGRID Number
10. Pool name or Wildcat Blanco MesaVerde

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: Oil Well [x] Gas Well [] Other []
2. Name of Operator SIMCOE LLC
3. Address of Operator 1199 Main Ave, Durango, CO 81301
4. Well Location
Unit Letter I : 1570 feet from the South line and 850 feet from the East line
Section 31 Township 30N Range 09W NMPM San Juan County
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [] PLUG AND ABANDON []
TEMPORARILY ABANDON [x] CHANGE PLANS []
PULL OR ALTER CASING [] MULTIPLE COMPL []
DOWNHOLE COMMINGLE []
CLOSED-LOOP SYSTEM []
OTHER: []
SUBSEQUENT REPORT OF:
REMEDIAL WORK COMMENCED [] ALTERING CASING []
DRILLING OPNS. CASING/CEMENT JOB AND A []
OTHER: []

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Simcoe requests approval to temporarily abandon W D Heath B 001A (30-045-22682). After a period not to exceed 5 years after the temporary abandonment has been completed, the cast iron bridge plug will be removed and the reservoir pressure will be monitored for a two week period to determine if the well is capable of economic production and re-evaluated for future status.

Spud Date: []

Rig Release Date: []

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Christy Kost TITLE Regulatory Analyst DATE 11/10/2023

Type or print name Christy Kost E-mail address: christy.kost@ikavenergy.com PHONE: 970-822-8931

For State Use Only

APPROVED BY: TITLE DATE

Conditions of Approval (if any):

W. D. Heath B 001A
Temporary Abandonment Procedure

Wellname: **W. D. Heath B 001A**
Location: **Sec 31, T30N, R9W**
API: **30-045-22682**

Surface Casing: 9-5/8" 32.3# H-40 set @ 280'
Casing: 7" 20# J-55 set @ 2757'
Production Liner: 4-1/2" 10.5# K-55 from 2566' to 4820'
TOC: Surface
Perfs: Mesaverde: 3956' - 4696'
PBSD: 4777'

Procedure:


- 1 MIRU
- 2 NDWH/NUBOP
- 3 POOH with tubing
- 4 Run casing scrapper
- 5 Set CIBP @ 3906'
- 6 Test casing to 560 psi for 30 min
- 7 RDMO

W.D. Heath B 1A

API# 300452268200

Sec 31, T30N, R9W

GL: 5783'



History:

- Drilled in 09/1977
- Completed in 01/1978
- Workover in 1996 to clean out well

Mesaverde perforations:

- 3956' - 4130', frac'd with 127k lbs sand
- 4174' - 4479', frac'd with 70k lbs sand
- 4514' - 4696', frac'd with 50k lbs sand

PBTD: 4777'
TD: 4820'


updated: 12/18/01 az

W.D. Heath B 1A

API# 300452268200

Sec 31, T30N, R9W

GL: 5783'



History:

- Drilled in 09/1977
- Completed in 01/1978
- Workover in 1996 to clean out well

Mesaverde perforations:

- 3956' - 4130', frac'd with 127k lbs sand
- 4174' - 4479', frac'd with 70k lbs sand
- 4514' - 4696', frac'd with 50k lbs sand

PBTD: 4777'
TD: 4820'

updated: 12/18/01 az

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 284551

CONDITIONS

Operator: SIMCOE LLC 1199 Main Ave., Suite 101 Durango, CO 81301	OGRID: 329736
	Action Number: 284551
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	Notify NMOCD 24 hours prior to testing - Bradenhead test required prior to MIT day of MIT	11/14/2023