<i>ecoved by OCD: D1/14/2023 8:44:42 AM</i> U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sunary Print Repo
Well Name: TONY FEDERAL	Well Location: T17S / R31E / SEC 19 / SENE /	County or Parish/State: EDDY / NM
Well Number: 29	<b>Type of Well:</b> CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMLC029395A	Unit or CA Name:	Unit or CA Number:
US Well Number: 300153246300S1	Well Status: Producing Oil Well	<b>Operator:</b> APACHE CORPORATION
·[	Accepted for record –NMOCD gc11/17/2023	

## **Notice of Intent**

Sundry ID: 2757604 Type of Submission: Notice of Intent Date Sundry Submitted: 10/23/2023 Date proposed operation will begin: 11/23/2023

Type of Action: Plug and Abandonment Time Sundry Submitted: 11:38

**Procedure Description:** 

**Surface Disturbance** 

Is any additional surface disturbance proposed?: No

## **NOI Attachments**

**Procedure Description** 

SUNDRY\_NOI\_SUB\_Tony\_Federal\_\_29\_10\_13\_23\_20231023113749.pdf

ceived by OCD: 11/14/2023 8:44:42 AM Well Name: TONY FEDERAL	Well Location: T17S / R31E / SEC 19 / SENE /	County or Parish/State: EDBY 7
Well Number: 29	<b>Type of Well:</b> CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMLC029395A	Unit or CA Name:	Unit or CA Number:
US Well Number: 300153246300S1	Well Status: Producing Oil Well	<b>Operator:</b> APACHE CORPORATION
Conditions of Approv	al	
pecialist Review		
Tony_Federal_292757604_2_COA_	_and_Procedure_20231103095444.pdf	
Operator		

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

**Operator Electronic Signature: CARRIE KIRKLAND** 

Name: APACHE CORPORATION

Title: P&A Technician

Street Address: 303 VETERANS AIRPARK LN

City: MIDLAND

Phone: (432) 818-1103

Email address: CARRIE.KIRKLAND@APACHECORP.COM

State: TX

State:

Field

Representative Name:

Street Address:

City:

Phone:

Email address:

## **BLM Point of Contact**

BLM POC Name: JULIO A SANCHEZ BLM POC Phone: 5752342240 Disposition: Approved Signature: Julio Sanchez with Keith Immatty

BLM POC Title: ENGINEER

Zip:

BLM POC Email Address: JULIOSANCHEZ@BLM.GOV

Signed on: OCT 23, 2023 11:38 AM

Disposition Date: 11/03/2023

#### 1 11 Re

eceived by OCD: 11/14/2023	8:44:42 AM	Page 3 of 2
	UNITED STATES EPARTMENT OF THE INTERIOR REAU OF LAND MANAGEMENT	FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021
		NMLC029395A
Do not use this	NOTICES AND REPORTS ON WELLS form for proposals to drill or to re-enter an Use Form 3160-3 (APD) for such proposals.	6. If Indian, Allottee or Tribe Name
SUBMIT I	NTRIPLICATE - Other instructions on page 2	7. If Unit of CA/Agreement, Name and/or No.
1. Type of Well		
Oil Well 🖌 Gas	—	8. Well Name and No. TONY FEDERAL/29
2. Name of Operator APACHE CO	RPORATION	9. API Well No. 3001532463
3a. Address 303 VETERANS AIR	PARK LANE SUITE 3000. N 3b. Phone No. (include area code)	10. Field and Pool or Exploratory Area
	(432) 818-1000	CEDAR LAKE-GLORIETA-YESO/CEDAR LAKE-GLOR
4. Location of Well (Footage, Sec., 7	.,R.,M., or Survey Description)	11. Country or Parish, State
SEC 19/T17S/R31E/NMP		EDDY/NM
12. CH	IECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NO	TICE, REPORT OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF A	CTION
✓ Notice of Intent	Acidize Deepen Pro	oduction (Start/Resume) Water Shut-Off
Notice of Intent	Alter Casing Hydraulic Fracturing Re-	clamation Well Integrity
Subsequent Report	Casing Repair New Construction Re	complete Other
Subsequent Report	Change Plans   Plug and Abandon  Ten	mporarily Abandon
Final Abandonment Notice		ter Disposal
the proposal is to deepen direction the Bond under which the work we completion of the involved opera	Operation: Clearly state all pertinent details, including estimated starting nally or recomplete horizontally, give subsurface locations and measured vill be perfonned or provide the Bond No. on file with BLM/BIA. Require tions. If the operation results in a multiple completion or recompletion in Notices must be filed only after all requirements, including reclamation, ha	and true vertical depths of all pertinent markers and zones. Attach ed subsequent reports must be filed within 30 days following a new interval, a Form 3160-4 must be filed once testing has been

14. I hereby certify that the foregoing is true and correct. Name ( <i>Printed/Typed</i> ) CARRIE KIRKLAND / Ph: (432) 818-1103	P&A Technician Title		
(Electronic Submission)	Date	10/23/2023	
THE SPACE FOR FED	ERAL OR STATE OFICE U	JSE	
Approved by			
JULIO A SANCHEZ / Ph: (575) 234-2240 / Approved	ENGINEER Title	Date	11/03/2023
Conditions of approval, if any, are attached. Approval of this notice does not warran certify that the applicant holds legal or equitable title to those rights in the subject le which would entitle the applicant to conduct operations thereon.			
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for an any false, fictitious or fraudulent statements or representations as to any matter with		make to any department of	or agency of the United States

(Instructions on page 2)

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

## SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

*Item 13:* Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

## NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

## **Additional Information**

### Location of Well

0. SHL: SENE / 1980 FNL / 860 FEL / TWSP: 17S / RANGE: 31E / SECTION: 19 / LAT: 0.0 / LONG: 0.0 ( TVD: 0 feet, MD: 0 feet ) BHL: SENE / 1980 FNL / 860 FEL / TWSP: 17S / SECTION: / LAT: 0.0 / LONG: 0.0 ( TVD: 0 feet, MD: 0 feet )

ceived by OCD: 11/14/2023 8:	44:42 AM				Page 6 of
Form 3160-5				FORM API	PROVED
(March 2012)	UNITED STATES	S		OM B No.	1004-0137
DEPA	ARTMENT OF THE I	NTERIOR		Expires: Oc	tober 31, 2014
BURE	EAU OF LAND MAN	AGEMENT	5. Lease	e Serial No.	
				NML	C029395A
SUNDRY	NOTICES AND REPOR	RTS ON WELLS	6. If In	dian, Allottee or Tril	be Name
Do not use this f	form for proposals to	drill or to re-enter an			
abandoned well	Use Form 3160-3 (AP	D) for such proposals			
SUBMIT IN TRIPL	ICATE - Other instru	uctions on reverse side.	7. If U1	nit of CA / Agreeme	nt, Name and/or No.
1. Type of Well					
			8. Well	Name and No.	
✓ Oil Well □ 0	Gas Well 🗌 O	Other		TONY	FEDERAL 29
2. Name of Operator	Anacha	Correction	9. API	Well No.	
	Apache	Corporation		30	01532463
a. Address	3	Bb. Phone No. <i>(include area code</i> )	10. Fiel	d and Pool, or Explo	oratory Area
303 Veterans Airpark Ln, Mic	dland,Tx 79705	432-556-9143		CEDARLAKE	-GLORIETTA-YESO
. Location of (Footage, Sec., T., R., or S	Survey Description)		11. Co	unty or Parish, State	
1980 FNL, 860F	FEL, SEC 19-T17S-I	R31E, UNIT H		E	DDY, NM
12. CHECK APPROI	PRIATE BOX(ES) TO	O INDICATE NATURE OF NO	TICE, REPORT,	OR OTHER DA	ГА
TYPE OF SUBMISSION		TY	PE OF ACTION		
	Acidize	Deepen	Production	(Start/Resume)	Water Shut-off
✓ Notice of Intent	Alter Casing	Fracture Treat	Reclamatio	n	Well Integrity
Subsequent Report	Casing Repair	New Construction	Recomplete	e	Other
	Change Plans	✓ Plug and Abandon	Temporaril	y Abandon	
Final Abandonment Notice	Convert to Injecti	ion Plug Back	Water Disp	1	

proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the bond No. on file with the BLM / BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

## Apache Corporation proposes to P&A the above mentioned well by the attached procedure. A closed loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17.

14. I hereby certify th	at the following is true and correct			
Name				
	Guinn Burks	Title	P&A MANA	GER, USON
Signature	Guínn Burks	Date	10/5	5/23
	THIS SPACE FOR FI	EDERAL OR ST	ATE OFFICE USE	
Approved by		Title		Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights				
in the subject lease which would entitle the applicant to conduct operatins		Office		
thereon.	11 1	Ollice		
	n 1001 and Title 43 U.S.C., Section 1212, make it a crime fraudulent statements or representations as to any matter w	• •	ngly and willfully to make to	any department or agency of the United States

(Instructions on page 2)



LEASE NAME	TONY FEDERAL
WELL #	#29
API #	30-015-32463
COUNTY	EDDY

## **PROPOSED PROCEDURE**

#### PLUG #1

RIH SET 5 1/2" CIBP @ 4600', CIRC W/MLF & SPOT 35 SX CLASS "C" CMT FROM 460'-4301', WOC & TAG. (TOP PERFS & INTERM SHOE)

#### PLUG #2

PUH TO 3103' & PERF, SQZ 115 SX CLASS "C" CMT FROM 3103'-2716', WOC & TAG. (SAN ANDRES & GRAYBURG)

#### PLUG #3

PUH TO 2542" & PERF, SQZ 347 SX CLASS "C" CMT FROM 2542"-2021', WOC & TAG. (DVT, QUEEN & BOWERS)


#### PLUG #4

PUH & PERF @ 1406', SQZ 145 SX CLASS "C" CMT FROM 1406'-1206', WOC & TAG. (YATES)

#### PLUG #5

PUH & PERF @ 484', ATTEMPT TO CIRC 330 SX CLASS "C" CMT TO SURF & FILL UP. (SURF SHOE, WATER BOARD & SURF PLUG)






EASE NAME	TONY FEDERAL	Page 8 of 20
WELL #	#29	
API #	30-015-32463	
COUNTY	EDDY, NM	

L

Apache



	Page 9	of 20
LEASE NAME	TONY FEDERAL	_
WELL #	#29	
API #	30-015-32463	
COUNTY	EDDY, NM	

#### PLUG #5

PUH & PERF @ 484', ATTEMPT TO CIRC 330 SX CLASS "C" CMT TO SURF & FILL UP. (SURF SHOE, WATER BOARD & SURF PLUG)

## PLUG #4

PUH & PERF @ 1406', SQZ 145 SX CLASS "C" CMT FROM 1406'-1206', WOC & TAG. (YATES)

#### PLUG #3

PUH TO 2542" & PERF, SQZ 347 SX CLASS "C" CMT FROM 2542"-2021', WOC & TAG. (DVT, QUEEN & BOWERS)

#### PLUG #2

PUH TO 3103' & PERF, SQZ 115 SX CLASS "C" CMT FROM 3103'-2716', WOC & TAG. (SAN ANDRES & GRAYBURG)

#### PLUG #1

RIH SET 5 1/2" CIBP @ 4600', CIRC W/MLF & SPOT 35 SX CLASS "C" CMT FROM 460'-4301', WOC & TAG. (TOP PERFS & INTERM SHOE)

ceived by OCD: 11/14/2023 8	8:44:42 AM			Page 10 of
Form 3160-5			FORM A	PPROVED
(March 2012)	UNITED STATES		OM B No	. 1004-0137
DE	PARTMENT OF THE INTE	ERIOR	Expires:	October 31, 2014
BUF	REAU OF LAND MANAGE	EMENT	5. Lease Serial No.	
			NI	1LC029395A
SUNDRY	Y NOTICES AND REPORTS	ON WELLS	6. If Indian, Allottee or T	ribe Name
Do not use this	s form for proposals to drill	l or to re-enter an		
abandoned wel	ll Use Form 3160-3 (APD) fo	or such proposals		
SUBMIT IN TRIP	LICATE - Other instruction	ons on reverse side.	7. If Unit of CA / Agreen	nent, Name and/or No.
. Type of Well				
			8. Well Name and No.	
✓ Oil Well	Gas Well Other		TON	Y FEDERAL 29
. Name of Operator	Anasha Car	novotion	9. API Well No.	
	Apache Cor	poration	3	001532463
a. Address	3b. P	hone No. (include area code)	10. Field and Pool, or Exp	oloratory Area
303 Veterans Airpark Ln, N	lidland,Tx 79705	432-556-9143	CEDARLAK	E-GLORIETTA-YESO
. Location of (Footage, Sec., T., R., or	r Survey Description)		11. County or Parish, Sta	te
1980 FNL, 86	0FEL, SEC 19-T17S-R31	E, UNIT H		EDDY, NM
12. CHECK APPR	OPRIATE BOX(ES) TO IN	DICATE NATURE OF NO	TICE, REPORT, OR OTHER D	ATA
TYPE OF SUBMISSION		ТҮ	PE OF ACTION	
	Acidize	Deepen	Production (Start/Resume)	Water Shut-off
✓ Notice of Intent	Alter Casing	Fracture Treat	Reclamation	Well Integrity
Subsequent Report	Casing Repair	New Construction	Recomplete	Other
	Change Plans	$\checkmark$ Plug and Abandon	Temporarily Abandon	
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposal	

proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the bond No. on file with the BLM / BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

## Apache Corporation proposes to P&A the above mentioned well by the attached procedure. A closed loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17.

14. I hereby certify th	hat the following is true and correct				
Name					
	Guinn Burks	Title	P&A MANA	GER, USON	
Signature	Guínn Burks	Date	10/5	5/23	
	THIS SPACE FOR FI	EDERAL OR ST	ATE OFFICE USE		
Approved by		Title		Date	
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights					
in the subject lease w thereon.	hich would entitle the applicant to conduct operatins	Office			
Title 18 U.S.C., Section 1001 and Title 43 U.S.C., Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United State any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.			ted States		

(Instructions on page 2)



LEASE NAME	TONY FEDERAL
WELL #	#29
API #	30-015-32463
COUNTY	EDDY

## PROPOSED PROCEDURE

PLUG #1 Spacer Plug Perforate and Squeeze from 6350'-6190' suicide squeeze with additional set of perfs for returns maybe be needed

#### PLUG #2

RIH SET 5 1/2" CIBP @ 4600', 500psi leak test CIRC W/MLF & Perforate and squeeze 35 SX CLASS "C" CMT FROM 460'-4301', WOC & TAG. (TOP PERFS & INTERM SHOE)

#### PLUG #3

PUH TO 3103' & PERF, SQZ 115 SX CLASS "C" CMT FROM 3103'-2716', WOC & TAG. (SAN ANDRES & GRAYBURG)

#### PLUG #4

PUH TO 2542" & PERF, SQZ 347 SX CLASS "C" CMT FROM 2542"-2021', WOC & TAG. (DVT, QUEEN & BOWERS)

#### PLUG #5

PUH & PERF @ 1406', SQZ 145 SX CLASS "C" CMT FROM 1450'-1131', WOC & TAG. (YATES)


#### PLUG #6

PUH & PERF @ 540', ATTEMPT TO CIRC 330 SX CLASS "C" CMT TO SURF & FILL UP. VERIFY CIRCULATED TO SURFACE (SURF SHOE, WATER BOARD & SURF PLUG)

IF OPERATOR WOULD LIKE TO RUN A CBL TO CONFIRM TOP OF CEMENT ON THE REMEDATION JOB AT 5400' PLUGS MAY BE SPOTTED IF CEMENT IS CONFIRMED. CBL WILL NEED TO BE LOOKED AT BY BLM BEFORE SPOT PLUGS CAN BE USED.

> JULIO SANCHEZ Digitally signed by JULIO SANCHEZ Date: 2023.11.02 14:54:29 -06'00'






		Page 12 of 20
EASE NAME	TONY FEDERAL	8 9
WELL #	#29	
API #	30-015-32463	
COUNTY	EDDY, NM	

L

Apache



LEASE NAME	TONY FEDERAL	Page 13 of 20
WELL#	#29	
API #	30-015-32463	
COUNTY	EDDY, NM	

#### PLUG #6

PUH & PERF @ 540', ATTEMPT TO CIRC 330 SX CLASS "C" CMT TO SURF & FILL UP. VERIFY CIRCULATED TO SURFACE (SURF SHOE, WATER BOARD & SURF PLUG)

## PLUG #5

PUH & PERF @ 1406', SQZ 145 SX CLASS "C" CMT FROM 1450'-1131', WOC & TAG. (YATES)

#### PLUG #4

PUH TO 2542" & PERF, SQZ 347 SX CLASS "C" CMT FROM 2542"-2021', WOC & TAG. (DVT, QUEEN & BOWERS)

#### PLUG #3

PUH TO 3103' & PERF, SQZ 115 SX CLASS "C" CMT FROM 3103'-2716', WOC & TAG. (SAN ANDRES & GRAYBURG)

#### PLUG #2

RIH SET 5 1/2" CIBP @ 4600', 500psi leak test CIRC W/ MLF & Perforate and squeeze 35 SX CLASS "C" CMT FROM 4600'-4301', WOC & TAG. (TOP PERFS & INTERM SHOE)

PLUG #1 Spacer Plug Perforate and Squeeze from 6350'-6190' suicide squeeze with additional set of perfs for returns maybe needed

Sundry ID	2744693				
Plug Type	Тор	Bottom	Length	Tag	Notes
Surface Plug	0.00	540.00	540.00		
			- /	Verify	Perf and Squeeze
Shoe Plug	0.00			circulated	
Top of Salt @ 490	0.00	540.00	540.00	to surface	
				WOC and	
Base of Salt @ 1193	1131.07	1243.00	111.93	Tag	Perf and Squeeze
				WOC and	
Yates @ 1400	1206.00	1450.00	244.00	Tag	Per and Squeeze
				WOC and	
DV tool plug	2021.00	2542.00	521.00	Tag	Per and Squeeze
				WOC and	
Shoe Plug	4301.00	4600.00	299.00	Tag	
_				WOC and	Perf and Squeeze
Glorieta @ 4535	4301.00	4600.00	299.00	Tag	500 psi leak test
				WOC and	
CIBP Plug	4301.00	4600.00	299.00	Tag	
				WOC and	Dorf and Courses
Spacer Plug @	6190.00	6350.00	160.00	Tag	Perf and Squeeze
TOC @ 6414					
				WOC and	This has already
CIBP Plug	7915.00	7950.00	35.00	Tag	been set in 2005

o more than 2000' is to be allowed between plugs in open hole, and no more than 3000' betw	/een
ugs in cased hole.	
lass H >7500'	
lass C<7500'	
uid used to mix the cement in R111P shall be saturated with the salts common to the sectio	n
enetrated, and in suitable proportions, but not more than 3% calcium chloride by weight of	
ement will be considered the desired mixture whenever possible.	
ritical, High Cave Karst: Cave Karst depth to surface	
111P: Solid plug in all annuli - 50' from bottom of salt to surface.	

Class C: 1.32 ft^3/sx	
Class H: 1.06 ft^3/sx	

Onshore Order 2.III.G Drilling Abandonment Requirements: "All formations bearing usable-quality water, oil, gas, or geothermal resources, and/or a prospectively valuable deposit of minerals shall be protected.

Cave Karst/Potash Cement	Low		
Shoe @	434.00		
Shoe @	4531.00		
Shoe @	11760.00	TOC @	6414.00
		Perforations	
Perforatons Top @	7974.00	Bottom @ Perforations	9465.00
Perforatons Top @	4650.00	Bottom @	4842.00
DV Tool @	2492.00	CIBP @	7950.00
		CIBP @	4600.00

## BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

## Permanent Abandonment of Federal Wells Conditions of Approval (LPC Habitat)

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90<sup>th</sup> day provide this office, prior to the 90<sup>th</sup> day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

# 2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-689-5981.

3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.

4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of **brine** water. Minimum nine (9) pounds per gallon.

5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours. Tagging the plug means running in the hole with a string of tubing or drill pipe and placing sufficient weight on the plug to ensure its integrity. Other methods of tagging the plug may be approved by the BLM authorized officer or BLM field representative.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

6. <u>Below Ground Level Cap (Lesser Prairie-Chicken Habitat)</u>: All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). **The BLM is to be notified a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 10<sup>th</sup> day, the <b>BLM is to be contacted with justification to receive an extension for completing the cut off.** Upon the plugging and subsequent abandonment of wells that are located in lesser prairie-chicken habitat, the casings shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The well bore shall then be covered with a metal plate at least <sup>1</sup>/<sub>4</sub> inch thick and welded in place. A weep hole shall be left in the plate and/or casing.

NMOCD also requires the operator to notify NMOCD when this type of dry hole marker is used. This can be done on the subsequent report of abandonment which is submitted to the BLM after the well is plugged. State that a below ground cap was installed as required in the COA's from the BLM.

7. <u>Subsequent Plugging Reporting</u>: Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. <u>Show date well was plugged.</u>

8. <u>Trash:</u> All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.

<u>**Timing Limitation Stipulation/ Condition of Approval for Lesser Prairie-Chicken:</u></u> From March 1<sup>st</sup> through June 15<sup>th</sup> annually, abandonment activities will be allowed except between the hours from 3:00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted</u>** 



## **United States Department of the Interior**

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

### **Reclamation Objectives and Procedures**

**Reclamation Objective:** Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any/all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip (across the slope and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech/Environmental Protection Specialist 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Jose Martinez-Colon Environmental Protection Specialist 575-234-5951

Mark Mattozzi Environmental Protection Specialist 575-234-5713

Robert Duenas Environmental Protection Specialist 575-234-2229

Doris Lauger Martinez Environmental Protection Specialist 575-234-5926

Jaden Johnston Environmental Protection Asst. (Intern) 575-234-6252

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
APACHE CORPORATION	873
303 Veterans Airpark Ln	Action Number:
Midland, TX 79705	285264
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)
CONDITIONS	

#### Created By Condition Condition Date 11/17/2023 None gcordero

Page 20 of 20

Action 285264