

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-47671	⁵ Pool Name PURPLE SAGE; WOLFCAMP	⁶ Pool Code 98220
⁷ Property Code 329796	⁸ Property Name SCHLITZ FED COM	⁹ Well Number 211H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	16	25S	26E	-	645	SOUTH	1001	WEST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	9	25S	26E	-	259	NORTH	688	WEST	EDDY
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 9/15/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 3/24/2022	²² Ready Date 9/7/2022	²³ TD 18753'	²⁴ PBTB 18688'	²⁵ Perforations 8735 ft to 18603 ft	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	409'	400 sks		
12.25"	9.625"	1960'	670 sks		
8.75"/6.75"	5.5"	18736'	1392 sks		

V. Well Test Data

³¹ Date New Oil 9/15/2022	³² Gas Delivery Date 9/15/2022	³³ Test Date 10/1/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 1475
³⁷ Choke Size 40/64	³⁸ Oil 632	³⁹ Water 4374	⁴⁰ Gas 2113		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 11/30/2023		
Date: 10/18/2022		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-47671	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 329796	⁵ Property Name SCHLITZ FED COM	⁶ Well Number 211H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3427'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	16	25-S	26-E	-	645'	SOUTH	1001'	WEST	EDDY

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	9	25-S	26-E	-	259'	NORTH	688'	WEST	EDDY

¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



SECTION 16, TOWNSHIP 25-S, RANGE 26-E, N.M.P.M.
EDDY COUNTY, NEW MEXICOFND. BRASS CAP,
U.S. G.L.O. SUR.

SCALE: 1" = 2000'

0' 1000' 2000'

FND. BRASS CAP,
U.S. G.L.O. SUR.

BOTTOM HOLE LOCATION
NEW MEXICO EAST
NAD 1983
X=550327
Y=418759
LAT.: N 32.1512443
LONG.: W 104.3042876
MD = 18751.6'

FND. BRASS CAP,
U.S. G.L.O. SUR.

LAST TAKE POINT (TOE)
NEW MEXICO EAST
NAD 1983
X=550327
Y=418688
LAT.: N 32.1510495
LONG.: W 104.3042855
330' FNL & 689' FWL
MD = 18680.7'

FND. BRASS CAP,
U.S. G.L.O. SUR.FND. BRASS CAP,
U.S. G.L.O. SUR.FND. BRASS CAP,
U.S. G.L.O. SUR.FND. BRASS CAP,
U.S. G.L.O. SUR.FND. BRASS CAP,
U.S. G.L.O. SUR.

FIRST TAKE POINT (HEEL)
NEW MEXICO EAST
NAD 1983
X=550293
Y=408741
LAT.: N 32.1237048
LONG.: W 104.3044044
330' FSL & 594' FWL
MD = 8704.4'

SURFACE LOCATION
NEW MEXICO EAST
NAD 1983
X=550694
Y=409071
LAT.: N 32.1246113
LONG.: W 104.3031078

FND. BRASS CAP,
U.S. G.L.O. SUR.FND. BRASS CAP,
U.S. G.L.O. SUR.FND. BRASS CAP,
U.S. G.L.O. SUR.FND. BRASS CAP,
U.S. G.L.O. SUR.

LEASE NAME & WELL NO.: SCHLITZ FED COM 211H

SECTION 16 TWP 25-S RGE 26-E SURVEY N.M.P.M.

COUNTY EDDY STATE NM ELEVATION 3427'

DESCRIPTION 645' FSL & 1001' FWL



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
TEXAS FIRM REGISTRATION NO. 10042504
WWW.TOPOGRAPHIC.COM

**INTERNAL
PRE-COMPLETION
PLAT**

SCHLITZ FED COM 211H
PRE-COMPLETION

REVISION:

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

DATE: 06/30/2022

FILE: C_SCHLITZ_FED_COM_211H

DRAWN BY: GJU

SHEET: 2 OF 2



Operator: Tap Rock Resources, LLC.
Well Name: Schlitz Fed Com 211H
County: Lea
State: New Mexico
Rig Name: H&P 376
API: 30-015-47671

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 184' MD – 18,681' MD
Projection to Bit: 18,753' MD
Dates Performed: 03/24/2022 – 04/13/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator:
Well Name:
Job Number:
Survey Company:
Rig Name:

Tap Rock Resources, LLC.
Schlitz Fed Com 211H
ID3344
Intrepid Directional Drilling Specialists
H&P 376

Target KBTVD: 8667.00
Target Inclination: 90.20°
Declination Correction: 7.03°
DF Elevation: 3455.0 ft

Vertical Section Calculated Along Azimuth: 359.65°											
Survey Calculation Method: Minimum Curvature											
TIE PT.	SVY	Survey	INC	AZM	Course	TVD	V'Sect	+N/-S	+E/-W	Dogleg	
TYPE	#	Depth	deg.	deg.	Length	Ft.	FT.	Ft.	Ft.	"/100"	
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00	
MWD	1	184	0.92	139.39	184	183.99	-1.13	-1.12	0.96	0.50	
MWD	2	275	1.71	124.98	91	274.97	-2.47	-2.45	2.55	0.93	
MWD	3	353	1.36	129.20	78	352.94	-3.73	-3.71	4.22	0.47	
MWD	4	502	1.63	116.81	149	501.89	-5.83	-5.78	7.48	0.28	
MWD	5	592	1.45	159.34	90	591.86	-7.48	-7.42	9.03	1.25	
MWD	6	682	1.71	209.09	90	681.83	-9.72	-9.66	8.78	1.50	
MWD	7	772	2.24	235.72	90	771.78	-11.87	-11.83	6.67	1.16	
MWD	8	863	2.46	243.98	91	862.70	-13.71	-13.68	3.44	0.44	
MWD	9	953	2.51	238.45	90	952.62	-15.56	-15.56	0.03	0.27	
MWD	10	1044	2.59	233.52	91	1043.53	-17.81	-17.83	-3.32	0.26	
MWD	11	1135	2.81	226.67	91	1134.43	-20.54	-20.58	-6.60	0.43	
MWD	12	1226	2.68	194.76	91	1225.33	-24.12	-24.17	-8.76	1.66	
MWD	13	1321	3.82	184.22	95	1320.17	-29.41	-29.47	-9.56	1.35	
MWD	14	1415	4.66	198.28	94	1413.92	-36.15	-36.22	-10.99	1.42	
MWD	15	1510	4.70	193.36	95	1508.60	-43.59	-43.67	-13.10	0.42	
MWD	16	1603	5.36	189.58	93	1601.24	-51.57	-51.66	-14.70	0.79	
MWD	17	1698	6.64	195.03	95	1695.72	-61.24	-61.34	-16.87	1.47	
MWD	18	1793	6.64	206.19	95	1790.09	-71.45	-71.58	-20.71	1.36	
MWD	19	1885	6.77	210.32	92	1881.46	-80.87	-81.03	-25.80	0.54	
MWD	20	1976	7.30	213.75	91	1971.77	-90.27	-90.47	-31.72	0.74	
MWD	21	2071	8.22	223.59	95	2065.91	-100.16	-100.41	-39.76	1.70	
MWD	22	2166	8.31	224.47	95	2159.92	-109.92	-110.22	-49.25	0.16	
MWD	23	2260	8.13	222.71	94	2252.95	-119.60	-119.96	-58.51	0.33	
MWD	24	2354	8.00	222.01	94	2346.03	-129.29	-129.70	-67.40	0.17	
MWD	25	2449	7.69	220.43	95	2440.14	-138.98	-139.45	-75.95	0.40	
MWD	26	2544	7.38	220.78	95	2534.32	-148.39	-148.91	-84.05	0.33	
MWD	27	2638	7.12	220.96	94	2627.56	-157.32	-157.88	-91.82	0.28	
MWD	28	2733	6.77	220.34	95	2721.87	-165.98	-166.59	-99.30	0.38	
MWD	29	2828	7.91	217.44	95	2816.09	-175.40	-176.05	-106.90	1.26	
MWD	30	2923	8.35	216.03	95	2910.13	-186.12	-186.82	-114.93	0.51	
MWD	31	3017	8.44	215.68	94	3003.12	-197.19	-197.94	-122.97	0.11	
MWD	32	3111	8.35	213.05	94	3096.12	-208.47	-209.27	-130.71	0.42	
MWD	33	3206	7.52	213.40	95	3190.21	-219.39	-220.24	-137.90	0.88	
MWD	34	3301	7.16	213.40	95	3284.43	-229.48	-230.37	-144.58	0.38	
MWD	35	3395	6.99	212.25	94	3377.71	-239.17	-240.10	-150.86	0.24	
MWD	36	3489	8.48	215.95	94	3470.86	-249.58	-250.55	-157.98	1.67	
MWD	37	3583	8.84	216.47	94	3563.78	-260.95	-261.97	-166.34	0.39	
MWD	38	3676	8.70	215.07	93	3655.70	-272.40	-273.47	-174.63	0.27	
MWD	39	3771	8.48	214.80	95	3749.63	-283.98	-285.10	-182.75	0.24	
MWD	40	3864	8.48	214.01	93	3841.61	-295.25	-296.42	-190.50	0.13	
MWD	41	3958	8.18	212.43	94	3934.62	-306.59	-307.81	-197.97	0.40	
MWD	42	4053	7.69	212.78	95	4028.71	-317.60	-318.86	-205.03	0.52	
MWD	43	4148	7.52	213.05	95	4122.88	-328.11	-329.41	-211.86	0.18	
MWD	44	4242	6.99	212.96	94	4216.12	-338.03	-339.37	-218.33	0.56	
MWD	45	4336	6.68	210.94	94	4309.46	-347.48	-348.85	-224.25	0.42	
MWD	46	4432	6.11	211.29	96	4404.86	-356.60	-358.01	-229.78	0.60	
MWD	47	4526	5.45	210.94	94	4498.38	-364.67	-366.11	-234.67	0.70	
MWD	48	4620	6.73	207.51	94	4591.85	-373.36	-374.83	-239.51	1.42	
MWD	49	4715	7.34	207.77	95	4686.13	-383.63	-385.13	-244.91	0.64	
MWD	50	4809	8.57	212.87	94	4779.23	-394.79	-396.33	-251.51	1.51	
MWD	51	4904	8.53	215.42	95	4873.17	-406.42	-408.02	-259.43	0.40	
MWD	52	4998	8.35	213.31	94	4966.15	-417.76	-419.40	-267.22	0.38	
MWD	53	5092	8.97	215.33	94	5059.08	-429.40	-431.09	-275.21	0.73	
MWD	54	5187	9.49	218.58	95	5152.85	-441.50	-443.25	-284.37	0.77	
MWD	55	5282	9.27	219.55	95	5246.58	-453.47	-455.27	-294.13	0.29	
MWD	56	5377	9.19	220.25	95	5340.35	-465.10	-466.96	-303.90	0.15	
MWD	57	5472	8.75	217.88	95	5434.19	-476.53	-478.46	-313.24	0.60	
MWD	58	5566	7.56	222.45	94	5527.24	-486.69	-488.66	-321.81	1.44	
MWD	59	5659	7.34	220.96	93	5619.45	-495.64	-497.66	-329.83	0.31	
MWD	60	5753	8.31	213.57	94	5712.58	-505.79	-507.86	-337.52	1.48	
MWD	61	5847	7.69	207.24	94	5805.67	-517.00	-519.11	-344.16	1.15	
MWD	62	5940	7.38	200.13	93	5897.87	-528.11	-530.25	-349.06	1.06	
MWD	63	6034	7.03	196.08	94	5991.12	-539.28	-541.45	-352.73	0.66	
MWD	64	6127	6.11	194.68	93	6083.51	-549.52	-551.70	-355.56	1.00	
MWD	65	6221	4.75	198.54	94	6177.09	-558.03	-560.23	-358.07	1.50	
MWD	66	6315	5.41	212.78	94	6270.72	-565.43	-567.65	-361.71	1.51	
MWD	67	6409	5.23	218.67	94	6364.32	-572.47	-574.72	-366.78	0.61	
MWD	68	6502	4.44	218.67	93	6456.99	-578.56	-580.84	-371.68	0.85	
MWD	69	6596	4.13	226.05	94	6550.72	-583.72	-586.03	-376.39	0.67	
MWD	70	6691	3.43	234.67	95	6645.52	-587.71	-590.05	-381.17	0.95	

MWD	71	6784	3.52	234.75	93	6738.35	-590.93	-593.30	-385.77	0.10
MWD	72	6877	3.12	234.67	93	6831.19	-594.02	-596.41	-390.17	0.43
MWD	73	6971	1.98	223.86	94	6925.10	-596.65	-599.06	-393.38	1.31
MWD	74	7064	2.37	234.93	93	7018.03	-598.90	-601.33	-396.07	0.61
MWD	75	7158	3.16	246.71	94	7111.92	-601.01	-603.47	-400.04	1.03
MWD	76	7252	2.90	254.71	94	7205.79	-602.64	-605.12	-404.71	0.53
MWD	77	7346	0.48	245.13	94	7299.74	-603.41	-605.91	-407.36	2.58
MWD	78	7441	0.62	136.58	95	7394.74	-603.95	-606.45	-407.37	0.94
MWD	79	7535	1.23	177.19	94	7488.73	-605.33	-607.83	-406.97	0.91
MWD	80	7630	1.85	193.62	95	7583.69	-607.84	-610.34	-407.28	0.79
MWD	81	7724	1.89	195.99	94	7677.64	-610.80	-613.30	-408.07	0.09
MWD	82	7818	1.80	215.42	94	7771.59	-613.48	-616.00	-409.35	0.67
MWD	83	7913	2.02	230.27	95	7866.54	-615.76	-618.28	-411.50	0.57
MWD	84	8043	2.24	242.84	130	7996.45	-618.36	-620.91	-415.53	0.40
MWD	85	8146	2.15	267.80	103	8099.38	-619.33	-621.90	-419.25	0.92
MWD	86	8242	12.53	353.32	96	8194.58	-608.99	-611.59	-422.27	13.07
MWD	87	8337	25.36	1.23	95	8284.26	-578.28	-580.88	-423.04	13.74
MWD	88	8432	38.15	1.14	95	8364.87	-528.41	-530.99	-422.01	13.46
MWD	89	8527	45.36	3.87	95	8435.70	-465.28	-467.85	-419.14	7.83
MWD	90	8622	51.65	8.52	95	8498.63	-394.67	-397.20	-411.33	7.57
MWD	91	8717	58.29	8.44	95	8553.13	-317.85	-320.30	-399.87	6.99
MWD	92	8811	62.33	7.91	94	8599.68	-237.11	-239.48	-388.27	4.33
MWD	93	8907	73.19	5.89	96	8635.97	-149.09	-151.40	-377.67	11.48
MWD	94	9001	85.89	1.23	94	8653.01	-57.08	-59.35	-372.02	14.36
MWD	95	9096	88.53	0.00	95	8657.63	37.79	35.52	-371.00	3.07
MWD	96	9192	88.75	1.32	96	8659.91	133.74	131.49	-369.90	1.39
MWD	97	9287	88.44	1.32	95	8662.24	228.67	226.43	-367.71	0.33
MWD	98	9382	88.22	2.37	95	8665.01	323.56	321.34	-364.65	1.13
MWD	99	9408	88.62	2.46	26	8665.72	349.52	347.31	-363.56	1.58
MWD	100	9502	89.41	1.93	94	8667.34	443.41	441.22	-359.96	1.01
MWD	101	9597	89.93	1.32	95	8667.89	538.36	536.18	-357.26	0.84
MWD	102	9691	89.54	1.14	94	8668.32	632.32	630.16	-355.25	0.46
MWD	103	9786	90.07	0.79	95	8668.65	727.29	725.15	-353.65	0.67
MWD	104	9881	90.46	359.91	95	8668.21	822.28	820.14	-353.06	1.01
MWD	105	9976	88.44	0.44	95	8669.12	917.27	915.13	-352.77	2.20
MWD	106	10071	88.40	359.74	95	8671.74	1012.23	1010.09	-352.63	0.74
MWD	107	10166	88.57	359.03	95	8674.25	1107.19	1105.06	-353.64	0.77
MWD	108	10259	88.75	357.89	93	8676.42	1200.15	1197.99	-356.14	1.24
MWD	109	10355	89.49	358.94	96	8677.90	1296.11	1293.94	-358.80	1.34
MWD	110	10450	89.58	359.12	95	8678.67	1391.10	1388.93	-360.41	0.21
MWD	111	10545	89.76	358.68	95	8679.22	1486.09	1483.91	-362.23	0.50
MWD	112	10640	90.42	358.07	95	8679.07	1581.07	1578.87	-364.92	0.95
MWD	113	10734	91.38	357.54	94	8677.59	1675.01	1672.79	-368.52	1.17
MWD	114	10828	91.69	359.03	94	8675.07	1768.94	1766.71	-371.34	1.62
MWD	115	10923	91.52	0.53	95	8672.41	1863.90	1861.67	-371.70	1.59
MWD	116	11018	88.40	0.79	95	8672.48	1958.88	1956.65	-370.61	3.30
MWD	117	11112	88.62	1.23	94	8674.92	2052.82	2050.60	-368.95	0.52
MWD	118	11207	89.14	1.67	95	8676.78	2147.75	2145.55	-366.55	0.72
MWD	119	11303	88.97	358.33	96	8678.36	2243.72	2241.53	-366.55	3.48
MWD	120	11397	90.11	1.14	94	8679.12	2337.71	2335.51	-366.98	3.23
MWD	121	11492	90.29	1.05	95	8678.79	2432.68	2430.49	-365.17	0.21
MWD	122	11587	91.21	0.53	95	8677.54	2527.65	2525.48	-363.86	1.11
MWD	123	11682	92.04	0.35	95	8674.85	2622.60	2620.43	-363.13	0.89
MWD	124	11776	90.33	0.35	94	8672.91	2716.57	2714.41	-362.55	1.82
MWD	125	11871	89.23	359.74	95	8673.27	2811.57	2809.41	-362.48	1.32
MWD	126	11965	88.13	0.09	94	8675.44	2905.54	2903.38	-362.62	1.23
MWD	127	12060	87.34	359.91	95	8679.19	3000.46	2998.30	-362.62	0.85
MWD	128	12155	87.47	0.17	95	8683.49	3095.36	3093.21	-362.55	0.31
MWD	129	12250	88.04	0.88	95	8687.21	3190.28	3188.13	-361.68	0.96
MWD	130	12344	88.75	1.14	94	8689.85	3284.21	3282.08	-360.03	0.80
MWD	131	12439	89.49	1.05	95	8691.30	3379.17	3377.05	-358.21	0.78
MWD	132	12533	90.37	0.70	94	8691.42	3473.15	3471.04	-356.77	1.01
MWD	133	12628	91.47	1.05	95	8689.89	3568.11	3566.01	-355.32	1.22
MWD	134	12723	92.40	0.53	95	8686.69	3663.04	3660.95	-354.01	1.12
MWD	135	12818	91.30	359.30	95	8683.62	3757.99	3755.89	-354.16	1.74
MWD	136	12912	90.90	358.94	94	8681.81	3851.96	3849.86	-355.60	0.57
MWD	137	13007	88.62	358.94	95	8682.21	3946.95	3944.84	-357.36	2.40
MWD	138	13102	88.88	359.65	95	8684.28	4041.92	4039.81	-358.53	0.80
MWD	139	13197	89.14	359.74	95	8685.93	4136.91	4134.79	-359.03	0.29
MWD	140	13292	89.41	359.82	95	8687.13	4231.90	4229.79	-359.40	0.30
MWD	141	13386	89.85	359.12	94	8687.74	4325.90	4323.78	-360.27	0.88
MWD	142	13481	90.55	359.12	95	8687.40	4420.89	4418.77	-361.72	0.74
MWD	143	13576	89.71	358.33	95	8687.19	4515.88	4513.74	-363.84	1.21
MWD	144	13671	90.55	358.50	95	8686.97	4610.86	4608.70	-366.47	0.90
MWD	145	13766	92.62	359.03	95	8684.35	4705.80	4703.64	-368.51	2.25
MWD	146	13858	92.48	358.33	92	8680.25	4797.70	4795.52	-370.63	0.78
MWD	147	13952	91.56	357.98	94	8676.94	4891.61	4889.42	-373.65	1.05
MWD	148	14046	90.29	359.12	94	8675.42	4985.57	4983.37	-376.03	1.82
MWD	149	14140	89.80	358.94	94	8675.35	5079.57	5077.36	-377.62	0.56
MWD	150	14233	90.68	358.50	93	8674.96	5172.55	5170.33	-379.70	1.06
MWD	151	14328	90.81	358.07	95	8673.72	5267.52	5265.28	-382.54	0.47
MWD	152	14423	91.03	357.36	95	8672.20	5362.45	5360.19	-386.33	0.78
MWD	153	14518	90.29	358.15	95	8671.10	5457.39	5455.11	-390.05	1.14
MWD	154	14612	89.49	358.59	94	8671.28	5551.37	5549.07	-392.73	0.97

MWD	155	14706	89.49	359.12	94	8672.12	5645.35	5643.05	-394.60	0.56
MWD	156	14799	90.11	359.21	93	8672.44	5738.35	5736.04	-395.96	0.67
MWD	157	14893	89.89	359.65	94	8672.44	5832.35	5830.03	-396.89	0.52
MWD	158	14986	88.35	0.35	93	8673.87	5925.33	5923.02	-396.89	1.82
MWD	159	15081	89.14	359.65	95	8675.95	6020.31	6017.99	-396.89	1.11
MWD	160	15177	90.15	359.03	96	8676.55	6116.30	6113.98	-398.00	1.23
MWD	161	15271	90.81	358.59	94	8675.76	6210.29	6207.96	-399.95	0.84
MWD	162	15367	91.34	357.98	96	8673.96	6306.24	6303.90	-402.83	0.84
MWD	163	15460	90.55	359.74	93	8672.43	6399.22	6396.86	-404.68	2.07
MWD	164	15553	88.62	1.05	93	8673.10	6492.20	6489.85	-404.03	2.51
MWD	165	15647	88.26	0.88	94	8675.66	6586.14	6583.81	-402.45	0.42
MWD	166	15741	88.97	0.88	94	8677.93	6680.09	6677.77	-401.01	0.76
MWD	167	15835	88.84	0.53	94	8679.73	6774.06	6771.74	-399.85	0.40
MWD	168	15929	89.63	0.09	94	8680.98	6868.04	6865.73	-399.34	0.96
MWD	169	16023	90.42	359.12	94	8680.94	6962.04	6959.73	-399.99	1.33
MWD	170	16118	92.04	358.94	95	8678.90	7057.01	7054.69	-401.60	1.72
MWD	171	16212	90.86	359.65	94	8676.52	7150.98	7148.65	-402.76	1.46
MWD	172	16305	91.47	359.82	93	8674.63	7243.96	7241.63	-403.19	0.68
MWD	173	16400	90.51	0.35	95	8672.99	7338.94	7336.61	-403.04	1.15
MWD	174	16496	90.81	0.44	96	8671.89	7434.92	7432.60	-402.38	0.33
MWD	175	16590	89.49	0.79	94	8671.64	7528.91	7526.60	-401.37	1.45
MWD	176	16684	87.78	1.14	94	8673.88	7622.85	7620.55	-399.79	1.86
MWD	177	16778	89.01	1.05	94	8676.51	7716.78	7714.50	-398.00	1.31
MWD	178	16871	89.98	1.14	93	8677.33	7809.75	7807.47	-396.22	1.05
MWD	179	16966	91.08	0.26	95	8676.45	7904.73	7902.46	-395.06	1.48
MWD	180	17060	92.13	0.00	94	8673.82	7998.68	7996.42	-394.84	1.15
MWD	181	17155	93.23	0.88	95	8669.38	8093.57	8091.31	-394.12	1.48
MWD	182	17249	92.44	1.84	94	8664.73	8187.41	8185.17	-391.89	1.32
MWD	183	17344	91.25	0.70	95	8661.67	8282.32	8280.09	-389.78	1.73
MWD	184	17438	87.69	1.14	94	8662.54	8376.28	8374.06	-388.27	3.82
MWD	185	17533	87.96	2.55	95	8666.14	8471.14	8468.94	-385.22	1.51
MWD	186	17626	88.92	2.37	93	8668.68	8563.99	8561.82	-381.23	1.05
MWD	187	17719	89.27	1.76	93	8670.14	8656.90	8654.75	-377.88	0.76
MWD	188	17813	90.42	1.76	94	8670.40	8750.83	8748.70	-374.99	1.22
MWD	189	17908	91.38	2.02	95	8668.91	8845.74	8843.64	-371.86	1.05
MWD	190	18001	89.23	1.58	93	8668.41	8938.67	8936.58	-368.94	2.36
MWD	191	18096	88.97	1.32	95	8669.90	9033.61	9031.54	-366.53	0.39
MWD	192	18190	90.24	1.14	94	8670.55	9127.57	9125.52	-364.52	1.36
MWD	193	18283	90.59	0.35	93	8669.88	9220.55	9218.51	-363.31	0.93
MWD	194	18377	90.24	359.47	94	8669.20	9314.55	9312.50	-363.45	1.01
MWD	195	18471	90.95	359.03	94	8668.22	9408.54	9406.49	-364.68	0.89
MWD	196	18566	91.34	359.38	95	8666.32	9503.52	9501.46	-366.00	0.55
MWD	197	18681	92.13	359.47	115	8662.84	9618.46	9616.40	-367.16	0.69
PTB	198	18753	92.13	359.47	72	8660.17	9690.41	9688.35	-367.82	0.00

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-015-47671		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name SCHLITZ FED COM		
								6. Well Number: 211H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043			
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat PURPLE SAGE; WOLFCAMP (GAS)			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	16	25S	26E	-	645	SOUTH	1001	WEST	EDDY
BH:	D	9	25S	26E	-	259	NORTH	688	WEST	EDDY
13. Date Spudded 3/24/2022	14. Date T.D. Reached 4/13/2022		15. Date Rig Released 4/15/2022		16. Date Completed (Ready to Produce) 9/7/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3427 GR		
18. Total Measured Depth of Well 18753 ft			19. Plug Back Measured Depth 18688 ft		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 8735 ft to 18603 ft							WOLFCAMP			
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		409'		17.5"		400 sks		0
9.625"		40		1960'		12.25"		670 sks		0
5.5"		20		18736'		8.75"/6.75"		1392 sks		0
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD		SIZE		DEPTH SET
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
Perforate from 8735 ft to 18603 ft, 1 SPF, .55 inch holes with 507 total shots						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						8735 ft to 18603 ft		39 stage frac with 25,598,290 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production 9/15/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 10/1/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 632	Gas - MCF 2113	Water - Bbl. 4374	Gas - Oil Ratio 3343			
Flow Tubing Press. 0	Casing Pressure 1475	Calculated 24-Hour Rate	Oil - Bbl. 632	Gas - MCF 2113	Water - Bbl. 4374	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By			
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name			Title			Date		
		Jeff Trlica			Regulatory Analyst			10/18/2022		
E-mail Address jtrlica@taprock.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	482		Quaternary					
482	919		Rustler					
919	1688		Top of Salt					
1988	1890		Base of Salt					
1890	1917		Lamar					
1917	2896		Bell Canyon					
2896	3776		Cherry Canyon					
3776	5429		Brushy Canyon					
5429	5841		Bone Spring					
5841	6312		Avalon					
6312	6878		1st Bone Spring Sand					
6878	8146		2nd Bone Spring Sand					
8146	8505		3rd Bone Spring Sand					
8505			Wolfcamp A					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 151756

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 151756
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 151756

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 151756
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	11/30/2023