

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-49025	⁵ Pool Name PURPLE SAGE; WOLFCAMP	⁶ Pool Code 98220
⁷ Property Code 329796	⁸ Property Name SCHLITZ FED COM	⁹ Well Number 232H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	16	25S	26E	-	642	SOUTH	1081	WEST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	9	25S	26E	-	274	NORTH	1999	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 9/15/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTB	²⁵ Perforations	²⁶ DHC, MC
3/24/2022	9/11/2022	19514'	19451'	9656 ft to 19366 ft	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	416'	400 sks		
9.875"	7.625"	8866'	991 sks		
6.75"	5.5"	19500'	894 sks		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
9/15/2022	9/15/2022	10/1/2022	24 hrs.	0	2025
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
40/64	720	3003	6595		Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 11/30/2023		
Date: 10/18/2022		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-49025	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 329796	⁵ Property Name SCHLITZ FED COM	⁶ Well Number 232H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3427'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	16	25-S	26-E	-	642'	SOUTH	1081'	WEST	EDDY

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	9	25-S	26-E	-	274'	NORTH	1999'	WEST	EDDY

¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

[Signature] 7/20/2022

Signature Date

Jeff Trlica

Printed Name

jtrlica@taprk.com

E-mail Address


¹⁸SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

03/16/2022

Date of Survey Signature and Seal of Professional Surveyor

[Signature]
Ramon A. Dominguez
NEW MEXICO
24508
PROFESSIONAL SURVEYOR
Certificate Number

SECTION 16, TOWNSHIP 25-S, RANGE 26-E, N.M.P.M.
EDDY COUNTY, NEW MEXICO

LEASE NAME & WELL NO.: SCHLITZ FED COM 232H
 SECTION 16 TWP 25-S RGE 26-E SURVEY N.M.P.M.
 COUNTY EDDY STATE NM ELEVATION 3427'
 DESCRIPTION 642' FSL & 1081' FWL

INTERNAL
PRE-COMPLETION
PLAT



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
 TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
 TEXAS FIRM REGISTRATION NO. 10042504
 WWW.TOPOGRAPHIC.COM

SCHLITZ FED COM 232H
PRE-COMPLETION

REVISION:

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

DATE: 06/30/2022

FILE: C_SCHLITZ_FED_COM_232H

DRAWN BY: GJU

SHEET: 2 OF 2



Operator: Tap Rock Resources, LLC.
Well Name: Schlitz Fed Com 232H
County: Eddy
State: New Mexico
Rig Name: H&P 376
API: 30-015-49025

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 184' MD – 19441' MD
Projection to Bit: 19514' MD
Dates Performed: 03/12/2022 – 05/15/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: **Tap Rock Resources, LLC.**
 Well Name: **Schlitz Fed Com 232H**
 Job Number: **ID3346**
 Survey Company: **Intrepid Directional Drilling Specialists**
 Rig Name: **H&P 376**

Target KBTVD: **9446.00**
 Target Inclination: **90.30°**
 Declination Correction: **7.02°**
 DF Elevation: **3455.0 ft**

Vertical Section Calculated Along Azimuth: **359.65°**

Survey Calculation Method: Minimum Curvature

TIE PT.	SVY	Survey	INC	AZM	Course	TVD	V'Sect	+N/-S	+E/-W	Dogleg
TYPE	#	Depth	deg.	deg.	Length	Ft.	FT.	Ft.	Ft.	%/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	184	1.80	106.95	184	183.97	-0.86	-0.84	2.76	0.98
MWD	2	275	1.49	127.43	91	274.93	-2.01	-1.98	5.07	0.72
MWD	3	359	1.58	109.32	84	358.90	-3.07	-3.03	7.03	0.58
MWD	4	500	2.02	140.61	141	499.84	-5.65	-5.59	10.44	0.75
MWD	5	590	1.93	138.06	90	589.78	-8.02	-7.94	12.46	0.14
MWD	6	681	1.67	151.78	91	680.74	-10.34	-10.25	14.11	0.55
MWD	7	770	2.68	162.50	89	769.67	-13.47	-13.38	15.35	1.22
MWD	8	861	3.47	143.69	91	860.54	-17.73	-17.63	17.62	1.40
MWD	9	952	4.26	125.23	91	951.34	-21.93	-21.80	22.01	1.61
MWD	10	1043	5.85	115.74	91	1041.98	-25.94	-25.76	28.95	1.97
MWD	11	1134	7.65	109.76	91	1132.35	-30.06	-29.82	38.83	2.12
MWD	12	1224	9.45	110.38	90	1221.35	-34.73	-34.42	51.40	2.00
MWD	13	1316	10.11	112.84	92	1312.01	-40.59	-40.18	65.92	0.85
MWD	14	1413	9.19	112.40	97	1407.64	-46.93	-46.44	80.93	0.95
MWD	15	1508	10.15	108.62	95	1501.29	-52.59	-52.00	95.87	1.21
MWD	16	1602	11.12	108.89	94	1593.67	-58.27	-57.58	112.30	1.03
MWD	17	1696	11.56	109.76	94	1685.84	-64.49	-63.70	129.74	0.50
MWD	18	1791	9.58	109.68	95	1779.22	-70.48	-69.58	146.14	2.08
MWD	19	1884	8.53	115.65	93	1871.06	-76.15	-75.18	159.65	1.51
MWD	20	1978	7.65	116.09	94	1964.12	-81.99	-80.95	171.55	0.94
MWD	21	2072	8.92	121.01	94	2057.14	-88.57	-87.45	183.42	1.55
MWD	22	2166	8.79	119.61	94	2150.02	-95.95	-94.76	195.91	0.27
MWD	23	2261	9.27	122.77	95	2243.85	-103.76	-102.48	208.65	0.73
MWD	24	2356	9.89	121.81	95	2337.52	-112.28	-110.93	222.02	0.67
MWD	25	2450	9.19	121.98	94	2430.22	-120.59	-119.16	235.25	0.75
MWD	26	2544	8.18	120.66	94	2523.14	-128.05	-126.54	247.37	1.10
MWD	27	2639	8.97	122.77	95	2617.08	-135.58	-134.00	259.41	0.89
MWD	28	2734	10.07	124.71	95	2710.77	-144.40	-142.74	272.46	1.21
MWD	29	2828	9.80	124.00	94	2803.36	-153.63	-151.89	285.85	0.32
MWD	30	2923	9.27	124.35	95	2897.05	-162.55	-160.73	298.87	0.56
MWD	31	3018	8.88	124.71	95	2990.86	-171.12	-169.22	311.22	0.41
MWD	32	3113	10.46	122.60	95	3084.50	-180.02	-178.04	324.51	1.70
MWD	33	3207	11.25	118.82	94	3176.82	-189.13	-187.06	339.73	1.13
MWD	34	3301	11.69	116.88	94	3268.95	-197.96	-195.78	356.26	0.62
MWD	35	3396	10.68	115.04	95	3362.14	-206.14	-203.86	372.82	1.13
MWD	36	3491	11.56	118.55	95	3455.36	-214.51	-212.14	389.16	1.17
MWD	37	3585	13.54	122.60	94	3547.11	-225.05	-222.57	406.70	2.30
MWD	38	3679	12.66	121.63	94	3638.66	-236.49	-233.90	424.74	0.96
MWD	39	3773	12.09	122.68	94	3730.48	-247.31	-244.62	441.80	0.65
MWD	40	3866	11.47	122.33	93	3821.52	-257.61	-254.82	457.81	0.67
MWD	41	3961	10.29	122.24	95	3914.81	-267.28	-264.40	472.97	1.24
MWD	42	4054	9.32	122.42	93	4006.45	-275.83	-272.87	486.35	1.04
MWD	43	4148	8.48	121.37	94	4099.32	-283.60	-280.56	498.70	0.91
MWD	44	4243	10.02	125.50	95	4193.08	-292.12	-289.00	511.41	1.76
MWD	45	4338	11.78	128.92	95	4286.36	-303.10	-299.90	525.68	1.97
MWD	46	4432	10.59	128.31	94	4378.58	-314.57	-311.28	539.92	1.27
MWD	47	4526	11.25	125.85	94	4470.87	-325.38	-322.00	554.13	0.86

MWD	48	4622	12.97	118.99	96	4564.74	-336.19	-332.71	571.15	2.33
MWD	49	4716	12.62	119.26	94	4656.40	-346.44	-342.84	589.34	0.38
MWD	50	4810	11.65	119.52	94	4748.30	-356.24	-352.54	606.55	1.03
MWD	51	4905	10.95	119.70	95	4841.46	-365.53	-361.73	622.74	0.74
MWD	52	4999	10.02	119.26	94	4933.89	-374.04	-370.15	637.63	0.99
MWD	53	5094	9.41	119.61	95	5027.53	-382.00	-378.03	651.59	0.65
MWD	54	5188	8.31	118.99	94	5120.40	-389.17	-385.12	664.21	1.17
MWD	55	5282	9.41	119.96	94	5213.28	-396.38	-392.25	676.81	1.18
MWD	56	5377	9.23	121.01	95	5307.03	-404.26	-400.05	690.07	0.26
MWD	57	5472	10.02	119.52	95	5400.69	-412.34	-408.05	703.79	0.87
MWD	58	5567	9.89	122.16	95	5494.26	-420.84	-416.47	717.89	0.50
MWD	59	5662	10.07	119.96	95	5587.82	-429.42	-424.96	731.99	0.44
MWD	60	5756	8.57	117.94	94	5680.58	-436.89	-432.34	745.30	1.63
MWD	61	5849	7.91	125.32	93	5772.62	-443.90	-439.29	756.64	1.34
MWD	62	5943	9.93	121.63	94	5865.48	-451.97	-447.28	768.82	2.23
MWD	63	6037	9.19	121.37	94	5958.17	-460.21	-455.44	782.13	0.79
MWD	64	6130	7.56	121.54	93	6050.18	-467.34	-462.51	793.69	1.75
MWD	65	6224	9.23	114.86	94	6143.17	-473.82	-468.91	805.80	2.05
MWD	66	6317	11.78	114.77	93	6234.60	-481.03	-476.02	821.19	2.74
MWD	67	6411	13.05	119.61	94	6326.41	-490.41	-485.29	839.13	1.75
MWD	68	6505	11.25	118.55	94	6418.30	-500.14	-494.92	856.41	1.93
MWD	69	6599	9.27	118.20	94	6510.79	-508.19	-502.88	871.14	2.11
MWD	70	6692	7.74	117.85	93	6602.76	-514.73	-509.34	883.28	1.65
MWD	71	6786	7.08	121.98	94	6695.98	-520.82	-515.37	893.79	0.90
MWD	72	6881	6.20	125.32	95	6790.34	-526.94	-521.43	902.94	1.01
MWD	73	6974	5.85	122.95	93	6882.83	-532.47	-526.91	911.02	0.46
MWD	74	7067	5.32	123.91	93	6975.39	-537.50	-531.90	918.57	0.58
MWD	75	7161	3.96	127.96	94	7069.08	-541.96	-536.33	924.75	1.49
MWD	76	7254	4.70	119.43	93	7161.81	-545.85	-540.17	930.60	1.05
MWD	77	7348	5.27	103.00	94	7255.46	-548.76	-543.04	938.16	1.63
MWD	78	7442	4.79	99.74	94	7349.10	-550.44	-544.67	946.24	0.59
MWD	79	7536	5.14	87.26	94	7442.75	-550.95	-545.13	954.31	1.21
MWD	80	7631	2.81	100.10	95	7537.51	-551.20	-545.34	960.86	2.61
MWD	81	7725	1.80	120.31	94	7631.44	-552.37	-546.49	964.40	1.36
MWD	82	7820	1.58	135.25	95	7726.40	-554.07	-548.17	966.61	0.52
MWD	83	7914	0.97	133.93	94	7820.37	-555.55	-549.64	968.09	0.65
MWD	84	8008	1.14	157.49	94	7914.36	-556.97	-551.06	969.02	0.49
MWD	85	8103	1.32	167.77	95	8009.34	-558.92	-553.00	969.62	0.30
MWD	86	8196	1.10	194.23	93	8102.32	-560.83	-554.91	969.63	0.64
MWD	87	8291	1.58	214.88	95	8197.29	-562.78	-556.87	968.65	0.71
MWD	88	8386	1.36	211.01	95	8292.26	-564.81	-558.91	967.32	0.25
MWD	89	8481	1.45	213.21	95	8387.23	-566.78	-560.89	966.08	0.11
MWD	90	8576	1.41	208.55	95	8482.20	-568.80	-562.92	964.87	0.13
MWD	91	8671	1.27	216.99	95	8577.18	-570.66	-564.79	963.67	0.25
MWD	92	8766	0.97	217.43	95	8672.16	-572.13	-566.26	962.55	0.32
MWD	93	8861	1.01	201.26	95	8767.14	-573.55	-567.68	961.76	0.30
MWD	94	8888	1.05	218.84	27	8794.14	-573.96	-568.10	961.52	1.18
MWD	95	9003	5.58	340.83	115	8908.97	-569.48	-563.63	959.02	5.39
MWD	96	9098	21.98	349.18	95	9000.93	-547.48	-541.66	954.13	17.35
MWD	97	9194	27.47	355.59	96	9088.11	-507.69	-501.90	949.05	6.36
MWD	98	9289	35.38	355.68	95	9169.11	-458.31	-452.55	945.29	8.33
MWD	99	9384	46.15	352.25	95	9240.96	-396.72	-390.99	938.58	11.58
MWD	100	9478	55.03	350.15	94	9300.59	-324.97	-319.31	927.40	9.60
MWD	101	9573	60.66	350.94	95	9351.13	-245.59	-240.01	914.21	5.97
MWD	102	9667	70.37	357.79	94	9390.08	-160.56	-155.03	906.02	12.27
MWD	103	9762	81.10	358.58	95	9413.45	-68.65	-63.14	903.12	11.32
MWD	104	9857	86.33	359.55	95	9423.85	25.74	31.25	901.59	5.60
MWD	105	9952	86.77	0.08	95	9429.57	120.57	126.07	901.28	0.72
MWD	106	10047	91.16	359.46	95	9431.28	215.53	221.03	900.90	4.67
MWD	107	10142	88.88	357.00	95	9431.25	310.48	315.97	897.96	3.53
MWD	108	10236	88.84	357.79	94	9433.12	404.39	409.86	893.69	0.84

MWD	109	10331	90.68	359.73	95	9433.52	499.37	504.83	891.64	2.81
MWD	110	10426	89.05	357.35	95	9433.74	594.34	599.79	889.22	3.04
MWD	111	10522	90.07	358.23	96	9434.48	690.29	695.71	885.52	1.40
MWD	112	10616	92.79	1.04	94	9432.13	784.24	789.66	884.92	4.16
MWD	113	10710	92.92	0.16	94	9427.45	878.11	883.54	885.90	0.95
MWD	114	10804	88.35	359.64	94	9426.41	972.08	977.51	885.73	4.89
MWD	115	10900	90.42	359.02	96	9427.44	1068.06	1073.49	884.61	2.25
MWD	116	10994	90.46	359.37	94	9426.72	1162.06	1167.48	883.29	0.37
MWD	117	11088	90.55	359.29	94	9425.89	1256.05	1261.47	882.19	0.13
MWD	118	11183	89.80	359.55	95	9425.60	1351.05	1356.46	881.23	0.84
MWD	119	11306	85.14	358.41	123	9431.03	1473.89	1479.28	879.05	3.90
MWD	120	11401	85.23	359.99	95	9439.00	1568.55	1573.94	877.72	1.66
MWD	121	11496	89.80	0.34	95	9443.12	1663.43	1668.82	878.00	4.82
MWD	122	11590	89.80	0.43	94	9443.45	1757.42	1762.82	878.63	0.10
MWD	123	11685	88.40	359.64	95	9444.94	1852.40	1857.80	878.69	1.69
MWD	124	11780	91.38	359.73	95	9445.12	1947.39	1952.79	878.17	3.14
MWD	125	11874	91.69	359.73	94	9442.60	2041.36	2046.76	877.72	0.33
MWD	126	11968	87.78	356.91	94	9443.04	2135.30	2140.69	874.97	5.13
MWD	127	12063	88.44	357.62	95	9446.17	2230.17	2235.53	870.44	1.02
MWD	128	12159	89.49	0.16	96	9447.91	2326.13	2331.48	868.58	2.86
MWD	129	12253	89.67	0.08	94	9448.59	2420.13	2425.48	868.78	0.21
MWD	130	12347	90.59	359.02	94	9448.38	2514.13	2519.48	868.04	1.49
MWD	131	12442	91.87	1.13	95	9446.34	2609.09	2614.45	868.16	2.60
MWD	132	12536	93.80	2.10	94	9441.69	2702.92	2708.29	870.81	2.30
MWD	133	12631	93.63	2.36	95	9435.54	2797.62	2803.02	874.50	0.33
MWD	134	12726	92.66	1.66	95	9430.33	2892.40	2897.81	877.82	1.26
MWD	135	12821	91.82	0.96	95	9426.61	2987.28	2992.72	879.99	1.15
MWD	136	12916	91.69	2.10	95	9423.70	3082.19	3087.64	882.53	1.21
MWD	137	13010	88.57	359.81	94	9423.49	3176.14	3181.60	884.09	4.12
MWD	138	13106	87.91	0.08	96	9426.44	3272.10	3277.56	884.00	0.74
MWD	139	13201	86.42	0.16	95	9431.14	3366.97	3372.44	884.20	1.57
MWD	140	13296	89.80	1.04	95	9434.27	3461.90	3467.37	885.20	3.68
MWD	141	13390	92.35	3.59	94	9432.51	3555.76	3561.26	888.99	3.84
MWD	142	13485	92.31	4.91	95	9428.64	3650.38	3655.92	896.02	1.39
MWD	143	13579	88.97	1.39	94	9427.59	3744.17	3749.74	901.19	5.16
MWD	144	13674	90.59	3.24	95	9427.96	3839.06	3844.66	905.02	2.59
MWD	145	13769	90.77	2.01	95	9426.83	3933.92	3939.55	909.37	1.31
MWD	146	13861	90.59	1.57	92	9425.74	4025.85	4031.50	912.25	0.52
MWD	147	13955	91.60	359.90	94	9423.94	4119.81	4125.47	913.45	2.08
MWD	148	14049	91.78	358.32	94	9421.17	4213.76	4219.41	911.99	1.69
MWD	149	14144	90.55	356.91	95	9419.24	4308.68	4314.30	908.04	1.97
MWD	150	14237	92.44	358.93	93	9416.81	4401.59	4407.20	904.67	2.97
MWD	151	14332	88.79	358.41	95	9415.79	4496.56	4502.16	902.46	3.88
MWD	152	14427	87.56	358.67	95	9418.82	4591.49	4597.07	900.04	1.32
MWD	153	14521	86.86	359.02	94	9423.39	4685.37	4690.94	898.15	0.83
MWD	154	14616	88.18	359.55	95	9427.50	4780.28	4785.84	896.97	1.50
MWD	155	14709	90.15	0.16	93	9428.86	4873.26	4878.83	896.73	2.22
MWD	156	14802	89.49	359.99	93	9429.15	4966.26	4971.83	896.85	0.73
MWD	157	14896	89.98	359.46	94	9429.59	5060.26	5065.83	896.40	0.77
MWD	158	14990	93.58	0.08	94	9426.67	5154.19	5159.76	896.02	3.89
MWD	159	15084	87.96	358.93	94	9425.40	5248.15	5253.71	895.21	6.10
MWD	160	15180	89.58	359.99	96	9427.46	5344.12	5349.68	894.31	2.02
MWD	161	15274	92.22	357.62	94	9425.99	5438.08	5443.63	892.35	3.77
MWD	162	15370	94.95	358.14	96	9419.99	5533.84	5539.37	888.80	2.89
MWD	163	15463	89.10	356.12	93	9416.70	5626.65	5632.15	884.15	6.65
MWD	164	15556	89.19	357.26	93	9418.09	5719.51	5724.98	878.78	1.23
MWD	165	15650	91.78	358.76	94	9417.29	5813.46	5818.91	875.52	3.18
MWD	166	15744	94.99	359.11	94	9411.74	5907.27	5912.72	873.77	3.44
MWD	167	15839	94.42	359.20	95	9403.95	6001.95	6007.39	872.38	0.61
MWD	168	15933	87.87	356.56	94	9402.07	6095.83	6101.25	868.90	7.51
MWD	169	16026	88.62	359.73	93	9404.92	6188.74	6194.14	865.89	3.50

MWD	170	16121	92.70	1.31	95	9403.83	6283.70	6289.11	866.75	4.61
MWD	171	16216	89.89	359.37	95	9401.68	6378.65	6384.07	867.32	3.59
MWD	172	16309	86.07	357.97	93	9404.96	6471.56	6476.97	865.16	4.37
MWD	173	16404	85.54	357.53	95	9411.91	6566.25	6571.64	861.44	0.72
MWD	174	16499	89.23	359.64	95	9416.24	6661.12	6666.49	859.10	4.47
MWD	175	16593	91.52	0.08	94	9415.63	6755.11	6760.48	858.87	2.48
MWD	176	16687	90.99	359.81	94	9413.57	6849.08	6854.46	858.78	0.63
MWD	177	16782	92.18	0.43	95	9410.94	6944.04	6949.42	858.98	1.41
MWD	178	16874	92.26	1.13	92	9407.38	7035.95	7041.34	860.23	0.77
MWD	179	16969	87.12	0.52	95	9407.89	7130.90	7136.30	861.60	5.45
MWD	180	17063	86.37	0.34	94	9413.23	7224.74	7230.14	862.30	0.82
MWD	181	17158	91.69	0.16	95	9414.83	7319.69	7325.09	862.72	5.60
MWD	182	17252	91.87	359.81	94	9411.92	7413.64	7419.05	862.69	0.42
MWD	183	17347	92.92	359.37	95	9407.95	7508.55	7513.96	862.01	1.20
MWD	184	17441	88.62	358.14	94	9406.68	7602.51	7607.91	859.97	4.76
MWD	185	17537	88.53	358.14	96	9409.07	7698.45	7703.83	856.86	0.09
MWD	186	17630	88.26	357.88	93	9411.67	7791.37	7796.73	853.63	0.40
MWD	187	17722	89.98	359.90	92	9413.09	7883.35	7888.70	851.85	2.88
MWD	188	17817	89.45	359.29	95	9413.56	7978.34	7983.69	851.17	0.85
MWD	189	17911	89.67	359.81	94	9414.28	8072.34	8077.69	850.44	0.60
MWD	190	18004	91.78	0.78	93	9413.11	8165.32	8170.67	850.91	2.50
MWD	191	18099	92.00	0.96	95	9409.97	8260.25	8265.61	852.36	0.30
MWD	192	18193	91.96	1.66	94	9406.72	8354.15	8359.53	854.50	0.75
MWD	193	18286	91.91	2.10	93	9403.58	8447.03	8452.42	857.55	0.48
MWD	194	18380	91.03	1.22	94	9401.17	8540.94	8546.35	860.28	1.32
MWD	195	18474	89.80	0.08	94	9400.49	8634.92	8640.34	861.34	1.78
MWD	196	18570	88.22	359.73	96	9402.15	8730.90	8736.32	861.18	1.69
MWD	197	18664	89.80	359.99	94	9403.77	8824.88	8830.31	860.95	1.70
MWD	198	18758	88.92	359.37	94	9404.82	8918.87	8924.30	860.43	1.15
MWD	199	18852	90.77	359.81	94	9405.08	9012.87	9018.29	859.76	2.02
MWD	200	18946	93.23	0.43	94	9401.80	9106.80	9112.22	859.95	2.70
MWD	201	19039	93.10	0.78	93	9396.66	9199.65	9205.08	860.93	0.40
MWD	202	19133	92.57	0.08	94	9392.01	9293.52	9298.96	861.64	0.93
MWD	203	19228	92.40	359.99	95	9387.90	9388.43	9393.87	861.69	0.20
MWD	204	19323	92.09	0.34	95	9384.17	9483.35	9488.80	861.97	0.49
MWD	205	19441	90.02	0.34	118	9382.00	9601.32	9606.77	862.67	1.75
PTB	206	19514	90.02	0.34	73	9381.98	9674.31	9679.77	863.10	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-49025										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name SCHLITZ FED COM		
								6. Well Number: 232H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat PURPLE SAGE; WOLFCAMP (GAS)		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	16	25S	26E	-	642	SOUTH	1081	WEST	EDDY
BH:	C	9	25S	26E	-	274	NORTH	1999	WEST	EDDY
13. Date Spudded 3/24/2022	14. Date T.D. Reached 5/15/2022		15. Date Rig Released 5/18/2022			16. Date Completed (Ready to Produce) 9/11/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3427 GR		
18. Total Measured Depth of Well 19514 ft			19. Plug Back Measured Depth 19451 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 9656 ft to 19366 ft								WOLFCAMP		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		416'		17.5"		400 sks		0
7.625"		29.7		8866'		9.875"		991 sks		0
5.5"		20		19500'		6.75"		894 sks		0
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD		SIZE		DEPTH SET
26. Perforation record (interval, size, and number) Perforate from 9656 ft to 19366 ft, 1 SPF, .55 inch holes with 572 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 9656 ft to 19366 ft 44 stage frac with 25,093,370 lbs of 100 mesh sand				
28. PRODUCTION										
Date First Production 9/15/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 10/1/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 720	Gas - MCF 6595	Water - Bbl. 3003	Gas - Oil Ratio 9160			
Flow Tubing Press. 0	Casing Pressure 2025	Calculated 24-Hour Rate	Oil - Bbl. 720	Gas - MCF 6595	Water - Bbl. 3003	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name			Title			Date		
		Jeff Trlica			Regulatory Analyst			10/18/2022		
E-mail Address jtrlica@taprock.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	478		Quaternary					
478	915		Rustler					
915	1684		Top of Salt					
1984	1886		Base of Salt					
1886	1913		Lamar					
1913	2892		Bell Canyon					
2892	3788		Cherry Canyon					
3788	5443		Brushy Canyon					
5443	5860		Bone Spring					
5860	6337		Avalon					
6337	6911		1st Bone Spring Sand					
6911	8190		2nd Bone Spring Sand					
8190	8539		3rd Bone Spring Sand					
8539	8819		Wolfcamp A					
8819	9333		Wolfcamp B					
9333			Wolfcamp C					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 151758

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 151758
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 151758

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 151758
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	11/30/2023