DAXKXXXX

South District-Artesia

State of New Mexico

Energy, Minerals and Natural Resources Department Oil Conservation Division Hobbs District Office

		BRADENHEAD T	TEST REPORT				
- W	Jaler bridge	Stolelin perty Name	e UC	30.0/5-4	9301		
K	amad	Locleral S	auto				
¹ Surface Location							
UL-Lot Section To	ownship Rauge	Feet from	n N/S Line	Feet From E/V Line	Eddl		
		Well Sta	itus	IN CORPORA			
YES TA'D WELL NO	YES SHUT-IN	NO INJ	SWD OIL PRO	DOUCER GAS 35	12/2023		
		OBSERVED	DATA				
and the second s	(A)Surface	(B)Interm(1)	(C)Interm(2)	(D)Prod Csng	(E)Tubing		
Pressure	Comentex			/ ()	1820		
Flow Characteristics					Hart /		
Puff	Y/N	YIN	Y/N/	Y/N	CO2 WTR		
Steady Flow	YIN	Y I(N)	Y/N	Y /(N)	GAS _		
Surges	Y/ N	Y/(N)	Y / N	Y / (N)	Type of Flaid		
Down to nothing	/Y/N	(X) / N	Y/N	(Y) N	Jajected for Waterfield if		
Gas or Oil	/ Y / N	YN	y/N	Y / (N)	applies		
Water	Y/N	YYY	Y/N	Y(N)	(CSU)		
Remarks - Please state for e			g bleed down or continuous b				
Angelong edister resurrous side Grade Glade Glade September (1991)	namental sur sing sur						
Signature:		<u> </u>	The second second	OIL CONSERVAT	TION DIVISION		
				Entered into RBDMS			
Printed name:				test	***		
Title:			I No				
E-mail Address:	58 1						
Date: 5/24/20	Phone:	VX	2		A STATE OF THE STA		
	Witness:	heava of					

INSTRUCTIONS ON BACK OF THIS FORM

PERFORMING BRADENHEAD TEST

General Procedure for Bradenhead Test

Identify: All valves prior to testing

Gauges: Install on each casing string to record pressure.

Assure: That all valves are in good working condition and closed at least 24 hours prior

to testing.

Open: Each valve (Bradenhead, intermediate and casing valves) is to be opened

separately.

Check Gauges: Record pressure on each gauge and casing string on BHT form. Open

valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string:

Blow or Puff
Bled down to Nothing
Steady Flow
Oil or Gas
Water
Yes or No
Yes or No
Yes or No
Yes or No

Start: Injection or SWD pump so tubing pressure can be read.

In case of pressure:

1. Record pressure reading on gauge.

- 2. Bleed and note time elapsed to bleed down.
- 3. Leave valve open for additional observation.
- 4. Note any fluids expelled.

In absence of Pressure:

- 1. Leave valve open for additional observation.
- 2. Note types of fluids expelled.
- 3. Note if fluids persist throughout test.

Note: Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 286292

CONDITIONS

Operator:	OGRID:	
WaterBridge Stateline LLC	330129	
5555 San Felipe	Action Number:	
Houston, TX 77056	286292	
	Action Type:	
	[UF-BHT] Bradenhead Test (BRADENHEAD TEST)	

CONDITIONS

Created By		Condition Date
kfortner	None	12/4/2023