

State of New Mexico
Energy, Minerals and Natural Resources

Form **C-103** Page 1 of 5
Revised August 1, 2011

District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-005-20944
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name New Mexico BA State
8. Well Number 001
9. OGRID Number 330352
10. Pool name or Wildcat Siete; San Andres

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Northern Pacific Oil and Gas Incorporated

3. Address of Operator
530b Harkle Road, Santa Fe, NM 87505

4. Well Location

Unit Letter D : 990 feet from the North line and 610 feet from the West line
Section 16 Township 8S Range 31E NMPM County Chaves

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☒ XX
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHED

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Plugging Supervisor DATE 11/12/2023

Type or print name Bobby Stearns E-mail address: bobbystearns1@yahoo.com PHONE: 575-760-2482
For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 12/5/23

Conditions of Approval (if any):

**Plugging Report
Northern Pacific Oil and Gas Incorporated
New Mexico BA State #1
API 30-005-20944**

10/25/2023 MIRU and install BOP. Made gauge ring run with 4.5" ring. Could not get past 1681'. POOH and RIH with 1 7/16" sinker bar. Worked through at 1681' and 1812'. Continued to 3682'. POOH with sinker bar and SION.

10/26/2023 Pumped 50 bbls fresh water and made another 4.5" gauge ring run. Could not get past 1681'. RIH with 2 3/8" WS with 4' perforated sub with bull plug on the bottom. Worked though bad spots and RIH to 3621'. Called OCD. Spot 25 sx cement at 3621'. WOC and tagged at 3525'. Pump 50 bbl MLF. POOH and spot 25 sx cement at 2315'. POOH and SION.


10/27/2023 Tagged cement at 2097'. POOH to 1903' and spot 50 sx cement across bad casing. WOC and tagged at 1808'. Spot 50 sx cement with CaCl at 1808'. SION

10/30/2023 Tagged cement at 1685'. Spot 25 sx cement with CaCl at 1685'. WOC and tagged at 1685'. Spot 25 sx with CaCl at 1685'. POOH and SION.

10/31/2023 Tagged at 1685'. Pump LCM and spot 25 sx cement with CaCl. WOC and tagged at 1685'. Spot 25 sx cement with LCM and CaCl. POOH and SION.

11/1/2023 Tagged at 1563'. Caught circulation and tested casing to 500#. Good. Perforated casing at 1380'. Set packer and squeezed with 40 sx cement with CaCl. Good circulation with surface. WOC and tagged at 1225'. Perforated casing at 250'. Circulated in/out 5.5" casing with 115 sx. SION

11/2/2023 Dig out and remove the wellhead. Filled up both strings with 15 sx cement. Remained at surface. Installed BG marker and removed the anchors.



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 288087

COMMENTS

Operator: NORTHERN PACIFIC OIL AND GAS INCORPORATED 150 S. Rodeo Drive 250 Beverly Hills, CA 90210	OGRID: 330352
	Action Number: 288087
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM.	12/7/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 288087

CONDITIONS

Operator: NORTHERN PACIFIC OIL AND GAS INCORPORATED 150 S. Rodeo Drive 250 Beverly Hills, CA 90210	OGRID: 330352
	Action Number: 288087
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	12/5/2023