

Well Name: GETTY 5 FED COM	Well Location: T25S / R33E / SEC 5 / SESW / 32.1531237 / -103.5973995	County or Parish/State: LEA / NM
Well Number: 507H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM118726	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254766400X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Well Spud
Date Sundry Submitted:	02/01/2021	Time Sundry Submitted:	1:19:54 PM
Date Operation Will Begin:	01/20/2021	Time Operation Will Begin:	11:00:00 AM
APD Approved Date:	08/07/2020		
US Well Number	3002547664		
Field Contact Name:	E DEL VALLE	Field Contact Number:	(432) 636-3600
Rig Name:		Rig Number:	HP246
Spud Type:	Conductor Hole, Rathole and/or Mousehole		
Procedure Description:	1-21-2021 20" Conductor @ 120'		
Disposition:	Accepted		
Accepted Date:	05/20/2021		

Well Name: GETTY 5 FED COM

Well Location: T25S / R33E / SEC 5 / SESW / 32.1531237 / -103.5973995

County or Parish/State: LEA / NM

Well Number: 507H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM118726

Unit or CA Name:

Unit or CA Number:

US Well Number: 300254766400X1

Well Status: Drilling Well

Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:

Notification

Type of Action:

Casing and Cementing

Date Sundry Submitted:

Feb 2, 2021

Time Sundry Submitted:

1:06:12 PM

Date Operation will begin:

Jan 29, 2021

Time Operation will begin:

11:00:00 AM

Field Contact Name:

E DEL VALLE

Field Contact Number:

4326363600

Rig Name:

Rig Number:

HP246

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
SURFACE	0	0	3457	1195	1195	2262

Procedure Description:

1-30-2021 17 1/2" HOLE
1-30-2021 Surface Hole @ 1,228' MD, 1,228' TVD
Casing shoe @ 1,213' MD
Ran 13-3/8" 54.5# J-55 STC
Lead Cement w/ 585 sx Class C (1.79 yld, 13.5 ppg), Trail w/190 sx Class C (1.35 yld, 14.8 ppg)
Test casing to 1,500 psi for 30 min -good. Circ 220 sx cement to surface Resume drilling 12 - 1/4" hole

Well Name: GETTY 5 FED COM	Well Location: T25S / R33E / SEC 5 / SESW / 32.1531237 / -103.5973995	County or Parish/State: LEA / NM
Well Number: 507H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM118726	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254766400X1	Well Status: Approved Application for Permit to Drill	Operator: EOG RESOURCES INCORPORATED

Notification

Type of Submission:	Notification	Type of Action:	Casing and Cementing
Date Sundry Submitted:	Feb 2, 2021	Time Sundry Submitted:	1:10:33 PM
Date Operation will begin:	Jan 31, 2021	Time Operation will begin:	11:00:00 AM
Field Contact Name:	E Del Valle	Field Contact Number:	4326363600
Rig Name:		Rig Number:	HP246

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
INTERMEDIATE	0	0		4000	4000	-543

Procedure Description: 2-1-2021 12 3/4" HOLE
2-1-2021 1st Intermediate Hole @ 4,984' MD, 4,970' TVD
Casing shoe @ 4,969' MD
Ran 9-5/8", 40#, J-55 LTC (0' - 3,693')
Ran 9-5/8", 40#, HCK-55 LTC (3,693' - 4,969')
Lead Cement w/ 1,145 sx Class C (2.18 yld, 12.7 ppg), Trail w/295 sx Class C 212 (1.39 yld, 14.8 ppg)
Test casing to 1,900 psi for 30 min - good. Circ 343 sx cement to surface Resume drilling 8-3/4: hole

Well Name: GETTY 5 FED COM	Well Location: T25S / R33E / SEC 5 / SESW / 32.1531237 / -103.5973995	County or Parish/State: LEA / NM
Well Number: 507H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM118726	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254766400S1	Well Status: Producing Oil Well	Operator: EOG RESOURCES INCORPORATED

Notification

Sundry ID:	1341303	Type of Action:	Casing and Cementing
Type of Submission:	Notification	Time Sundry Submitted:	9:30:17 AM
Date Sundry Submitted:	Feb 10, 2021	Time Operation will begin:	11:00:00 AM
Date Operation will begin:	Feb 6, 2021	Field Contact Number:	4326363600
Field Contact Name:	E DEL VALLE	Rig Number:	HP246
Rig Name:			

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
PRODUCTION	0	0		11073	11073	-7616
PRODUCTION	11073	11073	-7462	18269	10732	-7275

Procedure Description:	2-7-2021 8-1/2" HOLE 2-7-2021 Production Hole @ 18,265' MD, 10,735' TVD Casing Shoe @ 18,253' MD, 10,784' TVD Ran 5-1/2", 20#, HCP-110, DWC Cement w/ 515 sx Class L (3.75 yld, 10.5 ppg), followed by 1,745 sx Class H (1.23 yld, 14.5 ppg) Did not circ cement to surface, TOC @ 1,681' by Calc RR 2-8-2021 completion to follow
Disposition:	Accepted
Accepted Date:	07/09/2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 81855

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 81855
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
nmurphy	Please verify tieback with CBL	12/8/2023
nmurphy	Please submit production casing pressure test	12/8/2023