

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 602 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-47033	⁵ Pool Name WC-015 G-03 S262925D; BONE SPRING	⁶ Pool Code 98211
⁷ Property Code 326330	⁸ Property Name WTG FED COM	⁹ Well Number 122H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
C	27	26S	29E		290	NORTH	1895	WEST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
10	34	26S	29E		30	SOUTH	1879	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 2/15/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTB	²⁵ Perforations	²⁶ DHC, MC
10/3/21	1/17/2022	15725'	15665'	8593 ft to 15581 ft	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	620'	820		
12-1/2"	9-5/8"	3070'	880		
8-3/4"/8-1/2"	5-1/2"	15713'	2090		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
2/15/2022	2/15/2022	3/1/2022	24 hrs	0	1300
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
40/64	1135	3108	5457		Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 12/12/2023		
Date: 3/21/2022		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-47033		² Pool Code 98211	³ Pool Name WC-015 G-03 S262925D;BONE SPRING
⁴ Property Code 326330	⁵ Property Name WTG FED COM		⁶ Well Number 122H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.		⁹ Elevation 2885'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	27	26-S	29-E	-	290'	NORTH	1895'	WEST	EDDY

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
10	34	26-S	29-E	-	30'	SOUTH	1879'	WEST	EDDY

¹² Dedicated Acres 240	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

[Signature]

1/10/2022

Signature

Date

Jeff Trlica

Printed Name

jtrlica@taprk.com

E-mail Address

¹⁸SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.


08/28/2021

Date of Survey

Signature and Seal of Professional Surveyor

[Professional Surveyor Seal: RANON A. DOMINGUEZ, PROFESSIONAL SURVEYOR, 24508]

Certificate Number



LEASE NAME & WELL NO.: WTG FED COM 122H
SECTION 27 TWP 26-S RGE 29-E SURVEY N.M.P.M.
COUNTY EDDY STATE NM ELEVATION 2885'
DESCRIPTION 290' FNL & 1895' FWL

INTERNAL
PRE-COMPLETION
PLAT



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY
1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM



WTG FED COM 122H PRE-COMPLETION	REVISION:	
	INT	DATE
DATE: 11/30/2021		
FILE: C_WTG_FED COM_122H		
DRAWN BY: GJU		
SHEET: 2 OF 2		

NOTES:
1. ORIGINAL DOCUMENT SIZE: 8.5" X 14"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.



Operator: Tap Rock Resources LLC
Well Name: WTG Fed Com #122H
County: Eddy
State: New Mexico
Rig Name: H&P 261
API: 30-015-47033

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 193' MD – 15,661' MD
Projection to Bit: 15,725' MD
Dates Performed: 10/03/2021 – 10/14/2021.
Type of Survey: MWD

A handwritten signature in black ink, appearing to read "T. Henk".

Sincerely,

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC

Well Name: WTG Fed Com 122H

Job Number: ID3075

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 261

Target KBTVD: 8630.00

Target Inclination: 90.40°

Declination Correction: 6.35°

KB Elevation: 2911

Vertical Section Calculated Along Azimuth: 181.14°

Survey Calculation Method: Minimum Curvature

TIE PT.	SVY	Survey	INC	AZM	Course	TVD	V'Sect	+N/-S	+E/-W	Dogleg
TYPE	#	Depth	deg.	deg.	Length	Ft.	FT.	Ft.	Ft.	%/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	193	0.44	177.03	193	193.00	0.74	-0.74	0.04	0.23
MWD	2	332	0.62	197.69	139	331.99	1.99	-1.99	-0.16	0.19
MWD	3	423	0.84	225.29	91	422.99	2.94	-2.93	-0.79	0.45
MWD	4	563	0.84	219.48	140	562.97	4.48	-4.44	-2.17	0.06
MWD	5	686	1.05	225.99	123	685.95	5.99	-5.92	-3.55	0.19
MWD	6	777	1.14	225.64	91	776.94	7.23	-7.13	-4.80	0.10
MWD	7	868	1.45	233.20	91	867.91	8.58	-8.46	-6.37	0.39
MWD	8	958	1.67	250.51	90	957.88	9.74	-9.58	-8.52	0.57
MWD	9	1052	1.23	261.06	94	1051.85	10.40	-10.19	-10.80	0.55
MWD	10	1147	0.88	359.85	95	1146.84	9.85	-9.62	-11.81	1.70
MWD	11	1241	1.05	9.43	94	1240.83	8.28	-8.05	-11.67	0.25
MWD	12	1335	1.36	340.42	94	1334.81	6.38	-6.15	-11.91	0.72
MWD	13	1430	1.14	349.48	95	1429.78	4.40	-4.15	-12.46	0.31
MWD	14	1524	2.55	346.75	94	1523.73	1.46	-1.20	-13.11	1.50
MWD	15	1618	3.47	355.54	94	1617.60	-3.40	3.67	-13.81	1.09
MWD	16	1712	4.57	357.39	94	1711.37	-9.96	10.25	-14.20	1.18
MWD	17	1807	5.89	352.11	95	1805.97	-18.56	18.86	-15.04	1.48
MWD	18	1901	5.45	348.86	94	1899.51	-27.68	28.02	-16.57	0.58
MWD	19	1995	4.75	345.52	94	1993.14	-35.79	36.16	-18.40	0.81
MWD	20	2089	4.26	345.78	94	2086.85	-42.91	43.32	-20.23	0.52
MWD	21	2184	4.18	330.31	95	2181.60	-49.28	49.75	-22.81	1.20
MWD	22	2278	4.31	327.50	94	2275.34	-55.16	55.70	-26.41	0.26
MWD	23	2372	4.53	339.37	94	2369.06	-61.55	62.15	-29.61	1.00
MWD	24	2466	6.24	345.08	94	2462.64	-69.91	70.56	-32.24	1.90
MWD	25	2560	7.78	356.33	94	2555.94	-81.16	81.85	-33.96	2.19
MWD	26	2654	8.57	5.73	94	2648.99	-94.48	95.17	-33.67	1.65
MWD	27	2748	7.82	3.27	94	2742.03	-107.85	108.52	-32.60	0.88
MWD	28	2842	8.22	353.96	94	2835.11	-120.91	121.59	-32.95	1.44
MWD	29	2936	9.58	347.01	94	2927.98	-135.17	135.90	-35.41	1.84
MWD	30	3031	11.21	344.82	95	3021.42	-151.70	152.51	-39.61	1.77
MWD	31	3093	10.99	344.55	62	3082.26	-163.14	164.03	-42.76	0.36
MWD	32	3188	11.16	343.15	95	3175.49	-180.57	181.55	-47.84	0.33
MWD	33	3282	10.02	339.46	94	3267.89	-196.82	197.92	-53.34	1.41
MWD	34	3376	8.35	337.17	94	3360.68	-210.65	211.87	-58.86	1.82
MWD	35	3470	6.15	333.57	94	3453.93	-221.36	222.67	-63.75	2.39
MWD	36	3564	4.44	336.91	94	3547.52	-229.14	230.52	-67.42	1.85
MWD	37	3659	2.24	332.16	95	3642.35	-234.12	235.55	-69.73	2.33
MWD	38	3753	1.36	287.07	94	3736.31	-236.03	237.50	-71.65	1.70
MWD	39	3847	1.32	284.88	94	3830.28	-236.59	238.11	-73.77	0.07
MWD	40	3941	0.88	203.93	94	3924.27	-236.18	237.72	-75.11	1.56
MWD	41	4034	1.49	179.85	93	4017.25	-234.32	235.86	-75.39	0.83
MWD	42	4129	1.49	188.72	95	4112.22	-231.86	233.41	-75.58	0.24
MWD	43	4223	1.54	190.22	94	4206.19	-229.40	230.96	-75.98	0.07
MWD	44	4317	1.54	187.76	94	4300.15	-226.90	228.46	-76.38	0.07
MWD	45	4411	1.58	190.39	94	4394.12	-224.36	225.94	-76.78	0.09
MWD	46	4506	1.54	191.36	95	4489.08	-221.81	223.40	-77.27	0.05
MWD	47	4599	1.54	191.98	93	4582.05	-219.36	220.95	-77.78	0.02
MWD	48	4694	1.67	197.34	95	4677.01	-216.77	218.38	-78.45	0.21
MWD	49	4788	1.85	202.52	94	4770.97	-214.05	215.67	-79.44	0.26
MWD	50	4882	1.45	135.46	94	4864.94	-211.80	213.42	-79.19	1.97
MWD	51	4976	1.76	77.89	94	4958.91	-211.30	212.87	-76.95	1.67
MWD	52	5070	1.85	84.48	94	5052.86	-211.81	213.32	-74.02	0.24
MWD	53	5164	1.67	99.60	94	5146.82	-211.78	213.24	-71.16	0.53
MWD	54	5258	1.67	105.49	94	5240.78	-211.24	212.65	-68.49	0.18
MWD	55	5352	1.67	114.81	94	5334.74	-210.35	211.71	-65.93	0.29
MWD	56	5446	1.58	118.76	94	5428.70	-209.20	210.51	-63.55	0.15
MWD	57	5540	1.41	124.65	94	5522.67	-207.96	209.23	-61.46	0.24
MWD	58	5634	1.27	131.51	94	5616.64	-206.65	207.88	-59.73	0.23
MWD	59	5729	0.48	134.41	95	5711.63	-205.69	206.90	-58.66	0.83
MWD	60	5823	0.88	350.79	94	5805.63	-206.13	207.34	-58.49	1.38
MWD	61	5918	0.62	359.76	95	5900.62	-207.37	208.57	-58.61	0.30
MWD	62	6012	0.48	358.35	94	5994.61	-208.27	209.48	-58.62	0.15
MWD	63	6106	0.53	334.27	94	6088.61	-209.05	210.26	-58.82	0.23

MWD	64	6200	0.4	323.02	94	6182.61	-209.69	210.91	-59.21	0.17
MWD	65	6294	0.26	271.43	94	6276.60	-209.95	211.18	-59.62	0.33
MWD	66	6388	0.22	222.82	94	6370.60	-209.82	211.05	-59.96	0.21
MWD	67	6483	0.4	179.32	95	6465.60	-209.35	210.59	-60.08	0.30
MWD	68	6577	0.97	345.52	94	6559.60	-209.79	211.03	-60.27	1.45
MWD	69	6671	1.45	340.77	94	6653.58	-211.67	212.93	-60.86	0.52
MWD	70	6765	1.89	324.69	94	6747.54	-214.03	215.31	-62.15	0.68
MWD	71	6860	2.73	315.46	95	6842.46	-216.87	218.20	-64.64	0.96
MWD	72	6954	2.07	319.33	94	6936.38	-219.70	221.09	-67.32	0.72
MWD	73	7049	1.54	321.7	95	7031.33	-221.97	223.39	-69.23	0.56
MWD	74	7143	1.89	308.69	94	7125.29	-223.89	225.35	-71.22	0.55
MWD	75	7237	0.84	263.96	94	7219.26	-224.75	226.25	-73.12	1.51
MWD	76	7331	1.01	252	94	7313.25	-224.39	225.92	-74.59	0.27
MWD	77	7425	0.88	249.81	94	7407.24	-223.86	225.41	-76.06	0.14
MWD	78	7520	1.19	296.21	95	7502.22	-224.01	225.60	-77.63	0.91
MWD	79	7614	2.2	315.64	94	7596.18	-225.69	227.32	-79.76	1.22
MWD	80	7708	1.93	313	94	7690.12	-228.01	229.69	-82.18	0.30
MWD	81	7802	2.07	307.29	94	7784.06	-230.07	231.80	-84.69	0.26
MWD	82	7897	1.58	281.89	95	7879.02	-231.32	233.11	-87.34	0.98
MWD	83	7959	1.58	266.33	62	7940.99	-231.41	233.23	-89.03	0.69
MWD	84	8043	2.42	233.28	84	8024.94	-230.22	232.09	-91.60	1.66
MWD	85	8090	8.04	190.57	47	8071.74	-226.37	228.26	-93.00	13.77
MWD	86	8137	14.64	185.03	47	8117.80	-217.19	219.11	-94.13	14.22
MWD	87	8232	23.3	172.99	95	8207.59	-186.54	188.43	-92.88	9.96
MWD	88	8326	33.89	175.45	94	8290.01	-141.93	143.72	-88.52	11.33
MWD	89	8420	39.08	175.01	94	8365.56	-86.36	88.04	-83.87	5.53
MWD	90	8514	49.54	178.09	94	8432.74	-21.00	22.60	-80.09	11.36
MWD	91	8609	59.25	179.85	95	8487.98	56.09	-54.53	-78.77	10.33
MWD	92	8703	64.79	178.97	94	8532.07	139.03	-137.51	-77.90	5.95
MWD	93	8797	69.14	175.89	94	8568.85	225.32	-223.89	-73.98	5.52
MWD	94	8891	80.97	172.64	94	8593.05	315.30	-314.07	-64.86	13.02
MWD	95	8944	87.08	174.05	53	8598.57	367.50	-366.41	-58.75	11.83
MWD	96	8986	87.78	174.48	42	8600.45	409.16	-408.15	-54.56	1.96
MWD	97	9080	87.91	180.20	94	8603.99	502.85	-501.95	-50.20	6.08
MWD	98	9174	89.71	181.16	94	8605.94	596.82	-595.91	-51.32	2.17
MWD	99	9268	90.37	181.43	94	8605.87	690.82	-689.89	-53.44	0.76
MWD	100	9363	90.51	181.60	95	8605.14	785.81	-784.85	-55.96	0.23
MWD	101	9456	90.37	182.22	93	8604.43	878.80	-877.80	-59.05	0.68
MWD	102	9551	90.20	182.66	95	8603.96	973.77	-972.71	-63.10	0.50
MWD	103	9645	90.02	182.83	94	8603.78	1067.74	-1066.60	-67.60	0.26
MWD	104	9739	90.11	182.75	94	8603.67	1161.70	-1160.49	-72.18	0.13
MWD	105	9834	91.03	182.13	95	8602.73	1256.67	-1255.40	-76.22	1.17
MWD	106	9928	90.51	182.66	94	8601.46	1350.64	-1349.31	-80.15	0.79
MWD	107	10022	90.24	182.75	94	8600.85	1444.60	-1443.20	-84.58	0.30
MWD	108	10117	89.93	183.27	95	8600.71	1539.55	-1538.07	-89.57	0.64
MWD	109	10211	91.08	181.96	94	8599.88	1633.51	-1631.96	-93.86	1.85
MWD	110	10306	90.86	181.08	95	8598.27	1728.49	-1726.92	-96.38	0.95
MWD	111	10400	90.68	181.52	94	8597.01	1822.48	-1820.88	-98.51	0.51
MWD	112	10494	90.51	179.76	94	8596.03	1916.47	-1914.87	-99.56	1.88
MWD	113	10588	90.46	179.93	94	8595.23	2010.44	-2008.86	-99.31	0.19
MWD	114	10683	89.45	179.67	95	8595.31	2105.42	-2103.86	-98.98	1.10
MWD	115	10777	90.46	180.64	94	8595.38	2199.40	-2197.86	-99.23	1.49
MWD	116	10871	89.98	180.99	94	8595.02	2293.40	-2291.85	-100.57	0.63
MWD	117	10966	89.54	180.90	95	8595.42	2388.40	-2386.84	-102.14	0.47
MWD	118	11060	90.86	180.90	94	8595.09	2482.39	-2480.82	-103.61	1.40
MWD	119	11154	91.69	180.73	94	8593.00	2576.37	-2574.79	-104.95	0.90
MWD	120	11248	91.16	180.90	94	8590.66	2670.34	-2668.75	-106.29	0.59
MWD	121	11342	90.42	181.69	94	8589.37	2764.32	-2762.71	-108.41	1.15
MWD	122	11436	90.51	182.04	94	8588.60	2858.31	-2856.66	-111.47	0.38
MWD	123	11530	90.11	182.31	94	8588.10	2952.30	-2950.59	-115.04	0.51
MWD	124	11625	89.85	182.66	95	8588.13	3047.27	-3045.50	-119.16	0.46
MWD	125	11719	90.24	183.63	94	8588.05	3141.21	-3139.36	-124.31	1.11
MWD	126	11813	90.95	182.83	94	8587.08	3235.14	-3233.20	-129.61	1.14
MWD	127	11907	91.03	181.96	94	8585.45	3329.11	-3327.11	-133.54	0.93
MWD	128	12002	91.12	181.87	95	8583.67	3424.08	-3422.04	-136.71	0.13
MWD	129	12096	90.95	182.66	94	8581.97	3518.05	-3515.95	-140.42	0.86
MWD	130	12190	90.81	180.99	94	8580.53	3612.02	-3609.89	-143.42	1.78
MWD	131	12284	90.24	179.93	94	8579.67	3706.01	-3703.88	-144.17	1.28
MWD	132	12379	89.67	179.32	95	8579.74	3800.98	-3798.87	-143.55	0.88
MWD	133	12473	89.45	179.49	94	8580.47	3894.93	-3892.87	-142.57	0.30
MWD	134	12568	89.01	179.67	95	8581.74	3989.89	-3987.85	-141.88	0.50
MWD	135	12661	90.29	179.93	93	8582.31	4082.86	-4080.85	-141.55	1.40
MWD	136	12755	90.15	180.20	94	8581.95	4176.84	-4174.85	-141.66	0.32
MWD	137	12850	89.98	180.73	95	8581.84	4271.83	-4269.85	-142.43	0.59
MWD	138	12944	91.16	180.37	94	8580.91	4365.82	-4363.83	-143.33	1.31
MWD	139	13038	90.90	180.90	94	8579.22	4459.80	-4457.81	-144.37	0.63
MWD	140	13132	90.64	180.99	94	8577.95	4553.79	-4551.79	-145.92	0.29

MWD	141	13227	90.33	181.08	95	8577.15	4648.79	-4646.77	-147.64	0.34
MWD	142	13321	90.46	180.99	94	8576.50	4742.79	-4740.76	-149.34	0.17
MWD	143	13415	90.51	180.73	94	8575.71	4836.78	-4834.74	-150.75	0.28
MWD	144	13511	90.46	180.81	96	8574.89	4932.78	-4930.73	-152.04	0.10
MWD	145	13606	91.43	180.99	95	8573.33	5027.76	-5025.70	-153.53	1.04
MWD	146	13699	90.51	180.73	93	8571.75	5120.75	-5118.68	-154.93	1.03
MWD	147	13794	91.08	180.64	95	8570.43	5215.74	-5213.66	-156.06	0.61
MWD	148	13888	90.37	180.64	94	8569.24	5309.72	-5307.65	-157.11	0.76
MWD	149	13982	90.59	180.20	94	8568.46	5403.71	-5401.64	-157.80	0.52
MWD	150	14076	89.01	180.02	94	8568.78	5497.69	-5495.64	-157.98	1.69
MWD	151	14170	88.88	179.76	94	8570.52	5591.66	-5589.62	-157.80	0.31
MWD	152	14265	88.26	178.97	95	8572.89	5686.58	-5684.59	-156.75	1.06
MWD	153	14359	88.79	179.23	94	8575.31	5780.49	-5778.54	-155.27	0.63
MWD	154	14453	88.62	179.67	94	8577.43	5874.42	-5872.51	-154.37	0.50
MWD	155	14547	89.45	179.49	94	8579.01	5968.37	-5966.50	-153.68	0.90
MWD	156	14642	89.67	179.76	95	8579.74	6063.34	-6061.49	-153.06	0.37
MWD	157	14736	90.42	180.02	94	8579.67	6157.31	-6155.49	-152.88	0.84
MWD	158	14830	89.36	180.02	94	8579.85	6251.29	-6249.49	-152.91	1.13
MWD	159	14924	89.76	179.85	94	8580.57	6345.27	-6343.49	-152.81	0.46
MWD	160	15018	90.73	180.02	94	8580.17	6439.25	-6437.48	-152.70	1.05
MWD	161	15112	91.52	180.29	94	8578.32	6533.22	-6531.47	-152.95	0.89
MWD	162	15206	90.77	180.55	94	8576.45	6627.19	-6625.44	-153.64	0.84
MWD	163	15300	89.93	180.55	94	8575.87	6721.18	-6719.44	-154.54	0.89
MWD	164	15395	90.95	180.90	95	8575.14	6816.17	-6814.42	-155.75	1.14
MWD	165	15489	90.29	180.81	94	8574.12	6910.17	-6908.41	-157.15	0.71
MWD	166	15584	90.95	180.55	95	8573.10	7005.16	-7003.40	-158.28	0.75
MWD	167	15661	91.65	180.73	77	8571.35	7082.13	-7080.37	-159.14	0.94
PTB	168	15725	91.65	180.73	64	8569.51	7146.11	-7144.34	-159.95	0.00

Well Name: WTG FED COM	Well Location: T26S / R29E / SEC 27 / NENW / 32.0198054 / -103.9740449	County or Parish/State: EDDY / NM
Well Number: 122H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM38636	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547033	Well Status: Producing Gas Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2655052

Type of Submission: Subsequent Report

Date Sundry Submitted: 01/31/2022

Date Operation Actually Began: 11/26/2021

Type of Action: Drilling Operations

Time Sundry Submitted: 04:57

Actual Procedure: 11/26/2021: Pressure test casing to 9800 psi for 30 minutes, good test. 11/28/2021 to 12/9/2021: Perforate from 8593 ft to 15581 ft, 1 SPF, .55 inch holes with 351 total shots. 27 stage frac with 21,179,293 lbs of 100 mesh sand. 1/15/2022 to 1/16/2022: Drill out plugs Plug Back Measured depth at 15665 ft MD, 8571 ft TVD. 1/17/2022: Ready to produce

Well Name: WTG FED COM	Well Location: T26S / R29E / SEC 27 / NENW / 32.0198054 / -103.9740449	County or Parish/State: EDDY / NM
Well Number: 122H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM38636	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547033	Well Status: Producing Gas Well	Operator: TAP ROCK OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: JEFFREY TRLICA	Signed on: JAN 31, 2022 04:57 PM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 772-5910	
Email address: JTRLICA@TAPRK.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 03/02/2022
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-47033										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name WTG Fed Com		
								6. Well Number: 122H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 602 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat [98211] WC-015 G-03 S262925D; BONE SPRING		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	C	27	26S	29E		290	NORTH	1895	WEST	EDDY
BH:	10	34	26S	29E		30	SOUTH	1879	WEST	EDDY
13. Date Spudded 10/3/2021	14. Date T.D. Reached 10/14/2021		15. Date Rig Released 10/17/2021		16. Date Completed (Ready to Produce) 1/17/2022			17. Elevations (DF and RKB, RT, GR, etc.) 2885 GL		
18. Total Measured Depth of Well 15725'			19. Plug Back Measured Depth 15665'		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 8593 ft to 15581 ft, BONE SPRING										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8"		54.5		620'		17-1/2"		820 SKS		0
9-5/8"		29.7		3070"		12-1/2"		880 SKS		0
5-1/2"		20		15713'		8-3/4"/8-1/2"		2090 SKS		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) Perforate from 8593 ft to 15581 ft, 1 SPF, .55 inch holes with 351 total shots					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 8593 ft to 15581 ft 27 stage frac with 21,179,293 lbs of 100 mesh sand					
28. PRODUCTION										
Date First Production 2/15/22		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 3/1/2022	Hours Tested 24	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 1135	Gas - MCF 5457	Water - Bbl. 3108	Gas - Oil Ratio 4808			
Flow Tubing Press.	Casing Pressure 1300	Calculated 24-Hour Rate	Oil - Bbl. 1135	Gas - MCF 5457	Water - Bbl. 3108	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By			
31. List Attachments C-102 As-Drilled, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD83				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name			Title		Regulatory Analyst		Date	
		Jeff Trlica			Title		Regulatory Analyst		3/21/2022	
E-mail Address jtrlica@taprk.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	504		QUATERNARY					
504	888		RUSTLER					
888	2611		TOP OF SALT					
2611	2850		BASE OF SALT					
2850	2881		DELAWARE					
2881	3774		BELL CANYON					
3774	5429		CHERRY CANYON					
5429	6666		BRUSHY CANYON					
6666	7140		BONE SPRING LIME					
7140	7556		AVALON					
7556			1ST BONE SPRING SAND					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 135478

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 135478
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 135478

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 135478
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	12/12/2023