

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-50442	⁵ Pool Name WC-025 G-07 S243517D; MIDDLE BONE SP	⁶ Pool Code 98294
⁷ Property Code 331322	⁸ Property Name COONSKIN FEE	⁹ Well Number 151H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
E	33	24S	35E	-	2329	NORTH	1248	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	28	24S	35E	-	140	NORTH	678	WEST	LEA
¹² Lse Code P	¹³ Producing Method Code F	¹⁴ Gas Connection Date 3/4/2023	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 11/7/2022	²² Ready Date 2/17/2023	²³ TD 18868'	²⁴ PBTB 18829'	²⁵ Perforations 11257 ft to 18761 ft	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	674'	555 sks		
12.25"	9.625"	5435'	1233 sks		
8.75"/7.875"	5.5"	18850'	1875 sks		

V. Well Test Data

³¹ Date New Oil 3/4/2023	³² Gas Delivery Date 3/4/2023	³³ Test Date 3/25/2023	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 1101	³⁶ Csg. Pressure 613
³⁷ Choke Size 64/64	³⁸ Oil 1413	³⁹ Water 2965	⁴⁰ Gas 5914		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Specialist			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 12/18/2023		
Date: 4/11/2023		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-50442	² Pool Code 98294	³ Pool Name WC-025 G-07 S243517D; Middle Bone SP
⁴ Property Code 331322	⁵ Property Name COONSKIN FEE	⁶ Well Number 151H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3301'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	33	24-S	35-E	-	2329'	NORTH	1248'	WEST	LEA


¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	28	24-S	35-E	-	140'	NORTH	678'	WEST	LEA

¹² Dedicated Acres 240	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



SECTION 33, TOWNSHIP 24-S, RANGE 35-E, N.M.P.M.
LEA COUNTY, NEW MEXICO

LEASE NAME & WELL NO.: _____ COONSKIN FEE 151H


SECTION 33 TWP 24-S RGE 35-E SURVEY N.M.P.M.

COUNTY LEA STATE NM ELEVATION 3301'

DESCRIPTION 2329' FNL & 1248' FEL



481 WINSWORTH ROAD, Ste. 200 • BENBROOK, TEXAS 76126
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
TEXAS FIRM REGISTRATION NO. 10042504
WWW.TOPOGRAPHIC.COM



Ramon A. Dominguez, P.S. No. 24508
January 31, 2023

COONSKIN FEE 151H AS-DRILLED	REVISION:		NOTES:
	INT	DATE	
DATE: 01/31/23			1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
FILE:AD_COONSKIN_FEE_151H			
DRAWN BY: SAR			
SHEET: 2 OF 2			



Operator: **Tap Rock Resources, LLC.**
 Well Name: **Coonskin Fee 151H**
 Job Number: **ID3735**
 Survey Company: **Intrepid Directional Drilling Specialists**
 Rig Name: **H&P 312**

Target KBTVD: **10739.50**
 Target Inclination: **90.90°**
 Declination Correction: **5.78°**
 DF Elevation: **3327**

Vertical Section Calculated Along Azimuth: **359.50°**
 Survey Calculation Method: **Minimum Curvature**

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0.00	0.00	0.00	0	0	0	0	0	0.00
GYRO	1	52.38	0.10	263.58	52	52.38	0.00	-0.01	-0.05	0.19
GYRO	2	138.38	0.13	259.32	86	138.38	-0.03	-0.03	-0.22	0.04
GYRO	3	224.48	0.12	159.00	86	224.48	-0.13	-0.13	-0.28	0.22
GYRO	4	316.78	0.25	135.14	92	316.78	-0.37	-0.37	-0.10	0.16
GYRO	5	409.22	0.29	115.58	92	409.22	-0.61	-0.61	0.25	0.11
GYRO	6	500.75	0.31	107.21	92	500.75	-0.79	-0.78	0.70	0.05
GYRO	7	592.80	0.37	79.39	92	592.80	-0.81	-0.80	1.23	0.19
GYRO	8	685.08	0.53	52.61	92	685.07	-0.51	-0.49	1.86	0.28
GYRO	9	777.01	0.82	53.24	92	777.00	0.14	0.16	2.72	0.32
GYRO	10	869.55	1.08	54.25	93	869.52	1.03	1.07	3.96	0.28
GYRO	11	961.70	0.91	54.62	92	961.66	1.95	2.00	5.26	0.18
GYRO	12	1054.19	1.09	58.48	92	1054.14	2.83	2.88	6.61	0.21
GYRO	13	1146.63	0.81	18.40	92	1146.56	3.90	3.96	7.57	0.76
GYRO	14	1238.82	0.77	317.71	92	1238.75	4.98	5.04	7.36	0.87
GYRO	15	1330.74	0.66	314.04	92	1330.66	5.81	5.87	6.56	0.13
GYRO	16	1423.16	0.50	337.07	92	1423.07	6.55	6.61	6.02	0.30
GYRO	17	1515.62	1.12	264.37	92	1515.53	6.85	6.89	4.96	1.17
GYRO	18	1607.26	2.23	256.25	92	1607.13	6.36	6.38	2.34	1.24
GYRO	19	1702.65	2.10	257.10	95	1702.45	5.56	5.55	-1.17	0.14
GYRO	20	1798.05	1.99	256.32	95	1797.79	4.80	4.77	-4.48	0.12
GYRO	21	1893.45	1.86	256.10	95	1893.13	4.07	4.00	-7.59	0.14
GYRO	22	1988.95	1.43	209.15	96	1988.60	2.67	2.59	-9.68	1.43
GYRO	23	2084.22	2.03	147.51	95	2083.83	0.21	0.13	-9.35	1.94
GYRO	24	2179.07	2.85	131.87	95	2178.60	-2.81	-2.86	-6.69	1.11
GYRO	25	2274.57	3.06	124.20	96	2273.97	-5.86	-5.88	-2.81	0.47
GYRO	26	2369.99	3.26	117.08	95	2369.24	-8.56	-8.55	1.71	0.46
GYRO	27	2465.25	2.19	122.29	95	2464.40	-10.80	-10.75	5.66	1.15
GYRO	28	2560.66	2.16	157.61	95	2559.74	-13.46	-13.39	7.88	1.38
GYRO	29	2656.05	2.86	189.95	95	2655.04	-17.47	-17.40	8.16	1.63
GYRO	30	2751.12	3.98	216.97	95	2749.95	-22.42	-22.37	5.76	2.03
GYRO	31	2846.60	4.53	237.77	95	2845.17	-27.03	-27.03	0.58	1.70
GYRO	32	2941.91	4.84	259.38	95	2940.17	-29.72	-29.78	-6.56	1.87
GYRO	33	3037.49	5.92	258.23	96	3035.33	-31.39	-31.52	-15.34	1.14
GYRO	34	3132.97	6.77	251.66	95	3130.22	-34.08	-34.30	-25.51	1.17
GYRO	35	3227.97	6.39	251.75	95	3224.60	-37.40	-37.72	-35.84	0.40
GYRO	36	3323.59	7.27	256.00	96	3319.54	-40.44	-40.85	-46.77	1.06
GYRO	37	3419.06	6.30	254.42	95	3414.34	-43.21	-43.72	-57.67	1.03
GYRO	38	3514.63	7.47	248.81	96	3509.22	-46.77	-47.37	-68.52	1.41
GYRO	39	3610.06	8.21	242.76	95	3603.76	-52.03	-52.73	-80.36	1.16
GYRO	40	3705.48	8.15	242.42	95	3698.21	-58.17	-58.98	-92.41	0.08
GYRO	41	3801.06	7.88	240.77	96	3792.85	-64.41	-65.32	-104.14	0.37
GYRO	42	3896.61	7.09	240.83	96	3887.59	-70.38	-71.39	-115.00	0.83
GYRO	43	3992.22	5.87	230.75	96	3982.59	-76.27	-77.36	-123.94	1.74
GYRO	44	4087.60	6.58	227.11	95	4077.41	-83.01	-84.16	-131.72	0.85
GYRO	45	4183.04	6.61	224.00	95	4172.21	-90.62	-91.84	-139.54	0.38
GYRO	46	4278.48	7.29	232.63	95	4266.96	-98.17	-99.46	-148.17	1.30
GYRO	47	4373.76	7.94	242.64	95	4361.40	-104.77	-106.16	-158.82	1.55

GYRO	48	4469.21	7.59	252.71	95	4455.98	-109.57	-111.06	-170.70	1.47
GYRO	49	4564.48	7.22	265.37	95	4550.46	-111.82	-113.42	-182.67	1.75
GYRO	50	4659.60	8.18	267.74	95	4644.72	-112.46	-114.16	-195.39	1.06
GYRO	51	4755.03	5.52	274.14	95	4739.46	-112.29	-114.10	-206.75	2.90
GYRO	52	4850.67	4.31	253.70	96	4834.76	-112.90	-114.78	-214.79	2.21
GYRO	53	4946.28	5.21	230.15	96	4930.04	-116.63	-118.57	-221.57	2.23
GYRO	54	5041.95	7.29	228.78	96	5025.14	-123.34	-125.35	-229.48	2.18
GYRO	55	5137.42	8.92	230.16	95	5119.65	-131.99	-134.09	-239.72	1.72
GYRO	56	5232.57	8.20	229.05	95	5213.74	-141.07	-143.26	-250.51	0.78
GYRO	57	5312.40	9.12	231.31	80	5292.66	-148.67	-150.95	-259.74	1.23
MWD	58	5376.00	8.88	230.87	64	5355.48	-154.85	-157.19	-267.49	0.39
MWD	59	5522.00	8.75	231.04	146	5499.76	-168.80	-171.29	-284.86	0.09
MWD	60	5618.00	9.49	237.46	96	5594.54	-177.54	-180.14	-297.21	1.31
MWD	61	5713.00	10.42	241.24	95	5688.11	-185.76	-188.48	-311.35	1.20
MWD	62	5809.00	10.68	239.92	96	5782.49	-194.26	-197.12	-326.65	0.37
MWD	63	5904.00	10.86	239.57	95	5875.82	-203.07	-206.06	-341.99	0.20
MWD	64	6000.00	11.03	247.74	96	5970.08	-210.99	-214.12	-358.29	1.62
MWD	65	6095.00	9.98	247.66	95	6063.48	-217.42	-220.69	-374.31	1.11
MWD	66	6190.00	8.57	246.42	95	6157.24	-223.26	-226.66	-388.41	1.50
MWD	67	6285.00	8.09	245.90	95	6251.24	-228.71	-232.22	-401.00	0.51
MWD	68	6381.00	7.82	243.88	96	6346.31	-234.24	-237.85	-413.03	0.40
MWD	69	6476.00	7.78	243.35	95	6440.43	-239.87	-243.58	-424.58	0.09
MWD	70	6571.00	7.78	242.47	95	6534.56	-245.62	-249.44	-436.03	0.13
MWD	71	6666.00	8.00	242.12	95	6628.66	-251.58	-255.50	-447.58	0.24
MWD	72	6762.00	7.34	251.35	96	6723.80	-256.57	-260.58	-459.29	1.45
MWD	73	6857.00	5.80	256.09	95	6818.18	-259.57	-263.68	-469.70	1.72
MWD	74	6952.00	3.25	260.93	95	6912.87	-261.09	-265.26	-477.02	2.71
MWD	75	7047.00	2.20	263.04	95	7007.77	-261.69	-265.90	-481.49	1.11
MWD	76	7143.00	2.37	256.44	96	7103.69	-262.35	-266.59	-485.25	0.33
MWD	77	7238.00	1.05	316.21	95	7198.65	-262.16	-266.42	-487.76	2.16
MWD	78	7333.00	1.41	344.42	95	7293.63	-260.40	-264.67	-488.68	0.73
MWD	79	7428.00	1.23	340.47	95	7388.60	-258.30	-262.58	-489.33	0.21
MWD	80	7524.00	1.19	338.89	96	7484.58	-256.40	-260.68	-490.04	0.05
MWD	81	7619.00	1.41	341.61	95	7579.56	-254.36	-258.65	-490.76	0.24
MWD	82	7714.00	0.53	108.17	95	7674.55	-253.39	-257.68	-490.71	1.87
MWD	83	7810.00	0.88	133.31	96	7770.54	-254.04	-258.32	-489.75	0.48
MWD	84	7905.00	0.97	128.56	95	7865.53	-255.05	-259.33	-488.59	0.12
MWD	85	8000.00	1.19	137.88	95	7960.51	-256.30	-260.56	-487.30	0.30
MWD	86	8096.00	1.14	140.52	96	8056.49	-257.78	-262.04	-486.03	0.08
MWD	87	8191.00	0.79	119.33	95	8151.48	-258.84	-263.09	-484.86	0.52
MWD	88	8286.00	0.97	110.72	95	8246.47	-259.46	-263.69	-483.53	0.23
MWD	89	8382.00	0.92	102.46	96	8342.46	-259.93	-264.15	-482.02	0.15
MWD	90	8477.00	0.70	98.94	95	8437.45	-260.19	-264.40	-480.70	0.24
MWD	91	8572.00	0.57	66.78	95	8532.44	-260.11	-264.30	-479.70	0.39
MWD	92	8667.00	0.62	45.07	95	8627.44	-259.57	-263.75	-478.90	0.24
MWD	93	8763.00	0.84	40.94	96	8723.43	-258.67	-262.86	-478.07	0.24
MWD	94	8858.00	0.88	32.41	95	8818.42	-257.54	-261.71	-477.22	0.14
MWD	95	8953.00	1.14	27.58	95	8913.40	-256.09	-260.26	-476.39	0.29
MWD	96	9048.00	1.27	275.60	95	9008.39	-255.15	-259.32	-477.00	2.10
MWD	97	9144.00	1.54	281.49	96	9104.36	-254.77	-258.96	-479.33	0.32
MWD	98	9239.00	1.58	290.55	95	9199.33	-254.03	-258.25	-481.80	0.26
MWD	99	9335.00	1.98	290.11	96	9295.28	-252.97	-257.21	-484.60	0.42
MWD	100	9430.00	0.22	176.90	95	9390.26	-252.58	-256.83	-486.13	2.19
MWD	101	9525.00	0.22	212.41	95	9485.26	-252.91	-257.16	-486.22	0.14
MWD	102	9621.00	0.31	278.50	96	9581.26	-253.03	-257.28	-486.57	0.31
MWD	103	9716.00	0.53	326.84	95	9676.26	-252.62	-256.88	-487.07	0.42
MWD	104	9812.00	0.88	327.28	96	9772.25	-251.62	-255.88	-487.71	0.36
MWD	105	9908.00	0.88	156.16	96	9868.25	-251.67	-255.94	-487.81	1.83
MWD	106	10003.00	1.36	173.65	95	9963.23	-253.46	-257.73	-487.39	0.61
MWD	107	10099.00	1.32	192.20	96	10059.20	-255.67	-259.94	-487.50	0.45
MWD	108	10194.00	1.67	199.49	95	10154.17	-258.04	-262.31	-488.19	0.42

MWD	109	10289.00	2.24	210.57	95	10249.12	-260.93	-265.22	-489.60	0.72
MWD	110	10385.00	2.77	208.37	96	10345.02	-264.57	-268.87	-491.65	0.56
MWD	111	10481.00	2.51	208.37	96	10440.92	-268.44	-272.76	-493.76	0.27
MWD	112	10576.00	2.59	225.33	95	10535.83	-271.76	-276.10	-496.27	0.80
MWD	113	10670.00	2.33	241.33	94	10629.74	-274.14	-278.51	-499.46	0.78
MWD	114	10770.00	2.55	280.70	100	10729.66	-274.67	-279.08	-503.43	1.66
MWD	115	10865.00	7.60	355.76	95	10824.33	-267.98	-272.41	-505.97	7.75
MWD	116	10961.00	14.33	353.65	96	10918.52	-249.81	-254.25	-507.76	7.02
MWD	117	11056.00	22.07	357.69	95	11008.70	-220.23	-224.69	-509.78	8.25
MWD	118	11152.00	35.82	349.78	96	11092.54	-174.28	-178.78	-515.52	14.84
MWD	119	11247.00	45.71	347.41	95	11164.40	-113.48	-118.09	-527.90	10.54
MWD	120	11342.00	60.88	343.46	95	11221.03	-39.90	-44.68	-547.24	16.31
MWD	121	11437.00	77.32	345.21	95	11254.81	45.48	40.50	-571.05	17.39
MWD	122	11468.00	83.74	348.03	31	11259.91	75.27	70.23	-578.11	22.57
MWD	123	11563.00	86.55	356.55	95	11267.96	169.09	163.94	-590.78	9.41
MWD	124	11658.00	87.82	358.66	95	11272.63	263.91	258.73	-594.75	2.59
MWD	125	11754.00	86.99	359.01	96	11276.98	359.81	354.61	-596.70	0.94
MWD	126	11849.00	89.05	359.54	95	11280.26	454.75	449.54	-597.90	2.24
MWD	127	11945.00	91.25	0.77	96	11280.01	550.73	545.54	-597.64	2.63
MWD	128	12040.00	91.21	359.89	95	11277.97	645.70	640.51	-597.09	0.93
MWD	129	12136.00	90.68	359.28	96	11276.38	741.68	736.50	-597.79	0.84
MWD	130	12230.00	91.16	359.45	94	11274.87	835.67	830.48	-598.83	0.54
MWD	131	12326.00	92.09	359.19	96	11272.15	931.63	926.43	-599.97	1.01
MWD	132	12421.00	89.80	359.63	95	11270.59	1026.61	1021.41	-600.95	2.45
MWD	133	12516.00	89.36	359.54	95	11271.28	1121.61	1116.40	-601.63	0.47
MWD	134	12612.00	88.97	359.10	96	11272.68	1217.60	1212.38	-602.77	0.61
MWD	135	12707.00	89.89	0.15	95	11273.63	1312.59	1307.37	-603.39	1.47
MWD	136	12802.00	90.20	359.89	95	11273.55	1407.59	1402.37	-603.36	0.43
MWD	137	12897.00	91.12	359.63	95	11272.46	1502.58	1497.37	-603.76	1.01
MWD	138	12992.00	90.11	359.54	95	11271.44	1597.57	1592.36	-604.45	1.07
MWD	139	13087.00	88.26	359.01	95	11272.79	1692.56	1687.34	-605.65	2.03
MWD	140	13182.00	89.19	359.01	95	11274.90	1787.53	1782.30	-607.29	0.98
MWD	141	13277.00	90.81	358.84	95	11274.90	1882.52	1877.28	-609.07	1.71
MWD	142	13372.00	90.51	358.75	95	11273.81	1977.51	1972.25	-611.07	0.33
MWD	143	13468.00	91.52	0.24	96	11272.11	2073.49	2068.23	-611.92	1.87
MWD	144	13563.00	92.57	0.86	95	11268.72	2168.41	2163.16	-611.00	1.28
MWD	145	13658.00	92.75	0.68	95	11264.31	2263.28	2258.05	-609.73	0.27
MWD	146	13754.00	90.29	1.39	96	11261.76	2359.21	2353.99	-608.00	2.67
MWD	147	13849.00	90.51	1.03	95	11261.10	2454.16	2448.97	-605.99	0.44
MWD	148	13944.00	91.87	0.86	95	11259.13	2549.11	2543.93	-604.42	1.44
MWD	149	14040.00	91.16	0.15	96	11256.59	2645.06	2639.89	-603.58	1.05
MWD	150	14135.00	91.21	0.15	95	11254.62	2740.03	2734.87	-603.33	0.05
MWD	151	14231.00	90.90	0.59	96	11252.86	2836.01	2830.85	-602.71	0.56
MWD	152	14326.00	91.96	0.59	95	11250.49	2930.96	2925.82	-601.73	1.12
MWD	153	14421.00	91.25	359.54	95	11247.82	3025.91	3020.78	-601.62	1.33
MWD	154	14516.00	91.74	359.54	95	11245.35	3120.88	3115.74	-602.39	0.52
MWD	155	14612.00	89.49	358.92	96	11244.32	3216.87	3211.72	-603.68	2.43
MWD	156	14708.00	90.20	358.66	96	11244.58	3312.86	3307.70	-605.70	0.79
MWD	157	14803.00	87.30	357.43	95	11246.65	3407.79	3402.61	-608.94	3.32
MWD	158	14898.00	87.30	357.34	95	11251.12	3502.62	3497.41	-613.27	0.09
MWD	159	14994.00	89.05	357.87	96	11254.18	3598.52	3593.27	-617.28	1.90
MWD	160	15089.00	88.26	357.96	95	11256.41	3693.46	3688.18	-620.74	0.84
MWD	161	15184.00	88.84	359.36	95	11258.81	3788.41	3783.12	-622.96	1.59
MWD	162	15279.00	90.33	359.54	95	11259.50	3883.41	3878.11	-623.87	1.58
MWD	163	15374.00	90.33	359.80	95	11258.95	3978.41	3973.11	-624.42	0.27
MWD	164	15470.00	91.69	0.24	96	11257.26	4074.38	4069.09	-624.38	1.49
MWD	165	15565.00	92.44	359.36	95	11253.84	4169.32	4164.03	-624.71	1.22
MWD	166	15660.00	93.85	359.28	95	11248.63	4264.17	4258.87	-625.84	1.49
MWD	167	15756.00	92.57	0.24	96	11243.25	4360.02	4354.72	-626.24	1.67
MWD	168	15851.00	93.27	0.42	95	11238.41	4454.88	4449.59	-625.69	0.76
MWD	169	15946.00	92.92	359.36	95	11233.28	4549.74	4544.45	-625.88	1.17

MWD	170	16041.00	92.79	358.84	95	11228.55	4644.62	4639.32	-627.37	0.56
MWD	171	16136.00	90.68	358.84	95	11225.68	4739.57	4734.26	-629.29	2.22
MWD	172	16232.00	89.05	359.01	96	11225.90	4835.56	4830.23	-631.09	1.71
MWD	173	16327.00	89.63	358.66	95	11227.00	4930.54	4925.21	-633.02	0.71
MWD	174	16422.00	91.30	358.92	95	11226.22	5025.53	5020.18	-635.03	1.78
MWD	175	16517.00	90.42	359.80	95	11224.80	5120.52	5115.16	-636.09	1.31
MWD	176	16612.00	90.42	0.24	95	11224.10	5215.51	5210.16	-636.05	0.46
MWD	177	16707.00	89.54	359.72	95	11224.14	5310.51	5305.16	-636.09	1.08
MWD	178	16802.00	90.86	359.54	95	11223.80	5405.50	5400.15	-636.70	1.40
MWD	179	16897.00	89.23	359.36	95	11223.73	5500.50	5495.15	-637.61	1.73
MWD	180	16992.00	88.70	359.36	95	11225.45	5595.48	5590.12	-638.67	0.56
MWD	181	17088.00	88.70	359.10	96	11227.62	5691.46	5686.09	-639.96	0.27
MWD	182	17182.00	91.12	359.36	94	11227.77	5785.45	5780.07	-641.23	2.59
MWD	183	17278.00	92.66	359.45	96	11224.61	5881.40	5876.01	-642.22	1.61
MWD	184	17373.00	91.21	359.54	95	11221.40	5976.34	5970.95	-643.06	1.53
MWD	185	17469.00	92.48	359.72	96	11218.31	6072.29	6066.90	-643.68	1.34
MWD	186	17563.00	90.55	1.12	94	11215.82	6166.23	6160.86	-642.99	2.54
MWD	187	17658.00	89.93	0.77	95	11215.42	6261.20	6255.84	-641.42	0.75
MWD	188	17754.00	89.23	0.77	96	11216.13	6357.18	6351.83	-640.13	0.73
MWD	189	17849.00	88.79	0.42	95	11217.77	6452.14	6446.81	-639.15	0.59
MWD	190	17944.00	89.01	0.15	95	11219.59	6547.12	6541.79	-638.68	0.37
MWD	191	18039.00	89.32	0.86	95	11220.98	6642.09	6636.78	-637.84	0.82
MWD	192	18135.00	91.91	1.30	96	11219.95	6738.04	6732.75	-636.03	2.74
MWD	193	18230.00	93.71	1.39	95	11215.29	6832.87	6827.60	-633.80	1.90
MWD	194	18325.00	91.21	0.86	95	11211.21	6927.74	6922.49	-631.94	2.69
MWD	195	18420.00	92.84	1.39	95	11207.86	7022.64	7017.41	-630.08	1.80
MWD	196	18515.00	91.91	0.15	95	11203.92	7117.53	7112.32	-628.80	1.63
MWD	197	18611.00	90.51	358.84	96	11201.89	7213.51	7208.29	-629.65	2.00
MWD	198	18706.00	90.15	358.84	95	11201.34	7308.50	7303.26	-631.57	0.38
MWD	199	18801.00	90.51	359.19	95	11200.80	7403.49	7398.25	-633.20	0.53
MWD	200	18809.00	90.64	359.28	8	11200.72	7411.49	7406.25	-633.31	1.98
PTB	201	18868.00	90.64	359.28	59	11200.06	7470.49	7465.24	-634.05	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name COONSKIN FEE		
								6. Well Number: 151H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043			
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat WC-025 G-07 S243517D; MIDDLE BONE SP			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	E	33	24S	35E	-	2329	NORTH	1248	WEST	LEA
BH:	D	28	24S	35E	-	140	NORTH	678	WEST	LEA
13. Date Spudded 11/7/2022	14. Date T.D. Reached 11/16/2022		15. Date Rig Released 11/18/2022			16. Date Completed (Ready to Produce) 2/17/2023		17. Elevations (DF and RKB, RT, GR, etc.) 3301 GR		
18. Total Measured Depth of Well 18868 ft			19. Plug Back Measured Depth 18829 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11257 ft to 18761 ft							BONE SPRING			
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		674'		17.5"		555 sks		0
9.625"		40		5435'		12.25"		1233 sks		0
5.5"		23		18850'		8.75"/7.875"		1875 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET		
						2.875	11052	11027		
26. Perforation record (interval, size, and number) Perforate from 11257 ft to 18761 ft, 1 SPF, .55 inch holes with 494 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						11257 ft to 18761 ft		38 stage frac with 18,930,028 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production 3/4/2023		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 3/25/2023	Hours Tested 24 hrs	Choke Size 64/64	Prod'n For Test Period	Oil - Bbl 1413	Gas - MCF 5914	Water - Bbl. 2965	Gas - Oil Ratio 4185			
Flow Tubing Press. 1101	Casing Pressure 613	Calculated 24-Hour Rate	Oil - Bbl. 1413	Gas - MCF 5914	Water - Bbl. 2965	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By			
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
			Latitude		Longitude		NAD83			
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Jeff Trlica		Title Regulatory Specialist			Date 4/11/2023		
E-mail Address jtrlica@taprllc.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology
0	925		Quaternary
925	1524		Rustler
1524	5058		Top of Salt
5058	5309		Base of Salt
5309	5320		Lamar
5320	6218		Bell Canyon
6218	7786		Cherry Canyon
7786	9116		Brushy Canyon
9116	9476		Bone Spring
9476	10350		Avalon
10350	10928		1st Bone Spring Sand
10928			2nd Bone Spring Sand

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 205970

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 205970
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 205970

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 205970
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/18/2023