

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address RIDGEWAY ARIZONA OIL CORP. 575 N. DAIRY ASHFORD - SUITE 210 HOUSTON TX 77079		² OGRID Number 164557
		³ Reason for Filing Code/ Effective Date NEW WELL/ 3/14/22
⁴ API Number 30 - 005-29224	⁵ Pool Name CHAVEROO SAN ANDRES	⁶ Pool Code 12049
⁷ Property Code 331682	⁸ Property Name STATE COM	⁹ Well Number 402H

II. ¹⁰ Surface Location

Ul or lot no. C	Section 9	Township 08S	Range 33E	Lot Idn C	Feet from the 920	North/South Line N	Feet from the 1480	East/West line W	County CHAVES
---------------------------	---------------------	------------------------	---------------------	---------------------	-----------------------------	------------------------------	------------------------------	----------------------------	-------------------------

¹¹ Bottom Hole Location

UL or lot no. C D	Section 4	Township 08S	Range 33E	Lot Idn D 3	Feet from the 50 0	North/South line N	Feet from the 1320 1329	East/West line W	County CHAVES
¹² Lse Code S	¹³ Producing Method Code P	¹⁴ Gas Connection Date 3/30/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34139	PHILLIPS 66 COMPANY	O
24650	TARGA MIDSTREAM SERVICE LLC	G

IV. Well Completion Data

²¹ Spud Date 12/7/2021	²² Ready Date 3/14/22	²³ TD 10213'	²⁴ PBDT 10104'	²⁵ Perforations 5050' - 10075'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
13.500"	9.625"	2300'	1525		
8.75"	5.500"	10192'	2470		
8.750"	7.000"	4322'-4550'			

V. Well Test Data

³¹ Date New Oil 3/14/2022	³² Gas Delivery Date 3/30/2022	³³ Test Date 3/14/2022	³⁴ Test Length 1 HOUR	³⁵ Tbg. Pressure 160	³⁶ Csg. Pressure 160
³⁷ Choke Size 64/64	³⁸ Oil 6 BBL	³⁹ Water 125 BBL	⁴⁰ Gas 9 MCF		⁴¹ Test Method PUMP
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>William Boyd</i>			OIL CONSERVATION DIVISION		
Printed name: WILLIAM BOYD			Approved by: PATRICIA MARTINEZ		
Title: LAND & REGULATORY MANAGER			Title: PETROLEUM SPECIALIST		
E-mail Address: WBOYD@PEDEVCO.COM			Approval Date: 12/19/2023		
Date: 5/16/22		Phone: 713-574-7912			

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
Phone (575) 393-8161 Fax: (575) 393-0720

DISTRICT II
811 S. First St., Artesia, NM 88210
Phone (575) 748-1285 Fax: (575) 748-9720

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone (505) 834-8178 Fax: (505) 334-8170

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised August 1, 2011

Submit one copy to appropriate
District Office

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

☐ AMENDED REPORT

API Number 30-005-29224	Pool Code 12049	Pool Name Chaveroo San Andres
Property Code 331682	Property Name STATE	Well Number 402H
OGRID No. 164557	Operator Name RIDGEWAY ARIZONA OIL CORP.	Elevation 4420'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	9	8 S	33 E		920	NORTH	1480	WEST	CHAVES

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	4	8 S	33 E		0	NORTH	1329	WEST	CHAVES
Dedicated Acres	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

BOTTOM HOLE LOCATION Lat - N 33.656818° Long - W 103.575173° NMSPCE- N 967362.5 E 772036.9 (NAD-83) LAST TAKE POINT 188' FNL & 1327' FWL Lat - N 33.656301° Long - W 103.575181° NMSPCE- N 967174.5 E 772035.7 (NAD-83) FIRST TAKE POINT 115' FSL & 1320' FWL Lat - N 33.642618° Long - W 103.575257° NMSPCE- N 962195.3 E 772049.3 (NAD-83) KICK OFF POINT 919' FNL & 1319' FWL Lat - N 33.639775° Long - W 103.575261° NMSPCE- N 961160.8 E 772055.5 (NAD-83) SURFACE LOCATION Lat - N 33.639773° Long - W 103.574732° NMSPCE- N 961161.3 E 772216.5 (NAD-83)	N.: 967347.7 E.: 770707.9 NAD 83 N.: 967406.9 E.: 776021.2 NAD 83 N.: 962070.3 E.: 770730.2 NAD 83 N.: 962109.1 E.: 776036.4 NAD 83 N.: 956791.7 E.: 770768.8 NAD 83	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>William Boyd</i> 5/16/22 Signature Date Printed Name wboydepdx.com Email Address SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. MAY 13, 2022 Date Surveyed Signature & Seal of Professional Surveyor 7977 Certificate No. Gary L. Jones 7977 BASIN SURVEYS 0' 1000' 2000' 3000' 4000' SCALE: 1" = 2000' WO Num.: 35713
--	---	---



State Com #402H

Directional Survey Report

Start date: 12/7/21

End date:

Company: Ridgeway Arizona Oil Corp.

State/Prov: NM

Survey Company: DrilTech, LLC

Well Name: State Com #402H

County: Chaves

Job Number: DM-2021-223-RADT-NM

Field:

Country: USA

Proposed Azimuth: 359.76

Rig ID: Norton Rig 2

Declination: 6.19

Elevations KB: 17

API: 30-005-29224

North Reference: Grid

DF: 4437

Location: Chaves Co., NM

Latitude/Longitude: 32.434894722 / -102.689703889

GL: 4420

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	CD	CA	DLS	CL
TieIn	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
1	132.00	0.26	337.71	132.00	0.28	-0.11	0.28	0.30	132.00	0.20	132.00
2	224.00	0.18	186.45	224.00	0.33	-0.21	0.33	0.39	92.00	0.46	92.00
3	316.00	0.18	303.17	316.00	0.26	-0.35	0.26	0.43	92.00	0.33	92.00
4	408.00	0.09	324.71	408.00	0.40	-0.51	0.40	0.65	92.00	0.11	92.00
5	500.00	0.09	123.26	500.00	0.42	-0.49	0.42	0.65	92.00	0.19	92.00
6	592.00	0.00	313.90	592.00	0.38	-0.43	0.38	0.57	92.00	0.10	92.00
7	683.00	0.35	171.78	683.00	0.10	-0.39	0.11	0.40	91.00	0.38	91.00
8	775.00	0.26	150.59	775.00	-0.36	-0.25	-0.35	0.43	92.00	0.16	92.00
9	867.00	0.44	187.60	867.00	-0.89	-0.19	-0.89	0.91	92.00	0.30	92.00
10	962.00	0.35	238.31	961.99	-1.40	-0.49	-1.40	1.48	95.00	0.37	95.00
11	1,056.00	0.18	284.54	1,055.99	-1.51	-0.87	-1.51	1.75	94.00	0.28	94.00
12	1,150.00	0.18	294.21	1,149.99	-1.42	-1.15	-1.41	1.83	94.00	0.03	94.00
13	1,244.00	0.09	253.51	1,243.99	-1.38	-1.36	-1.37	1.93	94.00	0.13	94.00
14	1,339.00	1.32	292.10	1,338.98	-0.99	-2.44	-0.98	2.63	95.00	1.32	95.00
15	1,433.00	2.46	284.63	1,432.93	-0.07	-5.40	-0.05	5.40	94.00	1.24	94.00
16	1,527.00	3.69	280.32	1,526.79	0.98	-10.33	1.02	10.37	94.00	1.33	94.00
17	1,621.00	4.57	275.22	1,620.55	1.86	-17.03	1.94	17.13	94.00	1.01	94.00
18	1,715.00	4.84	273.73	1,714.23	2.46	-24.72	2.57	24.84	94.00	0.32	94.00
19	1,810.00	5.10	275.49	1,808.87	3.13	-32.92	3.27	33.07	95.00	0.32	95.00
20	1,904.00	5.63	278.12	1,902.46	4.18	-41.64	4.35	41.85	94.00	0.62	94.00
21	1,998.00	5.98	278.56	1,995.98	5.56	-51.05	5.77	51.35	94.00	0.38	94.00
22	2,093.00	5.98	277.16	2,090.46	6.91	-60.85	7.17	61.24	95.00	0.15	95.00
23	2,186.00	6.16	274.78	2,182.94	7.93	-70.63	8.23	71.08	93.00	0.33	93.00
24	2,240.00	6.33	273.03	2,236.62	8.33	-76.49	8.65	76.94	54.00	0.47	54.00
25	2,391.00	6.42	277.68	2,386.69	9.90	-93.17	10.29	93.70	151.00	0.35	151.00
26	2,485.00	5.89	268.54	2,480.15	10.48	-103.20	10.91	103.73	94.00	1.18	94.00
27	2,580.00	4.92	263.89	2,574.73	9.92	-112.13	10.39	112.56	95.00	1.12	95.00
28	2,675.00	4.40	265.29	2,669.41	9.19	-119.81	9.69	120.16	95.00	0.56	95.00
29	2,769.00	4.40	248.50	2,763.14	7.57	-126.76	8.10	126.98	94.00	1.37	94.00
30	2,863.00	4.13	240.68	2,856.88	4.59	-133.06	5.15	133.14	94.00	0.68	94.00
31	2,957.00	3.69	243.49	2,950.66	1.58	-138.72	2.16	138.73	94.00	0.51	94.00
32	3,051.00	3.87	255.89	3,044.46	-0.54	-144.50	0.06	144.51	94.00	0.89	94.00
33	3,146.00	2.90	265.64	3,139.29	-1.51	-150.01	-0.88	150.02	95.00	1.18	95.00
34	3,240.00	2.11	268.98	3,233.20	-1.72	-154.11	-1.07	154.12	94.00	0.85	94.00
35	3,334.00	1.06	286.56	3,327.16	-1.50	-156.68	-0.84	156.68	94.00	1.22	94.00
36	3,429.00	1.14	278.39	3,422.15	-1.11	-158.45	-0.45	158.46	95.00	0.19	95.00
37	3,523.00	1.14	279.27	3,516.13	-0.82	-160.30	-0.15	160.30	94.00	0.02	94.00
38	3,555.00	1.76	305.72	3,548.12	-0.49	-161.01	0.19	161.01	32.00	2.80	32.00
39	3,586.00	3.96	332.62	3,579.08	0.74	-161.89	1.42	161.89	31.00	8.13	31.00
40	3,617.00	6.16	342.55	3,609.96	3.28	-162.88	3.96	162.92	31.00	7.61	31.00
41	3,648.00	8.44	345.98	3,640.70	7.07	-163.93	7.76	164.09	31.00	7.48	31.00
42	3,680.00	10.99	347.29	3,672.24	12.33	-165.17	13.02	165.63	32.00	8.00	32.00
43	3,711.00	13.45	348.96	3,702.54	18.75	-166.51	19.45	167.57	31.00	8.02	31.00
44	3,742.00	15.83	350.81	3,732.53	26.46	-167.88	27.17	169.95	31.00	7.82	31.00
45	3,774.00	17.67	352.48	3,763.17	35.59	-169.21	36.30	172.92	32.00	5.94	32.00
46	3,805.00	19.70	355.91	3,792.53	45.47	-170.20	46.18	176.17	31.00	7.44	31.00
47	3,837.00	22.16	359.16	3,822.42	56.88	-170.67	57.60	179.90	32.00	8.50	32.00
48	3,868.00	24.09	1.62	3,850.93	69.05	-170.58	69.77	184.03	31.00	6.96	31.00
49	3,899.00	26.38	3.20	3,878.97	82.26	-170.02	82.97	188.87	31.00	7.70	31.00

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	CD	CA	DLS	CL
50	3,930.00	28.49	4.08	3,906.48	96.51	-169.11	97.22	194.71	31.00	6.93	31.00
51	3,961.00	30.16	3.38	3,933.51	111.66	-168.12	112.36	201.82	31.00	5.50	31.00
52	3,993.00	32.18	3.38	3,960.89	128.19	-167.15	128.89	210.64	32.00	6.31	32.00
53	4,024.00	34.91	3.38	3,986.72	145.29	-166.14	145.99	220.70	31.00	8.81	31.00
54	4,055.00	37.64	3.29	4,011.71	163.60	-165.07	164.29	232.41	31.00	8.81	31.00
55	4,086.00	39.92	3.03	4,035.88	182.99	-164.00	183.67	245.72	31.00	7.37	31.00
56	4,118.00	42.91	2.06	4,059.87	204.13	-163.07	204.81	261.27	32.00	9.56	32.00
57	4,149.00	45.46	1.44	4,082.10	225.72	-162.41	226.40	278.08	31.00	8.34	31.00
58	4,180.00	47.66	0.57	4,103.42	248.23	-162.02	248.90	296.42	31.00	7.38	31.00
59	4,212.00	50.30	359.95	4,124.42	272.37	-161.91	273.04	316.86	32.00	8.38	32.00
60	4,244.00	52.67	359.60	4,144.34	297.40	-162.01	298.08	338.67	32.00	7.46	32.00
61	4,275.00	55.22	359.69	4,162.59	322.46	-162.16	323.14	360.94	31.00	8.23	31.00
62	4,306.00	57.77	358.19	4,179.70	348.31	-162.65	348.98	384.41	31.00	9.16	31.00
63	4,337.00	58.83	359.25	4,195.99	374.67	-163.24	375.35	408.69	31.00	4.49	31.00
64	4,369.00	58.65	359.86	4,212.59	402.03	-163.45	402.71	433.98	32.00	1.72	32.00
65	4,400.00	57.95	359.86	4,228.88	428.40	-163.51	429.08	458.55	31.00	2.26	31.00
66	4,432.00	57.68	0.04	4,245.93	455.48	-163.54	456.16	483.95	32.00	0.97	32.00
67	4,464.00	57.95	359.69	4,262.97	482.57	-163.60	483.25	509.54	32.00	1.25	32.00
68	4,496.00	58.56	0.13	4,279.81	509.78	-163.64	510.46	535.40	32.00	2.24	32.00
69	4,528.00	60.23	359.86	4,296.10	537.32	-163.65	538.00	561.69	32.00	5.27	32.00
70	4,559.00	63.49	359.42	4,310.72	564.65	-163.82	565.33	587.94	31.00	10.59	31.00
71	4,591.00	67.09	359.25	4,324.09	593.71	-164.16	594.40	615.99	32.00	11.26	32.00
72	4,622.00	70.35	359.16	4,335.34	622.59	-164.56	623.28	643.97	31.00	10.52	31.00
73	4,653.00	73.07	359.69	4,345.07	652.02	-164.85	652.71	672.54	31.00	8.92	31.00
74	4,684.00	75.27	359.07	4,353.53	681.84	-165.18	682.53	701.57	31.00	7.35	31.00
75	4,715.00	77.82	358.54	4,360.74	711.98	-165.81	712.67	731.04	31.00	8.39	31.00
76	4,747.00	80.81	357.05	4,366.67	743.40	-167.02	744.09	761.93	32.00	10.40	32.00
77	4,778.00	84.06	358.54	4,370.75	774.10	-168.20	774.80	792.17	31.00	11.52	31.00
78	4,810.00	87.58	358.72	4,373.08	806.00	-168.96	806.71	823.52	32.00	11.01	32.00
79	4,841.00	90.04	358.72	4,373.73	836.99	-169.65	837.69	854.01	31.00	7.94	31.00
80	4,873.00	90.57	359.77	4,373.56	868.98	-170.07	869.69	885.47	32.00	3.68	32.00
81	4,904.00	91.28	0.30	4,373.06	899.98	-170.06	900.68	915.91	31.00	2.86	31.00
82	4,936.00	91.71	0.92	4,372.22	931.97	-169.71	932.67	947.29	32.00	2.36	32.00
83	5,030.00	92.59	1.80	4,368.70	1,025.87	-167.49	1,026.56	1,039.45	94.00	1.32	94.00
84	5,125.00	92.33	1.97	4,364.62	1,120.73	-164.36	1,121.41	1,132.72	95.00	0.33	95.00
85	5,219.00	91.63	359.69	4,361.37	1,214.66	-163.00	1,215.33	1,225.55	94.00	2.54	94.00
86	5,314.00	92.42	0.04	4,358.01	1,309.60	-163.23	1,310.27	1,319.73	95.00	0.91	95.00
87	5,407.00	92.07	0.57	4,354.37	1,402.53	-162.73	1,403.20	1,411.94	93.00	0.68	93.00
88	5,501.00	91.01	358.37	4,351.84	1,496.48	-163.60	1,497.15	1,505.40	94.00	2.60	94.00
89	5,596.00	90.57	357.49	4,350.53	1,591.41	-167.03	1,592.10	1,600.15	95.00	1.04	95.00
90	5,690.00	89.25	356.87	4,350.68	1,685.29	-171.66	1,686.00	1,694.01	94.00	1.55	94.00
91	5,785.00	89.43	356.17	4,351.77	1,780.11	-177.42	1,780.84	1,788.93	95.00	0.76	95.00
92	5,880.00	89.87	358.46	4,352.36	1,875.00	-181.87	1,875.74	1,883.80	95.00	2.45	95.00
93	5,974.00	90.75	0.48	4,351.85	1,968.99	-182.74	1,969.74	1,977.45	94.00	2.34	94.00
94	6,069.00	91.71	1.62	4,349.81	2,063.95	-181.00	2,064.69	2,071.87	95.00	1.57	95.00
95	6,162.00	90.75	1.36	4,347.81	2,156.89	-178.59	2,157.62	2,164.27	93.00	1.07	93.00
96	6,257.00	91.54	2.59	4,345.91	2,251.81	-175.31	2,252.53	2,258.63	95.00	1.54	95.00
97	6,352.00	89.52	0.57	4,345.03	2,346.76	-172.69	2,347.47	2,353.11	95.00	3.01	95.00
98	6,446.00	89.78	359.86	4,345.61	2,440.76	-172.34	2,441.46	2,446.84	94.00	0.80	94.00
99	6,541.00	90.31	359.25	4,345.53	2,535.76	-173.08	2,536.46	2,541.66	95.00	0.85	95.00
100	6,635.00	91.63	0.21	4,343.94	2,629.74	-173.52	2,630.44	2,635.46	94.00	1.74	94.00
101	6,730.00	91.63	359.77	4,341.24	2,724.70	-173.54	2,725.40	2,730.22	95.00	0.46	95.00
102	6,822.00	91.36	0.83	4,338.84	2,816.67	-173.06	2,817.37	2,821.98	92.00	1.19	92.00
103	6,913.00	89.60	0.39	4,338.08	2,907.66	-172.09	2,908.35	2,912.74	91.00	1.99	91.00
104	7,005.00	89.78	359.51	4,338.57	2,999.65	-172.17	3,000.35	3,004.59	92.00	0.98	92.00
105	7,097.00	90.92	0.21	4,338.01	3,091.65	-172.39	3,092.34	3,096.45	92.00	1.45	92.00
106	7,189.00	92.24	1.53	4,335.48	3,183.60	-171.00	3,184.29	3,188.19	92.00	2.03	92.00
107	7,281.00	90.57	359.86	4,333.22	3,275.56	-169.88	3,276.24	3,279.96	92.00	2.57	92.00
108	7,373.00	89.78	356.87	4,332.94	3,367.51	-172.51	3,368.20	3,371.93	92.00	3.36	92.00
109	7,464.00	89.96	357.05	4,333.15	3,458.38	-177.33	3,459.09	3,462.92	91.00	0.28	91.00
110	7,557.00	91.36	0.48	4,332.07	3,551.34	-179.34	3,552.06	3,555.86	93.00	3.98	93.00
111	7,651.00	89.43	1.53	4,331.43	3,645.31	-177.69	3,646.03	3,649.64	94.00	2.34	94.00
112	7,745.00	90.48	3.99	4,331.50	3,739.20	-173.16	3,739.89	3,743.20	94.00	2.85	94.00
113	7,840.00	90.84	6.98	4,330.41	3,833.74	-164.08	3,834.40	3,837.25	95.00	3.17	95.00
114	7,935.00	90.92	4.96	4,328.95	3,928.21	-154.20	3,928.83	3,931.24	95.00	2.13	95.00

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	CD	CA	DLS	CL
115	8,029.00	88.90	2.15	4,329.09	4,022.02	-148.38	4,022.60	4,024.75	94.00	3.68	94.00
116	8,124.00	88.37	1.09	4,331.36	4,116.95	-145.69	4,117.53	4,119.53	95.00	1.25	95.00
117	8,217.00	89.52	1.00	4,333.07	4,209.92	-144.00	4,210.49	4,212.38	93.00	1.24	93.00
118	8,312.00	88.55	359.60	4,334.67	4,304.90	-143.50	4,305.46	4,307.29	95.00	1.79	95.00
119	8,407.00	89.08	359.42	4,336.63	4,399.88	-144.31	4,400.44	4,402.24	95.00	0.59	95.00
120	8,501.00	90.31	359.95	4,337.13	4,493.87	-144.83	4,494.44	4,496.20	94.00	1.42	94.00
121	8,595.00	89.52	359.42	4,337.27	4,587.87	-145.34	4,588.44	4,590.17	94.00	1.01	94.00
122	8,691.00	88.37	359.42	4,339.04	4,683.85	-146.32	4,684.42	4,686.13	96.00	1.20	96.00
123	8,785.00	88.64	358.37	4,341.49	4,777.80	-148.13	4,778.37	4,780.09	94.00	1.15	94.00
124	8,880.00	89.60	358.90	4,342.95	4,872.76	-150.39	4,873.34	4,875.08	95.00	1.15	95.00
125	8,974.00	89.69	359.60	4,343.54	4,966.75	-151.62	4,967.34	4,969.06	94.00	0.75	94.00
126	9,069.00	89.08	358.98	4,344.56	5,061.73	-152.80	5,062.33	5,064.04	95.00	0.92	95.00
127	9,164.00	89.08	356.79	4,346.08	5,156.65	-156.30	5,157.26	5,159.02	95.00	2.30	95.00
128	9,258.00	90.04	356.17	4,346.80	5,250.47	-162.07	5,251.10	5,252.97	94.00	1.22	94.00
129	9,353.00	91.89	356.96	4,345.20	5,345.28	-167.77	5,345.93	5,347.91	95.00	2.12	95.00
130	9,447.00	90.57	357.23	4,343.18	5,439.13	-172.53	5,439.81	5,441.87	94.00	1.43	94.00
131	9,541.00	91.54	357.93	4,341.45	5,533.03	-176.50	5,533.72	5,535.85	94.00	1.27	94.00
132	9,635.00	91.28	358.02	4,339.14	5,626.94	-179.82	5,627.65	5,629.82	94.00	0.29	94.00
133	9,731.00	92.07	358.63	4,336.33	5,722.86	-182.62	5,723.58	5,725.77	96.00	1.04	96.00
134	9,826.00	92.33	359.16	4,332.69	5,817.77	-184.45	5,818.50	5,820.70	95.00	0.62	95.00
135	9,919.00	92.42	0.48	4,328.83	5,910.69	-184.74	5,911.41	5,913.58	93.00	1.42	93.00
136	10,014.00	91.10	0.83	4,325.92	6,005.64	-183.66	6,006.35	6,008.45	95.00	1.44	95.00
137	10,110.00	91.63	1.18	4,323.63	6,101.60	-181.98	6,102.30	6,104.31	96.00	0.66	96.00
138	10,153.00	92.07	1.36	4,322.24	6,144.56	-181.02	6,145.27	6,147.23	43.00	1.11	43.00
PTB	10,213.00	92.07	1.36	4,320.07	6,204.51	-179.60	6,205.20	6,207.11	60.00	0.00	60.00

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-005-29224
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name
8. Well Number 402H
9. OGRID Number 164557
10. Pool name or Wildcat CHAVEROO SAN ANDRES

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator RIDGEWAY ARIZONA OIL CORP	
3. Address of Operator 575 N DAIRY ASHFORD RD, EC II SUITE 210, HOUSTON, TX 77079	
4. Well Location Unit Letter <u>C</u> : <u>920</u> feet from the <u>NORTH</u> line and <u>1480</u> feet from the <u>WEST</u> line Section <u>9</u> Township <u>08S</u> Range <u>33E</u> NMPM <u>CHAVES</u> County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: NEW WELL COMPLETION ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

RIDGEWAY ARIZONA OIL CORP HAS COMPLETED THE FOLLOWING:
 1/14/22 CASING TEST PRESSURE UP TO 6500PSI HOLD 30 MINS
 1/15/22 PERF 384 HOLES AND FRAC FROM 5,050' TO 10,075'
 FRAC WITH 2,500,000 LBS PROPPANT AND 55,000 GAL FRESH WATER
 3/13/22 DRILL OUT PLUGS
 TURN OVER TO PROD TUBING 2.875" SET TO DEPTH 4,432'
 TMD 10,213' PBD 10,104'

Spud Date: 12/7/2021

Rig Release Date: 12/20/2021

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE LAND & REGULATORY MGR DATE 10-6-2022

Type or print name WILLIAM BOYD E-mail address: wboyd@pedevco.com PHONE: 713-574-7912

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any): _____

Submit To Appropriate District Office
Two Copies
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-105
Revised April 3, 2017

1. WELL API NO.

30-005-29224

2. Type of Lease

☒ STATE ☐ FEE ☐ FED/INDIAN

3. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing:

☒ **COMPLETION REPORT** (Fill in boxes #1 through #31 for State and Fee wells only)

☐ **C-144 CLOSURE ATTACHMENT** (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)

7. Type of Completion:

☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER

8. Name of Operator

RIDGEWAY ARIZONA OIL CORP

9. OGRID

164557

10. Address of Operator

575 N. DAIRY ASHFORD RD, EC II SUITE 210, HOUSTON, TX 77057

11. Pool name or Wildcat

CHAVEROO SAN ANDRES

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	C	9	08S	33E	C	920	N	1480	W	CHAVES
BH:	D	4	08S	33E	D	50	N	1320	W	CHAVES

13. Date Spudded 12/7/2021	14. Date T.D. Reached 12/17/2021	15. Date Rig Released 12/20/2021	16. Date Completed (Ready to Produce) 1/21/2022	17. Elevations (DF and RKB, RT, GR, etc.) 4,420' GR
18. Total Measured Depth of Well 10,213'		19. Plug Back Measured Depth 10,104'	20. Was Directional Survey Made? YES - PROVIDED	21. Type Electric and Other Logs Run NONE

22. Producing Interval(s), of this completion - Top, Bottom, Name

5,050' - 10,075' CHAVEROO SAN ANDRES

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9.625"	36.00	2,300'	13.500"	1525 sxs	
7.000"	32.00	4,311' - 4,550'	8.750"		
5.500"	20.00	0' - 10,192'	8.750"	2470 sxs	

24. LINER RECORD					25. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2.875"	4,432'	

26. Perforation record (interval, size, and number) 5,050' - 10,075', 384 holes	27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
	DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED
	5,050' - 10,075' 2.5MM lbs sand
	5,050' - 10,075' 55,000 gallons fresh water
	5,050' - 10,075' 20/40 white

PRODUCTION

28. Date First Production 3/14/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping, ESP			Well Status (Prod. or Shut-in) PROD		
Date of Test 3/14/2022	Hours Tested 1 HOUR	Choke Size 64/64	Prod'n For Test Period 148 BBL	Oil - Bbl 6 BBL	Gas - MCF 9 MCF	Water - Bbl. 125 BBL	Gas - Oil Ratio 0.01
Flow Tubing Press. 160	Casing Pressure 160	Calculated 24-Hour Rate	Oil - Bbl. 148 BBL	Gas - MCF 216 MCF	Water - Bbl. 3000 BBL	Oil Gravity - API - (Corr.)	
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD						30. Test Witnessed By C. RUSHING	

31. List Attachments

DIRECTIONAL SURVEY, WBS

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.

33. Rig Release Date: 12/20/2021

34. If an on-site burial was used at the well, report the exact location of the on-site burial:

Latitude

Longitude

NAD83

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Printed

Signature 

Name WILLIAM BOYD Title LAND & REGULATORY MGR Date 5/16/22

E-mail Address wboyd@pedevco.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 2365'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen 3049'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 3543'	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T.Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T.Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T.Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

(Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 132419

ACKNOWLEDGMENTS

Operator: RIDGEWAY ARIZONA OIL CORP. 575 N. Dairy Ashford Houston, TX 77079	OGRID: 164557
	Action Number: 132419
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 132419

CONDITIONS

Operator: RIDGEWAY ARIZONA OIL CORP. 575 N. Dairy Ashford Houston, TX 77079	OGRID: 164557
	Action Number: 132419
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/19/2023