

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-49023	⁵ Pool Name PURPLE SAGE; WOLFCAMP	⁶ Pool Code 98220
⁷ Property Code 329796	⁸ Property Name SCHLITZ FED COM	⁹ Well Number 204H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
P	16	25S	26E	-	672	SOUTH	913	EAST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	9	25S	26E	-	254	NORTH	630	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 9/16/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 4/7/2022	²² Ready Date 9/5/2022	²³ TD 18756	²⁴ PBTB 18692'	²⁵ Perforations 8781 ft to 18607 ft	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	461'	405 sks		
12.25"	9.625"	2033'	538 sks		
8.75"/6.75"	5.5"	18737'	1355 sks		

V. Well Test Data

³¹ Date New Oil 9/16/2022	³² Gas Delivery Date 9/16/2022	³³ Test Date 10/1/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 1100
³⁷ Choke Size 40/64	³⁸ Oil 203	³⁹ Water 1992	⁴⁰ Gas 1654		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 12/19/2023		
Date: 10/18/2022		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-49023	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 329796	⁵ Property Name SCHLITZ FED COM	⁶ Well Number 204H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3389'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	16	25-S	26-E	-	672'	SOUTH	913'	EAST	EDDY


¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	9	25-S	26-E	-	254'	NORTH	630'	EAST	EDDY

¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.





LEASE NAME & WELL NO.: SCHLITZ FED COM 204H
 SECTION 16 TWP 25-S RGE 26-E SURVEY N.M.P.M.
 COUNTY EDDY STATE NM ELEVATION 3389'
 DESCRIPTION 672' FSL & 913' FEL

**INTERNAL
PRE-COMPLETION
PLAT**



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
 TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
 TEXAS FIRM REGISTRATION NO. 10042504
 WWW.TOPOGRAPHIC.COM

SCHLITZ FED COM 204H
PRE-COMPLETION

REVISION:

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

DATE: 06/30/2022

FILE: C_SCHLITZ_FED_COM_204H

DRAWN BY: GJU

SHEET: 2 OF 2



Final MWD Survey Certification

Eddy County, New Mexico

Client: Tap Rock Resources

Well Name: Schlitz Fed Com #204H

Total Job No: SW220428

API No: 30-015-49023

Start Date: 04/07/2022

End Date: 04/17/2022

Measured Start Depth: 0 feet

Measured End Depth: 18756 feet

Vertical Section from well center at TD: 8704.54 feet

I, Jamie Stephenson, certify that; I am employed by Total Directional Services, LLC and we conducted or supervised the taking of these open hole MWD surveys at the request of this client. This data is true, correct, complete and within the limitations of the tool as set forth by Total Directional Services, LLC. I am authorized and qualified to make this report and have reviewed this report and find that it conforms to the principals and procedures as set forth by Total Directional Services, LLC.

Date: 4/17/2022

Signed: *Jamie Stephenson* *Jose Perozo Casanova*

SVY	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
Tiein	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00	0.00
1	154.00	1.14	59.48	153.99	0.78	1.32	0.76	0.74	154.00	0.00	1R
2	245.00	1.01	59.66	244.97	1.64	2.79	1.61	0.14	91.00	2A	3R
3	335.00	0.70	42.96	334.96	2.45	3.85	2.40	0.44	90.00	2A	4R
4	411.00	0.48	50.52	410.96	2.99	4.41	2.94	0.31	76.00	3A	4R
5	516.00	0.53	48.93	515.96	3.59	5.12	3.53	0.05	105.00	2A	2R
6	606.00	0.48	26.61	605.95	4.20	5.60	4.14	0.22	90.00	2A	2R
7	697.00	0.22	0.51	696.95	4.71	5.77	4.65	0.33	91.00	3A	2R
8	788.00	0.48	346.71	787.95	5.26	5.69	5.20	0.30	91.00	3A	2R
9	878.00	0.53	346.80	877.95	6.03	5.51	5.97	0.06	90.00	4A	2R
10	968.00	0.66	24.32	967.94	6.91	5.62	6.85	0.45	90.00	5A	2R
11	1057.00	0.97	47.18	1056.93	7.89	6.39	7.82	0.50	89.00	6A	3R
12	1148.00	2.07	66.60	1147.90	9.06	8.46	8.97	1.32	91.00	7A	5R
13	1242.00	3.25	83.39	1241.80	10.04	12.67	9.91	1.49	94.00	10A	13R
14	1337.00	2.07	91.91	1336.69	10.30	17.06	10.12	1.31	95.00	10A	17R
15	1431.00	1.85	90.15	1430.64	10.24	20.27	10.02	0.24	94.00	10A	20R
16	1526.00	2.42	101.23	1525.57	9.84	23.77	9.59	0.74	95.00	9A	23R
17	1620.00	2.55	115.91	1619.49	8.54	27.60	8.25	0.69	94.00	8A	27R
18	1714.00	2.68	133.22	1713.39	6.12	31.08	5.79	0.85	94.00	5A	31R
19	1808.00	1.63	200.54	1807.33	3.37	32.21	3.02	2.71	94.00	3A	32R
20	1903.00	1.05	225.24	1902.31	1.49	31.12	1.16	0.85	95.00	1A	31R
21	1984.00	0.92	208.02	1983.30	0.39	30.29	0.07	0.40	81.00	0.00	30R
22	2081.00	1.36	175.23	2080.28	-1.44	30.02	-1.76	0.79	97.00	2B	30R
23	2175.00	2.51	197.82	2174.22	-4.51	29.48	-4.83	1.45	94.00	5B	29R
24	2269.00	3.96	188.06	2268.07	-9.69	28.40	-9.99	1.64	94.00	18A	23L
25	2363.00	5.19	188.24	2361.77	-17.11	27.33	-17.40	1.31	94.00	22A	19L
26	2457.00	5.58	184.46	2455.36	-25.87	26.37	-26.15	0.56	94.00	26A	15L
27	2552.00	5.58	187.62	2549.91	-35.06	25.40	-35.33	0.32	95.00	29A	11L
28	2646.00	5.45	184.20	2643.47	-44.04	24.46	-44.30	0.38	94.00	30A	7L
29	2740.00	4.92	185.25	2737.09	-52.50	23.77	-52.75	0.57	94.00	29A	4L
30	2835.00	4.53	189.47	2831.76	-60.26	22.78	-60.50	0.55	95.00	26A	0.00
31	2929.00	5.41	174.53	2925.41	-68.33	22.59	-68.57	1.66	94.00	22A	2R
32	3023.00	6.77	165.04	3018.88	-78.10	24.44	-78.36	1.80	94.00	19A	3R
33	3117.00	7.30	161.61	3112.18	-89.12	27.76	-89.41	0.72	94.00	16A	4R
34	3212.00	6.42	158.80	3206.49	-99.80	31.58	-100.13	0.99	95.00	12A	4R
35	3306.00	5.71	160.56	3299.97	-109.11	35.04	-109.47	0.78	94.00	7A	4R

P.O Box 831, Windsor, CO 80550 | P:970.686.8893 | F:970.686.8894 | www.totaldirectional.com

36	3400.00	6.24	156.69	3393.46	-118.21	38.62	-118.61	0.71	94.00	2A	4R
37	3494.00	6.73	155.63	3486.86	-127.92	42.91	-128.37	0.54	94.00	1B	3R
38	3589.00	6.73	154.23	3581.20	-138.00	47.63	-138.50	0.17	95.00	5B	2R
39	3684.00	8.66	164.25	3675.35	-149.90	51.99	-150.44	2.47	95.00	7B	2R
40	3779.00	8.04	163.46	3769.34	-163.15	55.82	-163.74	0.66	95.00	8B	3R
41	3873.00	7.34	160.38	3862.49	-175.11	59.71	-175.74	0.86	94.00	10B	3R
42	3968.00	9.58	158.01	3956.45	-188.16	64.71	-188.84	2.39	95.00	11B	3R
43	4062.00	8.75	155.19	4049.25	-201.90	70.64	-202.64	1.00	94.00	11B	2R
44	4157.00	9.10	161.26	4143.10	-215.57	76.08	-216.37	1.06	95.00	11B	2R
45	4252.00	9.76	163.02	4236.82	-230.39	80.85	-231.24	0.76	95.00	10B	2R
46	4347.00	8.88	162.49	4330.57	-245.08	85.41	-245.98	0.93	95.00	10B	3R
47	4441.00	8.04	162.93	4423.54	-258.29	89.52	-259.23	0.90	94.00	11B	4R
48	4535.00	9.41	160.82	4516.45	-271.83	93.97	-272.82	1.50	94.00	11B	4R
49	4629.00	10.46	159.76	4609.04	-287.09	99.45	-288.14	1.13	94.00	10B	4R
50	4723.00	10.42	160.20	4701.48	-303.10	105.28	-304.20	0.09	94.00	7B	4R
51	4816.00	9.32	158.88	4793.11	-318.04	110.84	-319.20	1.21	93.00	6B	4R
52	4910.00	8.84	158.53	4885.93	-331.86	116.23	-333.08	0.51	94.00	6B	4R
53	5003.00	8.04	158.53	4977.92	-344.56	121.23	-345.83	0.86	93.00	7B	3R
54	5097.00	8.92	161.26	5070.89	-357.58	125.97	-358.90	1.03	94.00	8B	3R
55	5191.00	9.14	162.22	5163.73	-371.59	130.59	-372.96	0.28	94.00	8B	4R
56	5284.00	8.97	162.66	5255.57	-385.54	135.01	-386.96	0.20	93.00	8B	5R
57	5379.00	7.91	163.46	5349.54	-398.88	139.08	-400.34	1.12	95.00	9B	6R
58	5473.00	10.55	154.58	5442.32	-412.86	144.62	-414.37	3.18	94.00	9B	5R
59	5569.00	8.57	153.17	5536.98	-427.18	151.62	-428.77	2.08	96.00	8B	4R
60	5663.00	9.05	154.31	5629.87	-440.09	157.98	-441.75	0.54	94.00	8B	2R
61	5758.00	7.82	151.33	5723.84	-452.50	164.32	-454.22	1.37	95.00	9B	0.00
62	5853.00	8.35	163.02	5817.90	-464.76	169.44	-466.54	1.81	95.00	11B	0.00
63	5947.00	7.52	162.49	5911.00	-477.16	173.28	-478.98	0.89	94.00	12B	0.00
64	6042.00	7.69	167.06	6005.17	-489.28	176.58	-491.13	0.66	95.00	15B	2R
65	6137.00	8.48	166.53	6099.22	-502.29	179.63	-504.17	0.84	95.00	17B	3R
66	6231.00	7.30	165.74	6192.33	-514.82	182.72	-516.73	1.26	94.00	18B	4R
67	6326.00	8.92	162.84	6286.38	-527.70	186.38	-529.66	1.76	95.00	20B	5R
68	6420.00	10.11	168.29	6379.09	-542.75	190.20	-544.74	1.59	94.00	19B	7R
69	6514.00	7.87	169.08	6471.93	-557.15	193.10	-559.17	2.39	94.00	19B	9R
70	6608.00	5.58	172.42	6565.27	-568.00	194.92	-570.04	2.47	94.00	23B	11R
71	6703.00	3.65	179.72	6659.96	-575.60	195.54	-577.65	2.12	95.00	29B	13R
72	6796.00	2.46	185.08	6752.83	-580.55	195.38	-582.60	1.31	93.00	35B	15R
73	6890.00	1.23	223.84	6846.78	-583.29	194.50	-585.32	1.79	94.00	43B	17R
74	6984.00	0.70	130.15	6940.77	-584.38	194.24	-586.42	1.55	94.00	50B	17R
75	7079.00	2.07	118.54	7035.74	-585.58	196.19	-587.63	1.46	95.00	55B	15R

76	7173.00	3.30	112.57	7129.64	-587.43	200.18	-589.53	1.34	94.00	57B	12R
77	7268.00	3.30	101.23	7224.48	-589.01	205.39	-591.16	0.69	95.00	57B	8R
78	7362.00	2.42	138.41	7318.37	-591.02	209.36	-593.22	2.13	94.00	56B	5R
79	7457.00	2.77	157.48	7413.27	-594.64	211.57	-596.86	0.97	95.00	48A	22L
80	7551.00	3.65	179.28	7507.13	-599.73	212.48	-601.96	1.58	94.00	43A	21L
81	7645.00	2.11	190.17	7601.01	-604.43	212.21	-606.65	1.73	94.00	38A	21L
82	7739.00	2.90	195.01	7694.92	-608.43	211.29	-610.64	0.87	94.00	34A	22L
83	7833.00	3.74	191.05	7788.76	-613.73	210.09	-615.93	0.93	94.00	29A	23L
84	7927.00	2.81	177.87	7882.61	-619.04	209.58	-621.24	1.27	94.00	24A	24L
85	8022.00	2.02	175.06	7977.52	-623.04	209.82	-625.24	0.84	95.00	20A	23L
86	8104.00	1.89	185.96	8059.47	-625.82	209.80	-628.02	0.48	82.00	17A	24L
87	8181.00	1.19	187.19	8136.44	-627.88	209.57	-630.08	0.91	77.00	15A	24L
88	8275.00	9.36	23.01	8230.07	-621.80	212.44	-624.02	11.18	94.00	13A	23L
89	8369.00	20.44	19.40	8320.77	-599.21	220.91	-601.53	11.82	94.00	13A	16L
90	8463.00	32.09	20.28	8404.92	-560.17	235.06	-562.64	12.40	94.00	14A	4L
91	8558.00	44.18	18.96	8479.51	-504.99	254.64	-507.67	12.75	95.00	17A	11R
92	8651.00	54.37	12.28	8540.14	-437.19	273.27	-440.07	12.22	93.00	22A	25R
93	8746.00	62.55	5.60	8589.83	-357.31	285.62	-360.33	10.48	95.00	24A	31R
94	8839.00	66.64	3.05	8629.73	-273.57	291.92	-276.66	5.05	93.00	19A	32R
95	8934.00	75.43	2.00	8660.57	-183.90	295.86	-187.04	9.31	95.00	8A	29R
96	9027.00	87.38	359.71	8674.45	-92.13	297.20	-95.29	13.08	93.00	2B	24R
97	9122.00	91.91	358.31	8675.04	2.83	295.56	-0.32	4.99	95.00	3B	19R
98	9216.00	92.70	358.57	8671.26	96.72	293.00	93.59	0.88	94.00	0.00	15R
99	9310.00	89.63	1.21	8669.35	190.68	292.82	187.55	4.31	94.00	2A	16R
100	9405.00	92.26	2.97	8667.78	285.59	296.28	282.42	3.33	95.00	4A	21R
101	9499.00	91.74	0.77	8664.50	379.48	299.35	376.27	2.40	94.00	7A	25R
102	9593.00	89.05	358.31	8663.85	473.46	298.59	470.25	3.88	94.00	8A	25R
103	9687.00	88.44	356.46	8665.91	567.33	294.31	564.17	2.07	94.00	6A	22R
104	9781.00	89.85	357.61	8667.31	661.19	289.44	658.07	1.94	94.00	4A	18R
105	9878.00	87.30	0.86	8669.73	758.13	288.15	755.02	4.26	97.00	16A	18R
106	9972.00	87.34	1.12	8674.12	852.02	289.77	848.88	0.28	94.00	12A	20R
107	10066.00	90.51	3.67	8675.88	945.90	293.70	942.72	4.33	94.00	10A	25R
108	10160.00	90.77	4.46	8674.83	1039.65	300.36	1036.40	0.88	94.00	11A	33R
109	10254.00	90.81	4.64	8673.54	1133.35	307.82	1130.01	0.20	94.00	12A	41R
110	10348.00	89.98	4.46	8672.89	1227.05	315.27	1223.62	0.90	94.00	13A	50R
111	10442.00	89.23	2.35	8673.54	1320.88	320.86	1317.38	2.38	94.00	12A	56R
112	10537.00	89.27	358.22	8674.78	1415.85	321.33	1412.34	4.35	95.00	12A	57R
113	10631.00	87.69	355.41	8677.28	1509.65	316.11	1506.20	3.43	94.00	8A	53R
114	10725.00	88.66	354.88	8680.27	1603.27	308.16	1599.90	1.18	94.00	5A	46R
115	10819.00	89.80	354.53	8681.53	1696.86	299.48	1693.57	1.27	94.00	4A	38R

116	10913.00	89.23	354.62	8682.33	1790.43	290.60	1787.24	0.61	94.00	3A	30R
117	11008.00	90.24	353.91	8682.77	1884.95	281.11	1881.85	1.30	95.00	3A	21R
118	11102.00	90.95	354.62	8681.79	1978.48	271.71	1975.47	1.07	94.00	4A	13R
119	11195.00	91.03	355.58	8680.18	2071.12	263.77	2068.20	1.04	93.00	5A	9R
120	11290.00	91.34	357.08	8678.22	2165.90	257.69	2163.04	1.61	95.00	8A	1R
121	11384.00	90.24	358.05	8676.92	2259.81	253.70	2256.98	1.56	94.00	9A	1L
122	11478.00	89.14	359.01	8677.43	2353.77	251.29	2350.96	1.55	94.00	9A	3L
123	11573.00	89.89	359.28	8678.24	2448.76	249.87	2445.96	0.84	95.00	8A	4L
124	11667.00	87.96	359.80	8680.00	2542.73	249.11	2539.94	2.13	94.00	6A	4L
125	11761.00	84.48	358.22	8686.20	2636.50	247.50	2633.71	4.06	94.00	0.00	5L
126	11855.00	85.36	357.69	8694.52	2730.07	244.16	2727.31	1.09	94.00	8B	7L
127	11949.00	86.55	357.34	8701.15	2823.74	240.09	2821.03	1.32	94.00	15B	10L
128	12043.00	88.00	357.25	8705.62	2917.53	235.66	2914.86	1.55	94.00	20B	14L
129	12137.00	89.89	357.87	8707.35	3011.42	231.66	3008.79	2.12	94.00	21B	17L
130	12232.00	91.91	358.22	8705.86	3106.35	228.42	3103.74	2.16	95.00	20B	20L
131	12327.00	91.56	358.40	8702.98	3201.27	225.62	3198.68	0.41	95.00	17B	22L
132	12421.00	89.05	358.40	8702.48	3295.22	222.99	3292.66	2.67	94.00	16B	23L
133	12515.00	89.80	358.75	8703.42	3389.19	220.65	3386.65	0.88	94.00	17B	25L
134	12609.00	90.37	358.75	8703.29	3483.16	218.60	3480.64	0.61	94.00	17B	26L
135	12705.00	91.74	358.49	8701.52	3579.12	216.29	3576.61	1.45	96.00	15B	28L
136	12800.00	90.42	359.19	8699.73	3674.08	214.37	3671.59	1.57	95.00	14B	29L
137	12895.00	89.41	358.92	8699.87	3769.06	212.80	3766.59	1.10	95.00	14B	30L
138	12989.00	89.14	358.22	8701.06	3863.03	210.46	3860.57	0.80	94.00	15B	31L
139	13084.00	88.70	358.31	8702.85	3957.97	207.58	3955.53	0.47	95.00	4B	32L
140	13178.00	89.49	358.13	8704.33	4051.91	204.66	4049.50	0.86	94.00	6B	35L
141	13273.00	90.24	359.45	8704.56	4146.88	202.66	4144.49	1.60	95.00	6B	36L
142	13367.00	91.60	359.71	8703.05	4240.87	201.97	4238.48	1.47	94.00	5B	36L
143	13461.00	92.92	359.72	8699.34	4334.79	201.50	4332.40	1.40	94.00	1B	36L
144	13556.00	91.96	359.98	8695.30	4429.70	201.25	4427.31	1.05	95.00	3A	35L
145	13650.00	90.99	0.77	8692.88	4523.67	201.87	4521.26	1.33	94.00	5A	34L
146	13744.00	89.67	1.03	8692.34	4617.65	203.34	4615.23	1.43	94.00	5A	32L
147	13839.00	90.42	1.12	8692.26	4712.64	205.13	4710.19	0.80	95.00	5A	29L
148	13933.00	88.44	1.12	8693.20	4806.61	206.96	4804.13	2.11	94.00	5A	27L
149	14028.00	89.10	1.30	8695.23	4901.56	208.97	4899.06	0.72	95.00	3A	24L
150	14122.00	91.47	1.65	8694.77	4995.53	211.39	4992.99	2.55	94.00	3A	21L
151	14217.00	89.01	1.30	8694.37	5090.49	213.83	5087.92	2.62	95.00	4A	18L
152	14311.00	87.12	359.63	8697.54	5184.42	214.60	5181.84	2.68	94.00	0.00	17L
153	14405.00	87.47	359.28	8701.98	5278.31	213.70	5275.74	0.53	94.00	4B	17L
154	14499.00	88.00	358.92	8705.69	5372.23	212.23	5369.66	0.68	94.00	8B	18L
155	14592.00	90.46	359.10	8706.94	5465.20	210.62	5462.65	2.65	93.00	9B	18L

156	14688.00	89.36	358.92	8707.10	5561.18	208.96	5558.64	1.16	96.00	9B	19L
157	14782.00	90.24	358.84	8707.42	5655.16	207.13	5652.64	0.94	94.00	9B	20L
158	14876.00	91.52	358.66	8705.98	5749.13	205.07	5746.62	1.38	94.00	8B	21L
159	14971.00	89.98	358.57	8704.74	5844.09	202.78	5841.60	1.62	95.00	6B	23L
160	15065.00	91.47	358.75	8703.55	5938.05	200.58	5935.58	1.60	94.00	5B	25L
161	15159.00	91.78	357.78	8700.88	6031.97	197.74	6029.52	1.08	94.00	3B	26L
162	15253.00	90.81	359.28	8698.76	6125.91	195.33	6123.48	1.90	94.00	2B	27L
163	15347.00	90.81	359.54	8697.43	6219.90	194.36	6217.47	0.28	94.00	0.00	27L
164	15441.00	89.19	359.63	8697.43	6313.89	193.68	6311.47	1.73	94.00	0.00	28L
165	15536.00	90.95	359.89	8697.31	6408.89	193.28	6406.47	1.87	95.00	0.00	27L
166	15630.00	90.02	0.59	8696.52	6502.88	193.67	6500.45	1.24	94.00	0.00	27L
167	15724.00	90.11	359.98	8696.41	6596.88	194.14	6594.44	0.66	94.00	0.00	26L
168	15818.00	91.12	0.51	8695.40	6690.87	194.54	6688.42	1.21	94.00	1A	25L
169	15913.00	90.81	0.68	8693.80	6785.85	195.53	6783.39	0.37	95.00	3A	23L
170	16007.00	88.48	1.47	8694.38	6879.83	197.29	6877.34	2.62	94.00	4A	22L
171	16101.00	88.92	1.56	8696.52	6973.77	199.78	6971.25	0.48	94.00	1A	19L
172	16195.00	87.43	1.30	8699.51	7067.69	202.12	7065.14	1.61	94.00	2B	16L
173	16288.00	88.00	1.30	8703.22	7160.59	204.23	7158.01	0.61	93.00	5B	13L
174	16383.00	88.92	1.39	8705.77	7255.53	206.46	7252.92	0.97	95.00	8B	11L
175	16477.00	85.67	0.24	8710.21	7349.40	207.80	7346.77	3.67	94.00	12B	9L
176	16571.00	85.23	359.98	8717.66	7443.10	207.98	7440.47	0.54	94.00	20B	8L
177	16665.00	88.00	359.89	8723.21	7536.93	207.87	7534.29	2.95	94.00	25B	8L
178	16760.00	87.91	359.72	8726.60	7631.87	207.55	7629.23	0.20	95.00	29B	7L
179	16854.00	89.14	359.63	8729.02	7725.84	207.01	7723.19	1.31	94.00	31B	7L
180	16948.00	91.78	0.24	8728.27	7819.82	206.91	7817.18	2.88	94.00	30B	7L
181	17042.00	91.38	0.59	8725.68	7913.79	207.59	7911.13	0.57	94.00	27B	5L
182	17135.00	93.01	0.77	8722.11	8006.71	208.69	8004.03	1.76	93.00	24B	3L
183	17229.00	91.08	0.07	8718.76	8100.64	209.38	8097.95	2.18	94.00	20B	2L
184	17323.00	90.90	0.15	8717.14	8194.63	209.56	8191.93	0.21	94.00	19B	2L
185	17417.00	90.95	359.45	8715.62	8288.61	209.23	8285.92	0.75	94.00	17B	2L
186	17512.00	89.85	358.31	8714.95	8383.59	207.37	8380.91	1.67	95.00	17B	3L
187	17606.00	90.99	358.57	8714.27	8477.55	204.81	8474.89	1.24	94.00	16B	5L
188	17700.00	90.86	358.92	8712.75	8571.52	202.76	8568.87	0.40	94.00	14B	6L
189	17795.00	91.08	359.19	8711.14	8666.49	201.19	8663.86	0.37	95.00	12B	7L
190	17890.00	89.89	358.31	8710.34	8761.46	199.12	8758.84	1.56	95.00	12B	9L
191	17985.00	90.51	358.40	8710.00	8856.42	196.39	8853.83	0.66	95.00	11B	11L
192	18079.00	90.15	358.31	8709.46	8950.38	193.69	8947.81	0.39	94.00	11B	14L
193	18174.00	89.45	358.22	8709.79	9045.33	190.81	9042.79	0.74	95.00	12B	16L
194	18268.00	89.01	358.22	8711.06	9139.28	187.90	9136.76	0.47	94.00	13B	19L
195	18362.00	90.73	359.63	8711.27	9233.26	186.13	9230.75	2.37	94.00	13B	20L

P.O Box 831, Windsor, CO 80550 | P:970.686.8893 | F:970.686.8894 | www.totaldirectional.com

196	18456.00	91.12	359.45	8709.75	9327.24	185.38	9324.74	0.46	94.00	12B	20L
197	18550.00	91.16	359.45	8707.88	9421.22	184.48	9418.72	0.04	94.00	10B	21L
198	18645.00	90.68	359.45	8706.36	9516.20	183.56	9513.71	0.51	95.00	8B	21L
199	18702.00	91.03	359.89	8705.51	9573.19	183.23	9570.70	0.99	57.00	7B	21L
PTB	18756.00	91.03	359.89	8704.54	9627.19	183.13	9624.69	0.00	54.00		

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-49023										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name SCHLITZ FED COM		
								6. Well Number: 204H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat PURPLE SAGE; WOLFCAMP (GAS)		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	P	16	25S	26E	-	672	SOUTH	913	EAST	EDDY
BH:	A	9	25S	26E	-	254	NORTH	630	EAST	EDDY
13. Date Spudded 4/7/2022	14. Date T.D. Reached 4/16/2022		15. Date Rig Released 4/19/2022			16. Date Completed (Ready to Produce) 9/5/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3389 GR		
18. Total Measured Depth of Well 18756 ft			19. Plug Back Measured Depth 18692 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 8781 ft to 18607 ft								WOLFCAMP		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		461'		17.5"		405 sks		0
9.625"		40		2033'		12.25"		538 sks		0
5.5"		20		18737'		8.75"/6.75"		1355 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
Perforate from 8781 ft to 18607 ft, 1 SPF, .55 inch holes with 638 total shots						8781 ft to 18607 ft		49 stage frac with 24,751,390 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production 9/16/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 10/1/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 203	Gas - MCF 1654	Water - Bbl. 1992	Gas - Oil Ratio 8148			
Flow Tubing Press. 0	Casing Pressure 1100	Calculated 24-Hour Rate	Oil - Bbl. 656	Gas - MCF 1864	Water - Bbl. 4597	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature			Printed Name Jeff Trlica			Title Regulatory Analyst			Date 10/18/2022	
E-mail Address jtrlica@taprock.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	683		Quaternary					
683	1120		Rustler					
1120	1693		Top of Salt					
1993	1910		Base of Salt					
1910	1938		Lamar					
1938	2915		Bell Canyon					
2915	3770		Cherry Canyon					
3770	5438		Brushy Canyon					
5438	5839		Bone Spring					
5839	6346		Avalon					
6346	6919		1st Bone Spring Sand					
6919	8227		2nd Bone Spring Sand					
8227	8458		3rd Bone Spring Sand					
8458			Wolfcamp A					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 151764

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 151764
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 151764

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 151764
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/19/2023