

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-49024	⁵ Pool Name PURPLE SAGE; WOLFCAMP	⁶ Pool Code 98220
⁷ Property Code 329796	⁸ Property Name SCHLITZ FED COM	⁹ Well Number 213H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
P	16	25S	26E	-	647	SOUTH	913	EAST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	9	25S	26E	-	254	NORTH	1961	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 9/16/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 4/6/2022	²² Ready Date 9/7/2022	²³ TD 1887'	²⁴ PBTB 18816'	²⁵ Perforations 8924 ft to 18730 ft	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	456'	405 sks		
12.25"	9.625"	2033'	601 sks		
8.75"/6.75"	5.5"	18634'	1435 sks		

V. Well Test Data

³¹ Date New Oil 9/16/2022	³² Gas Delivery Date 9/16/2022	³³ Test Date 10/1/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 1204
³⁷ Choke Size 40/64	³⁸ Oil 537	³⁹ Water 4156	⁴⁰ Gas 1390		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 12/19/2023		
Date: 10/18/2022		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-49024	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 329796	⁵ Property Name SCHLITZ FED COM	⁶ Well Number 213H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3389'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	16	25-S	26-E	-	647'	SOUTH	913'	EAST	EDDY

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	9	25-S	26-E	-	254'	NORTH	1961'	EAST	EDDY

¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

[Signature] 7/20/2022

Signature Date

Jeff Trlica

Printed Name

jtrlica@taprk.com

E-mail Address


¹⁸SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

03/28/2022

Date of Survey Signature and Seal of Professional Surveyor

[Signature]
Ramon A. Dominguez
NEW MEXICO
24508
PROFESSIONAL SURVEYOR
Certificate Number



LEASE NAME & WELL NO.: SCHLITZ FED COM 213H
 SECTION 16 TWP 25-S RGE 26-E SURVEY N.M.P.M.
 COUNTY EDDY STATE NM ELEVATION 3389'
 DESCRIPTION 647' FSL & 913' FEL



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
 TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
 TEXAS FIRM REGISTRATION NO. 10042504
 WWW.TOPOGRAPHIC.COM

**INTERNAL
PRE-COMPLETION
PLAT**

SCHLITZ FED COM 213H
PRE-COMPLETION

REVISION:

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

DATE: 06/30/2022

FILE: C_SCHLITZ_FED_COM_213H

DRAWN BY: GJU

SHEET: 2 OF 2



Final MWD Survey Certification

Eddy County, New Mexico

Client: Tap Rock Resources

Well Name: Schlitz Fed Com #213H

Total Job No: SW220430

API No: 30-015-49024

Start Date: 04/06/2022

End Date: 04/29/2022

Measured Start Depth: 0 feet

Measured End Depth: 18877 feet

Vertical Section from well center at TD: 8690.58 feet

I, Jamie Stephenson, certify that; I am employed by Total Directional Services, LLC and we conducted or supervised the taking of these open hole MWD surveys at the request of this client. This data is true, correct, complete and within the limitations of the tool as set forth by Total Directional Services, LLC. I am authorized and qualified to make this report and have reviewed this report and find that it conforms to the principals and procedures as set forth by Total Directional Services, LLC.

Date: 4/29/2022

Signed: *Jamie Stephenson* *Jose Perozo Casanova*

SVY	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
Tiein	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
1	154.00	0.53	76.53	154.00	0.17	0.69	0.16	0.34	154.00	0.00	1R
2	245.00	0.35	64.14	245.00	0.39	1.35	0.37	0.22	91.00	0.00	1R
3	335.00	0.13	120.83	334.99	0.45	1.69	0.43	0.33	90.00	0.50	2R
4	405.00	0.26	137.97	404.99	0.29	1.86	0.27	0.20	70.00	0.00	2R
5	519.00	0.44	147.02	518.99	-0.27	2.27	-0.29	0.16	114.00	0.00	2R
6	609.00	0.26	83.04	608.99	-0.53	2.66	-0.56	0.45	90.00	0.00	0.00
7	700.00	0.13	35.57	699.99	-0.42	2.93	-0.45	0.22	91.00	0.00	0.00
8	791.00	0.44	15.71	790.99	0.00	3.08	-0.03	0.35	91.00	0.00	0.00
9	881.00	0.44	52.36	880.99	0.54	3.45	0.51	0.31	90.00	1B	1L
10	971.00	0.57	76.53	970.98	0.86	4.16	0.81	0.27	90.00	1B	2L
11	1060.00	1.05	70.29	1059.97	1.24	5.36	1.18	0.55	89.00	1B	3L
12	1151.00	1.67	72.40	1150.95	1.92	7.41	1.84	0.68	91.00	0.00	5L
13	1245.00	2.20	102.55	1244.90	1.94	10.47	1.83	1.20	94.00	.7A	7L
14	1340.00	2.64	126.89	1339.81	0.23	14.00	0.08	1.17	95.00	6B	7L
15	1434.00	2.68	129.97	1433.71	-2.48	17.42	-2.67	0.16	94.00	10B	8L
16	1529.00	3.38	149.83	1528.58	-6.33	20.53	-6.55	1.32	95.00	14B	11L
17	1623.00	3.56	177.25	1622.42	-11.64	22.06	-11.87	1.76	94.00	17B	16L
18	1717.00	3.47	214.96	1716.25	-16.89	20.57	-17.10	2.42	94.00	19B	19L
19	1811.00	5.19	242.47	1809.99	-21.18	15.17	-21.34	2.82	94.00	20B	20L
20	1906.00	6.81	248.53	1904.47	-25.23	6.12	-25.30	1.83	95.00	20B	18L
21	1987.00	8.04	247.83	1984.79	-29.13	-3.60	-29.09	1.52	81.00	19B	16L
22	2082.00	10.42	248.71	2078.55	-34.75	-17.76	-34.56	2.51	95.00	16B	12L
23	2176.00	11.56	248.27	2170.82	-41.33	-34.43	-40.96	1.22	94.00	12B	9L
24	2271.00	11.78	247.74	2263.86	-48.53	-52.24	-47.97	0.26	95.00	8B	5L
25	2365.00	12.26	242.64	2355.80	-56.75	-69.99	-56.00	1.24	94.00	5B	2L
26	2459.00	12.53	239.48	2447.61	-66.51	-87.64	-65.58	0.78	94.00	3B	1L
27	2554.00	12.70	238.07	2540.32	-77.27	-105.38	-76.14	0.37	95.00	1B	0.00
28	2648.00	12.84	237.02	2631.99	-88.42	-122.91	-87.11	0.29	94.00	0.00	0.00
29	2742.00	12.62	236.76	2723.68	-99.73	-140.26	-98.23	0.24	94.00	2A	1L
30	2837.00	12.13	234.65	2816.48	-111.20	-157.08	-109.52	0.70	95.00	4A	1L
31	2931.00	12.09	234.56	2908.38	-122.62	-173.15	-120.77	0.05	94.00	4A	2L
32	3025.00	12.48	234.30	3000.23	-134.25	-189.42	-132.23	0.42	94.00	6A	3L
33	3119.00	13.10	234.65	3091.90	-146.34	-206.36	-144.14	0.66	94.00	8A	4L
34	3214.00	11.56	236.93	3184.70	-157.77	-223.12	-155.38	1.70	95.00	9A	5L
35	3308.00	10.90	239.13	3276.90	-167.47	-238.64	-164.92	0.84	94.00	8A	5L
36	3402.00	10.68	238.07	3369.24	-176.63	-253.66	-173.92	0.32	94.00	7A	4L
37	3496.00	10.15	237.63	3461.69	-185.68	-268.05	-182.81	0.57	94.00	5A	4L
38	3591.00	10.99	240.10	3555.08	-194.67	-282.97	-191.65	1.00	95.00	4A	4L

P.O Box 831, Windsor, CO 80550 | P:970.686.8893 | F:970.686.8894 | www.totaldirectional.com

39	3686.00	11.21	241.15	3648.30	-203.64	-298.91	-200.45	0.31	95.00	3A	3L
40	3781.00	10.11	237.99	3741.66	-212.52	-314.07	-209.16	1.31	95.00	2A	2L
41	3876.00	9.89	238.07	3835.22	-221.25	-328.06	-217.75	0.23	95.00	0.00	2L
42	3970.00	11.87	240.80	3927.53	-230.24	-343.35	-226.57	2.18	94.00	1B	1L
43	4064.00	12.48	241.50	4019.41	-239.80	-360.72	-235.95	0.67	94.00	0.00	0.00
44	4159.00	12.26	239.83	4112.21	-249.77	-378.46	-245.73	0.44	95.00	0.00	0.00
45	4254.00	11.96	240.27	4205.09	-259.72	-395.73	-255.49	0.33	95.00	1A	1R
46	4349.00	11.65	238.69	4298.08	-269.59	-412.47	-265.18	0.47	95.00	2A	2R
47	4443.00	10.95	238.51	4390.26	-279.18	-428.19	-274.61	0.75	94.00	1A	2R
48	4537.00	11.30	240.54	4482.49	-288.37	-443.82	-283.63	0.56	94.00	0.00	3R
49	4631.00	11.60	241.15	4574.62	-297.46	-460.12	-292.55	0.34	94.00	0.00	4R
50	4725.00	11.65	241.41	4666.70	-306.56	-476.73	-301.47	0.08	94.00	0.00	5R
51	4818.00	11.74	238.43	4757.77	-316.01	-493.04	-310.74	0.66	93.00	1A	6R
52	4912.00	12.00	236.05	4849.76	-326.48	-509.29	-321.04	0.59	94.00	1A	6R
53	5005.00	11.34	236.49	4940.83	-336.92	-524.93	-331.32	0.72	93.00	1A	6R
54	5099.00	11.16	235.79	5033.03	-347.14	-540.16	-341.37	0.24	94.00	1A	5R
55	5193.00	10.46	236.05	5125.36	-357.02	-554.76	-351.09	0.75	94.00	0.00	5R
56	5286.00	10.77	237.99	5216.77	-366.34	-569.14	-360.26	0.51	93.00	1B	5R
57	5381.00	10.51	241.94	5310.14	-375.12	-584.31	-368.88	0.81	95.00	2B	6R
58	5476.00	11.52	239.66	5403.38	-383.99	-600.14	-377.58	1.16	95.00	3B	7R
59	5570.00	11.08	238.60	5495.56	-393.44	-615.95	-386.86	0.52	94.00	4B	7R
60	5664.00	12.26	235.35	5587.62	-403.82	-631.87	-397.07	1.44	94.00	4B	7R
61	5759.00	10.42	233.77	5680.76	-414.63	-647.10	-407.72	1.96	95.00	4B	6R
62	5854.00	9.45	241.33	5774.34	-423.45	-660.88	-416.39	1.71	95.00	7B	6R
63	5948.00	9.89	239.74	5867.00	-431.22	-674.62	-424.01	0.55	94.00	10B	7R
64	6043.00	11.08	232.54	5960.42	-440.88	-688.91	-433.52	1.86	95.00	11B	7R
65	6137.00	10.81	228.14	6052.71	-452.26	-702.65	-444.75	0.93	94.00	12B	4R
66	6231.00	10.46	237.20	6145.10	-462.77	-716.39	-455.11	1.82	94.00	14B	3R
67	6326.00	10.33	239.83	6238.54	-471.72	-731.00	-463.91	0.52	95.00	16B	3R
68	6420.00	11.78	238.87	6330.80	-480.91	-746.50	-472.94	1.55	94.00	17B	4R
69	6514.00	11.69	241.77	6422.83	-490.38	-763.10	-482.23	0.63	94.00	17B	5R
70	6609.00	10.24	243.26	6516.10	-498.73	-779.13	-490.41	1.56	95.00	18B	6R
71	6703.00	9.36	247.30	6608.72	-505.44	-793.64	-496.96	1.19	94.00	20B	9R
72	6797.00	10.15	242.38	6701.37	-512.23	-808.03	-503.60	1.22	94.00	22B	11R
73	6891.00	9.98	242.73	6793.92	-519.80	-822.61	-511.02	0.19	94.00	21B	12R
74	6984.00	9.32	245.54	6885.60	-526.61	-836.63	-517.68	0.87	93.00	19B	14R
75	7079.00	8.44	240.27	6979.47	-533.26	-849.68	-524.18	1.26	95.00	17B	15R
76	7173.00	8.18	242.12	7072.48	-539.80	-861.59	-530.60	0.40	94.00	15B	16R
77	7268.00	7.43	236.93	7166.60	-546.32	-872.71	-537.00	1.08	95.00	11B	17R
78	7362.00	6.86	232.54	7259.87	-553.05	-882.26	-543.62	0.84	94.00	7B	16R

79	7457.00	5.27	234.47	7354.34	-559.03	-890.31	-549.52	1.69	95.00	4B	16R
80	7551.00	3.91	246.51	7448.03	-562.82	-896.76	-553.24	1.77	94.00	1B	16R
81	7645.00	2.20	223.13	7541.90	-565.42	-900.94	-555.79	2.22	94.00	0.00	16R
82	7739.00	2.15	194.66	7635.83	-568.44	-902.62	-558.80	1.14	94.00	1A	14R
83	7834.00	2.29	190.79	7730.76	-572.03	-903.42	-562.38	0.22	95.00	8A	9L
84	7927.00	1.93	187.80	7823.70	-575.40	-903.98	-565.75	0.40	93.00	4A	10L
85	8022.00	0.79	213.38	7918.67	-577.54	-904.56	-567.87	1.33	95.00	2A	10L
86	8116.00	0.84	257.15	8012.66	-578.23	-905.59	-568.56	0.65	94.00	2A	11L
87	8211.00	1.05	266.02	8107.65	-578.44	-907.14	-568.75	0.27	95.00	1A	13L
88	8272.00	1.19	264.62	8168.64	-578.54	-908.32	-568.84	0.23	61.00	1A	14L
89	8366.00	8.26	352.51	8262.31	-571.93	-910.18	-562.21	8.83	94.00	1A	14L
90	8461.00	19.74	357.78	8354.33	-549.05	-911.70	-539.32	12.15	95.00	16A	11L
91	8555.00	25.63	348.11	8441.05	-513.25	-916.51	-503.47	7.40	94.00	18A	9L
92	8648.00	35.65	343.19	8520.98	-467.50	-928.52	-457.59	11.10	93.00	14A	12L
93	8743.00	47.43	345.74	8591.97	-406.88	-945.20	-396.79	12.52	95.00	8A	17L
94	8837.00	58.55	345.21	8648.46	-334.34	-964.02	-324.06	11.84	94.00	3A	22L
95	8931.00	75.60	349.87	8684.96	-250.10	-982.41	-239.62	18.70	94.00	2A	24L
96	9024.00	87.25	353.30	8698.81	-159.29	-995.80	-148.68	13.05	93.00	6A	21L
97	9119.00	91.65	352.33	8699.72	-65.06	-1007.68	-54.33	4.74	95.00	7A	14L
98	9214.00	91.47	353.12	8697.13	29.13	-1019.71	39.99	0.85	95.00	9A	12L
99	9308.00	87.91	353.83	8697.64	122.51	-1030.39	133.47	3.86	94.00	8A	12L
100	9403.00	86.95	355.76	8701.90	217.02	-1038.99	228.07	2.27	95.00	4A	14L
101	9497.00	88.44	358.31	8705.68	310.80	-1043.85	321.90	3.14	94.00	0.00	16L
102	9591.00	88.66	358.22	8708.06	404.73	-1046.70	415.85	0.25	94.00	2B	20L
103	9685.00	88.92	358.13	8710.04	498.66	-1049.69	509.81	0.29	94.00	4B	23L
104	9779.00	89.32	0.59	8711.49	592.64	-1050.74	603.79	2.65	94.00	5B	23L
105	9874.00	90.02	0.68	8712.04	687.63	-1049.69	698.77	0.74	95.00	6B	20L
106	9967.00	88.44	0.51	8713.29	780.61	-1048.72	791.73	1.71	93.00	8B	17L
107	10061.00	91.78	0.68	8713.10	874.59	-1047.74	885.70	3.56	94.00	8B	15L
108	10155.00	93.58	1.03	8708.71	968.48	-1046.34	979.56	1.95	94.00	4B	12L
109	10249.00	91.52	1.03	8704.53	1062.36	-1044.66	1073.43	2.19	94.00	0.00	8L
110	10343.00	89.10	0.33	8704.02	1156.35	-1043.54	1167.39	2.68	94.00	0.00	6L
111	10438.00	89.76	0.42	8704.96	1251.34	-1042.92	1262.37	0.70	95.00	0.00	3L
112	10532.00	90.15	1.30	8705.04	1345.33	-1041.51	1356.34	1.02	94.00	0.00	0.00
113	10627.00	90.68	2.09	8704.35	1440.28	-1038.70	1451.26	1.00	95.00	0.00	3R
114	10720.00	89.23	1.03	8704.42	1533.25	-1036.17	1544.19	1.93	93.00	0.00	8R
115	10815.00	89.45	1.47	8705.52	1628.22	-1034.09	1639.13	0.52	95.00	1B	11R
116	10909.00	89.93	359.01	8706.03	1722.21	-1033.70	1733.11	2.67	94.00	2B	13R
117	11003.00	88.40	357.52	8707.40	1816.15	-1036.55	1827.08	2.27	94.00	4B	12R
118	11097.00	90.95	357.87	8707.93	1910.06	-1040.33	1921.03	2.74	94.00	5B	10R

119	11191.00	90.37	357.61	8706.85	2003.98	-1044.03	2014.98	0.68	94.00	3B	8R
120	11285.00	88.18	357.43	8708.04	2097.88	-1048.10	2108.92	2.34	94.00	5B	6R
121	11379.00	91.12	358.48	8708.61	2191.81	-1051.45	2202.88	3.32	94.00	6B	4R
122	11474.00	91.96	357.25	8706.06	2286.71	-1054.99	2297.81	1.57	95.00	3B	2R
123	11568.00	93.27	356.73	8701.77	2380.48	-1059.92	2391.63	1.50	94.00	0.00	0.00
124	11663.00	91.91	357.87	8697.48	2475.27	-1064.39	2486.46	1.87	95.00	4A	3L
125	11757.00	90.20	0.51	8695.74	2569.23	-1065.72	2580.43	3.35	94.00	6A	3L
126	11851.00	90.07	0.51	8695.52	2663.23	-1064.88	2674.42	0.14	94.00	6A	0.00
127	11944.00	89.27	0.86	8696.06	2756.22	-1063.77	2767.39	0.94	93.00	5A	1R
128	12039.00	89.41	1.39	8697.15	2851.19	-1061.91	2862.34	0.58	95.00	5A	1R
129	12133.00	88.00	1.65	8699.28	2945.14	-1059.41	2956.25	1.53	94.00	1A	9R
130	12228.00	89.67	1.39	8701.21	3040.08	-1056.89	3051.16	1.78	95.00	0.00	13R
131	12322.00	90.73	359.10	8700.88	3134.07	-1056.49	3145.14	2.68	94.00	0.00	15R
132	12416.00	90.95	358.84	8699.50	3228.04	-1058.18	3239.13	0.36	94.00	1A	15R
133	12510.00	90.59	358.92	8698.24	3322.02	-1060.02	3333.11	0.39	94.00	2A	15R
134	12605.00	91.25	359.36	8696.71	3416.99	-1061.44	3428.10	0.83	95.00	3A	15R
135	12700.00	89.93	358.66	8695.74	3511.97	-1063.09	3523.09	1.57	95.00	4A	15R
136	12795.00	90.46	358.49	8695.41	3606.94	-1065.45	3618.08	0.59	95.00	4A	15R
137	12890.00	91.25	357.78	8693.99	3701.88	-1068.54	3713.05	1.12	95.00	5A	13R
138	12985.00	88.75	357.08	8693.99	3796.78	-1072.80	3807.98	2.73	95.00	5A	11R
139	13079.00	88.09	356.46	8696.59	3890.59	-1078.09	3901.85	0.96	94.00	2A	7R
140	13174.00	89.67	357.61	8698.44	3985.44	-1083.00	3996.74	2.06	95.00	0.00	4R
141	13268.00	89.67	357.78	8698.98	4079.36	-1086.79	4090.70	0.18	94.00	0.00	2R
142	13363.00	90.24	357.78	8699.06	4174.29	-1090.47	4185.66	0.60	95.00	0.00	0.00
143	13457.00	89.80	357.17	8699.03	4268.20	-1094.61	4279.61	0.80	94.00	0.00	2L
144	13551.00	91.60	357.25	8697.88	4362.08	-1099.18	4373.53	1.92	94.00	0.00	5L
145	13646.00	90.02	358.22	8696.54	4456.99	-1102.94	4468.48	1.95	95.00	1A	7L
146	13740.00	90.29	357.96	8696.28	4550.94	-1106.07	4562.45	0.40	94.00	1A	8L
147	13835.00	89.49	357.87	8696.46	4645.87	-1109.52	4657.42	0.85	95.00	1A	11L
148	13929.00	89.89	357.61	8696.97	4739.80	-1113.23	4751.38	0.51	94.00	0.00	14L
149	14024.00	90.51	357.52	8696.64	4834.71	-1117.27	4846.33	0.66	95.00	0.00	18L
150	14118.00	90.68	359.10	8695.66	4928.66	-1120.04	4940.31	1.69	94.00	1A	20L
151	14213.00	90.33	358.48	8694.83	5023.64	-1122.05	5035.30	0.75	95.00	2A	22L
152	14306.00	91.56	359.45	8693.29	5116.61	-1123.73	5128.28	1.68	93.00	3A	23L
153	14400.00	91.12	358.84	8691.09	5210.57	-1125.13	5222.25	0.80	94.00	5A	24L
154	14494.00	91.25	359.98	8689.15	5304.54	-1126.10	5316.23	1.22	94.00	7A	25L
155	14588.00	90.90	1.03	8687.39	5398.52	-1125.27	5410.19	1.18	94.00	9A	24L
156	14683.00	91.60	0.86	8685.31	5493.48	-1123.70	5505.14	0.76	95.00	10A	22L
157	14778.00	91.43	1.74	8682.80	5588.43	-1121.55	5600.05	0.94	95.00	12A	20L
158	14872.00	90.95	2.35	8680.85	5682.34	-1118.19	5693.93	0.83	94.00	15A	15L

159	14967.00	89.23	1.82	8680.70	5777.28	-1114.74	5788.82	1.89	95.00	15A	12L
160	15061.00	89.36	1.12	8681.86	5871.24	-1112.33	5882.75	0.76	94.00	15A	9L
161	15155.00	89.58	1.47	8682.73	5965.21	-1110.20	5976.69	0.44	94.00	12A	6L
162	15249.00	90.68	1.74	8682.51	6059.17	-1107.57	6070.62	1.20	94.00	13A	3L
163	15343.00	90.24	0.68	8681.76	6153.15	-1105.58	6164.57	1.22	94.00	13A	1L
164	15437.00	92.40	3.32	8679.59	6247.05	-1102.30	6258.43	3.63	94.00	15A	2R
165	15531.00	90.86	1.56	8676.92	6340.92	-1098.31	6352.25	2.49	94.00	17A	6R
166	15626.00	89.76	0.86	8676.41	6435.90	-1096.30	6447.20	1.37	95.00	18A	8R
167	15720.00	86.90	359.01	8679.15	6529.84	-1096.40	6541.14	3.62	94.00	15A	9R
168	15771.00	87.03	358.57	8681.85	6580.76	-1097.48	6592.07	0.90	51.00	12A	8R
169	15814.00	87.38	358.31	8683.94	6623.69	-1098.65	6635.01	1.01	43.00	10A	7R
170	15908.00	87.87	357.96	8687.84	6717.56	-1101.71	6728.91	0.64	94.00	6A	4R
171	16002.00	88.48	357.69	8690.83	6811.45	-1105.27	6822.83	0.71	94.00	3A	1R
172	16096.00	88.66	357.43	8693.18	6905.33	-1109.27	6916.75	0.34	94.00	0.00	2L
173	16190.00	89.89	358.13	8694.37	6999.25	-1112.91	7010.70	1.51	94.00	0.00	5L
174	16284.00	90.51	358.49	8694.04	7093.21	-1115.69	7104.68	0.76	94.00	0.00	7L
175	16379.00	90.77	358.40	8692.98	7188.17	-1118.26	7199.67	0.29	95.00	0.00	9L
176	16473.00	90.73	358.13	8691.75	7282.12	-1121.11	7293.64	0.29	94.00	1A	12L
177	16567.00	90.02	359.45	8691.13	7376.09	-1123.09	7387.63	1.59	94.00	1A	14L
178	16661.00	89.76	359.01	8691.31	7470.08	-1124.36	7481.63	0.54	94.00	1A	15L
179	16756.00	90.33	359.01	8691.24	7565.07	-1126.00	7576.63	0.60	95.00	1.5A	16L
180	16850.00	90.55	358.57	8690.52	7659.04	-1127.98	7670.62	0.52	94.00	2A	18L
181	16944.00	89.89	358.40	8690.15	7753.01	-1130.47	7764.60	0.73	94.00	2A	20L
182	17038.00	90.24	359.28	8690.05	7846.99	-1132.37	7858.60	1.01	94.00	2A	21L
183	17131.00	89.93	358.84	8689.91	7939.98	-1133.90	7951.60	0.58	93.00	2A	22L
184	17225.00	90.81	358.92	8689.30	8033.95	-1135.73	8045.59	0.94	94.00	2A	24L
185	17319.00	90.42	359.01	8688.29	8127.93	-1137.43	8139.58	0.43	94.00	4A	25L
186	17413.00	91.43	359.19	8686.78	8221.91	-1138.91	8233.57	1.09	94.00	5A	26L
187	17508.00	90.37	359.80	8685.28	8316.89	-1139.75	8328.55	1.29	95.00	6A	27L
188	17602.00	89.58	359.36	8685.33	8410.89	-1140.43	8422.55	0.96	94.00	6A	27L
189	17696.00	89.63	359.10	8685.97	8504.88	-1141.70	8516.55	0.28	94.00	5A	28L
190	17791.00	89.63	359.01	8686.59	8599.86	-1143.26	8611.55	0.09	95.00	5A	30L
191	17886.00	90.42	358.75	8686.55	8694.84	-1145.12	8706.54	0.88	95.00	4A	31L
192	17981.00	89.41	1.21	8686.69	8789.83	-1145.15	8801.53	2.80	95.00	4A	31L
193	18075.00	89.67	0.86	8687.44	8883.82	-1143.46	8895.49	0.46	94.00	2A	29L
194	18169.00	90.24	1.12	8687.51	8977.80	-1141.83	8989.45	0.67	94.00	3A	27L
195	18263.00	90.29	0.07	8687.08	9071.79	-1140.86	9083.43	1.12	94.00	3A	25L
196	18358.00	89.67	359.45	8687.11	9166.79	-1141.25	9178.42	0.92	95.00	3A	26L
197	18452.00	89.10	359.19	8688.12	9260.78	-1142.37	9272.42	0.67	94.00	2A	26L
198	18546.00	89.14	358.92	8689.57	9354.76	-1143.92	9366.40	0.29	94.00	0.00	28L

199	18641.00	90.15	359.19	8690.15	9449.74	-1145.49	9461.40	1.10	95.00	0.00	29L
200	18736.00	90.11	0.07	8689.94	9544.74	-1146.10	9556.40	0.93	95.00	0.00	29L
201	18821.00	89.58	359.19	8690.17	9629.73	-1146.65	9641.39	1.21	85.00	1B	29L
PTB	18877.00	89.58	359.19	8690.58	9685.73	-1147.44	9697.39	0.00	56.00		

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017													
1. WELL API NO. 30-015-49024																		
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN																		
3. State Oil & Gas Lease No.																		
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name SCHLITZ FED COM										
								6. Well Number: 213H										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																		
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043										
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat PURPLE SAGE; WOLFCAMP (GAS)										
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	P	16	25S	26E	-	647	SOUTH	913	EAST	EDDY								
BH:	B	9	25S	26E	-	254	NORTH	1961	EAST	EDDY								
13. Date Spudded 4/6/2022	14. Date T.D. Reached 4/29/2022		15. Date Rig Released 5/1/2022			16. Date Completed (Ready to Produce) 9/7/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3389 GR										
18. Total Measured Depth of Well 18877 ft			19. Plug Back Measured Depth 18816 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA										
22. Producing Interval(s), of this completion - Top, Bottom, Name 8924 ft to 18730 ft								WOLFCAMP										
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
13.375"		54.5		456'		17.5"		405 sks		0								
9.625"		40		2033'		12.25"		601 sks		0								
5.5"		20		18634'		8.75"/6.75"		1435 sks		0								
24. LINER RECORD						25. TUBING RECORD												
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET									
26. Perforation record (interval, size, and number) Perforate from 8924 ft to 18730 ft, 1 SPF, .55 inch holes with 507 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>8924 ft to 18730 ft</td> <td>39 stage frac with 25,446,400 lbs of 100 mesh sand</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	8924 ft to 18730 ft	39 stage frac with 25,446,400 lbs of 100 mesh sand				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
8924 ft to 18730 ft	39 stage frac with 25,446,400 lbs of 100 mesh sand																	
28. PRODUCTION																		
Date First Production 9/16/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing												
Date of Test 10/1/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 537	Gas - MCF 1390	Water - Bbl. 4156	Gas - Oil Ratio 2588											
Flow Tubing Press. 0	Casing Pressure 1204	Calculated 24-Hour Rate	Oil - Bbl. 537	Gas - MCF 1390	Water - Bbl. 4156	Oil Gravity - API - (Corr.)												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By										
31. List Attachments C-102, Directional Survey																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:										
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude			Longitude			NAD83												
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																		
Signature			Printed Name Jeff Trlica			Title Regulatory Analyst			Date 10/18/2022									
E-mail Address jtrlica@taprllc																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	699		Quaternary					
699	1136		Rustler					
1136	1709		Top of Salt					
1709	1926		Base of Salt					
1926	1954		Lamar					
1954	2931		Bell Canyon					
2931	3809		Cherry Canyon					
3809	5435		Brushy Canyon					
5435	5821		Bone Spring					
5821	6330		Avalon					
6330	7217		1st Bone Spring Sand					
7217	8427		2nd Bone Spring Sand					
8427	8610		3rd Bone Spring Sand					
8610			Wolfcamp A					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 151769

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 151769
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 151769

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 151769
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/19/2023