

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-49027	⁵ Pool Name PURPLE SAGE; WOLFCAMP	⁶ Pool Code 98220
⁷ Property Code 329796	⁸ Property Name SCHLITZ FED COM	⁹ Well Number 233H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
P	16	25S	26E	-	669	SOUTH	993	EAST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	9	25S	26E	-	260	NORTH	2037	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 9/16/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 4/6/2022	²² Ready Date 9/11/2022	²³ TD 19659'	²⁴ PBTB 19593'	²⁵ Perforations 9709 ft to 19508 ft	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	454'	405 sks		
9.875"	7.625"	9043'	1015 sks		
6.75"	5.5"	19638'	980 sks		

V. Well Test Data

³¹ Date New Oil 9/16/2022	³² Gas Delivery Date 9/16/2022	³³ Test Date 9/30/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 2625
³⁷ Choke Size 40/64	³⁸ Oil 319	³⁹ Water 3007	⁴⁰ Gas 6829		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 12/19/2023		
Date: 10/18/2022		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-49027	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 329796	⁵ Property Name SCHLITZ FED COM	⁶ Well Number 233H
⁷ OGRID No. 372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3389'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	16	25-S	26-E	-	669'	SOUTH	993'	EAST	EDDY


¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	9	25-S	26-E	-	260'	NORTH	2037'	EAST	EDDY

¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.





1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
TEXAS FIRM REGISTRATION NO. 10042504
WWW.TOPOGRAPHIC.COM

**INTERNAL
PRE-COMPLETION
PLAT**

SCHLITZ FED COM 233H
PRE-COMPLETION

REVISION:

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

DATE: 06/30/2022

FILE: C_SCHLITZ_FED_COM_233H

DRAWN BY: GJU

SHEET: 2 OF 2



Operator: Tap Rock Resources, LLC.
Well Name: Schlitz Fed Com 233H
County: Eddy
State: New Mexico
Rig Name: H&P 425
API: 30-025-49028

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 516' MD – 19,586' MD
Projection to Bit: 19,659' MD
Dates Performed: 04/30/2022 – 05/30/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.

Well Name: Schlitz Fed Com 233H

Job Number: ID3398

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 425

Target KBTVD: 9552.00

Target Inclination: 90.40°

Declination Correction: 7.00°

DF Elevation: 3,226'

Vertical Section Calculated Along Azimuth: 359.40°

Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
Total	1	154	0.22	257.85	154	154.00	-0.06	-0.06	-0.29	0.14
Total	2	245	0.22	238.51	91	245.00	-0.18	-0.19	-0.61	0.08
Total	3	335	0.31	295.56	90	335.00	-0.17	-0.18	-0.98	0.29
Total	4	404	0.31	285.18	69	404.00	-0.03	-0.05	-1.32	0.08
MWD	5	516	0.26	308.38	112	516.00	0.21	0.19	-1.82	0.11
MWD	6	610	0.35	339.58	94	609.99	0.61	0.59	-2.08	0.20
MWD	7	705	0.70	7.79	95	704.99	1.46	1.44	-2.11	0.45
MWD	8	799	0.66	18.95	94	798.98	2.54	2.52	-1.85	0.15
MWD	9	894	0.66	2.08	95	893.98	3.60	3.58	-1.65	0.20
MWD	10	988	0.88	341.51	94	987.97	4.83	4.81	-1.86	0.37
MWD	11	1083	1.23	315.67	95	1082.95	6.26	6.23	-2.81	0.61
MWD	12	1176	1.85	286.84	93	1175.92	7.43	7.38	-4.94	1.05
MWD	13	1233	1.41	271.81	57	1232.90	7.74	7.67	-6.52	1.07
MWD	14	1327	2.90	249.14	94	1326.83	6.96	6.86	-9.90	1.80
MWD	15	1421	2.81	244.66	94	1420.71	5.17	5.03	-14.21	0.26
MWD	16	1515	2.59	230.15	94	1514.61	2.87	2.68	-17.92	0.76
MWD	17	1610	3.21	220.49	95	1609.49	-0.50	-0.72	-21.29	0.83
MWD	18	1704	5.10	235.87	94	1703.24	-4.79	-5.07	-26.46	2.32
MWD	19	1799	7.08	245.10	95	1797.70	-9.53	-9.90	-35.27	2.32
MWD	20	1893	7.21	248.08	94	1890.97	-14.06	-14.54	-46.00	0.42
MWD	21	1987	8.18	251.69	94	1984.13	-18.24	-18.84	-57.82	1.15
MWD	22	2081	10.81	251.60	94	2076.83	-22.97	-23.73	-72.53	2.80
MWD	23	2175	11.69	249.23	94	2169.02	-28.95	-29.89	-89.80	1.06
MWD	24	2270	11.30	247.91	95	2262.12	-35.67	-36.80	-107.43	0.50
MWD	25	2364	11.03	243.51	94	2354.34	-42.97	-44.28	-124.01	0.95
MWD	26	2459	10.55	236.92	95	2447.66	-51.61	-53.08	-139.43	1.39
MWD	27	2553	10.42	236.39	94	2540.09	-60.87	-62.48	-153.72	0.17
MWD	28	2648	10.02	235.43	95	2633.59	-70.16	-71.92	-167.68	0.46
MWD	29	2743	9.05	232.88	95	2727.27	-79.23	-81.12	-180.44	1.11
MWD	30	2836	8.00	231.47	93	2819.24	-87.56	-89.57	-191.34	1.15
MWD	31	2931	9.98	234.20	95	2913.07	-96.37	-98.50	-203.19	2.13
MWD	32	3025	9.85	232.35	94	3005.67	-105.91	-108.18	-216.16	0.37
MWD	33	3119	10.37	232.44	94	3098.21	-115.84	-118.25	-229.23	0.55
MWD	34	3213	10.95	231.47	94	3190.59	-126.41	-128.97	-242.92	0.65
MWD	35	3307	9.93	230.59	94	3283.03	-136.98	-139.67	-256.17	1.10
MWD	36	3402	10.02	231.56	95	3376.59	-147.19	-150.01	-268.97	0.20
MWD	37	3496	10.68	231.47	94	3469.06	-157.56	-160.52	-282.19	0.70
MWD	38	3591	11.52	234.46	95	3562.29	-168.40	-171.52	-296.80	1.07
MWD	39	3684	12.26	236.13	93	3653.29	-179.14	-182.42	-312.55	0.88
MWD	40	3780	10.24	230.07	96	3747.44	-190.14	-193.58	-327.56	2.44
MWD	41	3874	9.89	226.11	94	3840.00	-200.97	-204.54	-339.78	0.82
MWD	42	3969	12.09	230.59	95	3933.25	-212.80	-216.51	-353.35	2.48
MWD	43	4064	12.48	231.12	95	4026.08	-225.39	-229.27	-369.03	0.43
MWD	44	4159	12.79	234.29	95	4118.78	-237.80	-241.85	-385.56	0.80
MWD	45	4253	11.87	232.79	94	4210.61	-249.55	-253.77	-401.71	1.04
MWD	46	4348	12.35	237.01	95	4303.50	-260.82	-265.21	-418.01	1.06
MWD	47	4443	12.53	240.79	95	4396.27	-271.20	-275.77	-435.53	0.88
MWD	48	4537	11.69	238.06	94	4488.18	-281.03	-285.79	-452.51	1.08
MWD	49	4632	12.57	240.53	95	4581.05	-291.03	-295.97	-469.68	1.08
MWD	50	4725	14.29	244.13	93	4671.51	-300.82	-305.95	-488.82	2.06
MWD	51	4819	13.23	242.28	94	4762.81	-310.67	-316.02	-508.78	1.22
MWD	52	4913	12.75	240.75	94	4854.40	-320.55	-326.09	-527.35	0.63
MWD	53	5006	11.87	240.26	93	4945.27	-330.13	-335.85	-544.61	0.95
MWD	54	5100	12.26	245.80	94	5037.19	-338.83	-344.74	-562.11	1.30
MWD	55	5194	12.04	252.21	94	5129.09	-345.73	-351.82	-580.55	1.45
MWD	56	5287	10.99	249.75	93	5220.22	-351.57	-357.86	-598.10	1.25
MWD	57	5381	11.08	256.70	94	5312.48	-356.57	-363.04	-615.30	1.42
MWD	58	5474	11.96	258.37	93	5403.61	-360.38	-367.03	-633.43	1.01
MWD	59	5569	12.44	263.64	95	5496.47	-363.29	-370.15	-653.24	1.28
MWD	60	5664	13.71	263.03	95	5589.00	-365.57	-372.65	-674.59	1.34
MWD	61	5758	13.36	260.3	94	5680.39	-368.52	-375.83	-696.35	0.77
MWD	62	5852	13.85	254.76	94	5771.76	-373.08	-380.62	-717.91	1.48
MWD	63	5947	12.62	248.7	95	5864.24	-379.62	-387.38	-738.55	1.95
MWD	64	6042	10.99	241.58	95	5957.23	-387.52	-395.46	-756.19	2.30
MWD	65	6137	13.05	235.69	95	6050.15	-397.70	-405.82	-773.01	2.52

MWD	66	6232	11.87	232.26	95	6142.91	-409.55	-417.84	-789.60	1.47
MWD	67	6327	12.35	233.32	95	6235.79	-421.43	-429.89	-805.47	0.56
MWD	68	6421	13.1	237.1	94	6327.49	-433.05	-441.68	-822.48	1.19
MWD	69	6515	11.74	238.77	94	6419.29	-443.61	-452.43	-839.60	1.50
MWD	70	6609	11.38	232.18	94	6511.38	-454.09	-463.07	-855.11	1.46
MWD	71	6703	12.18	229.89	94	6603.40	-466.01	-475.15	-870.02	0.99
MWD	72	6798	11.12	230.33	95	6696.44	-478.16	-487.46	-884.73	1.12
MWD	73	6892	10.37	230.77	94	6788.80	-489.16	-498.59	-898.27	0.80
MWD	74	6986	8.18	228.48	94	6881.56	-498.82	-508.38	-909.83	2.36
MWD	75	7080	6.77	225.23	94	6974.76	-507.06	-516.71	-918.77	1.57
MWD	76	7173	5.27	226.2	93	7067.24	-513.81	-523.53	-925.74	1.62
MWD	77	7268	4.18	227.87	95	7161.92	-519.09	-528.87	-931.46	1.16
MWD	78	7361	3.91	242.72	93	7254.69	-522.76	-532.60	-936.79	1.16
MWD	79	7456	2.59	249.4	95	7349.54	-524.95	-534.84	-941.68	1.44
MWD	80	7550	2.37	236.13	94	7443.45	-526.74	-536.67	-945.28	0.65
MWD	81	7645	1.93	235.16	95	7538.38	-528.72	-538.68	-948.23	0.46
MWD	82	7739	1.85	211.52	94	7632.33	-530.89	-540.88	-950.32	0.83
MWD	83	7833	1.67	207.65	94	7726.29	-533.39	-543.38	-951.75	0.23
MWD	84	7927	2.24	210.03	94	7820.23	-536.17	-546.19	-953.30	0.61
MWD	85	8022	2.15	211.96	95	7915.16	-539.27	-549.31	-955.17	0.12
MWD	86	8116	2.02	233.05	94	8009.10	-541.74	-551.80	-957.43	0.82
MWD	87	8210	2.02	238.33	94	8103.04	-543.58	-553.66	-960.17	0.20
MWD	88	8305	2.2	248.17	95	8197.98	-545.10	-555.22	-963.28	0.43
MWD	89	8399	1.93	251.51	94	8291.92	-546.24	-556.39	-966.46	0.31
MWD	90	8494	1.67	249.14	95	8386.87	-547.21	-557.39	-969.27	0.28
MWD	91	8588	1.8	252.04	94	8480.83	-548.13	-558.34	-971.95	0.17
MWD	92	8682	1.63	238.68	94	8574.79	-549.25	-559.49	-974.50	0.46
MWD	93	8776	1.54	237.71	94	8668.75	-550.60	-560.86	-976.71	0.10
MWD	94	8870	1.98	233.76	94	8762.71	-552.21	-562.49	-979.09	0.49
MWD	95	8964	1.89	236.31	94	8856.65	-554.00	-564.31	-981.69	0.13
MWD	96	9040	1.67	238.86	76	8932.62	-555.25	-565.58	-983.68	0.31
MWD	97	9107	1.63	239.38	67	8999.59	-556.22	-566.57	-985.33	0.06
MWD	98	9202	6.68	342.21	95	9094.37	-551.61	-561.99	-988.19	7.60
MWD	99	9295	15.52	349.16	93	9185.55	-534.16	-544.58	-992.19	9.60
MWD	100	9359	20.97	354.52	64	9246.31	-514.31	-524.76	-994.90	8.90
MWD	101	9390	22.99	354.78	31	9275.05	-502.75	-513.21	-995.98	6.52
MWD	102	9484	42.99	0.06	94	9353.51	-451.88	-462.35	-997.63	21.48
MWD	103	9578	54.55	357.95	94	9415.37	-381.31	-391.80	-998.97	12.41
MWD	104	9672	64.04	358.12	94	9463.31	-300.61	-311.11	-1001.73	10.10
MWD	105	9766	76.92	356.19	94	9494.66	-212.27	-222.82	-1006.18	13.84
MWD	106	9861	84.57	357.16	95	9509.92	-118.68	-129.28	-1011.61	8.12
MWD	107	9955	86.42	357.24	94	9517.31	-25.05	-35.69	-1016.18	1.97
MWD	108	10049	87.16	356.63	94	9522.57	68.72	58.03	-1021.20	1.02
MWD	109	10143	88.70	356.28	94	9525.97	162.53	151.78	-1027.01	1.68
MWD	110	10237	90.29	356.37	94	9526.79	256.39	245.58	-1033.03	1.69
MWD	111	10331	90.99	356.54	94	9525.74	350.26	339.40	-1038.85	0.77
MWD	112	10426	91.69	357.68	95	9523.52	445.15	434.25	-1043.63	1.41
MWD	113	10520	92.40	358.83	94	9520.17	539.07	528.14	-1046.50	1.44
MWD	114	10614	91.87	359.88	94	9516.67	633.00	622.07	-1047.55	1.25
MWD	115	10708	90.02	0.32	94	9515.12	726.98	716.05	-1047.39	2.02
MWD	116	10802	88.09	358.30	94	9516.67	820.96	810.02	-1048.52	2.97
MWD	117	10896	90.11	357.33	94	9518.14	914.90	903.94	-1052.10	2.38
MWD	118	10991	92.13	358.83	95	9516.29	1009.85	998.86	-1055.29	2.65
MWD	119	11085	92.53	359.09	94	9512.46	1103.77	1092.76	-1056.99	0.51
MWD	120	11179	91.96	359.71	94	9508.78	1197.70	1186.69	-1057.97	0.90
MWD	121	11273	91.08	1.90	94	9506.29	1291.63	1280.64	-1056.65	2.51
MWD	122	11367	92.31	6.03	94	9503.51	1385.27	1374.35	-1050.16	4.58
MWD	123	11414	92.66	6.91	47	9501.47	1431.87	1421.00	-1044.87	2.01
MWD	124	11462	92.09	7.70	48	9499.48	1479.37	1468.57	-1038.77	2.03
MWD	125	11509	89.27	6.74	47	9498.92	1525.93	1515.19	-1032.86	6.34
MWD	126	11556	88.97	5.95	47	9499.64	1572.57	1561.90	-1027.67	1.80
MWD	127	11603	88.44	3.48	47	9500.71	1619.36	1608.72	-1023.81	5.37
MWD	128	11650	86.02	1.20	47	9502.98	1666.23	1655.62	-1021.89	7.07
MWD	129	11695	83.87	358.65	45	9506.94	1711.05	1700.44	-1021.95	7.39
MWD	130	11748	83.43	354.78	53	9512.81	1763.66	1753.02	-1024.97	7.30
MWD	131	11795	86.07	353.20	47	9517.11	1810.25	1799.56	-1029.87	6.54
MWD	132	11842	89.67	353.64	47	9518.85	1856.95	1846.21	-1035.25	7.72
MWD	133	11935	89.32	359.09	93	9519.67	1949.78	1938.98	-1041.14	5.87
MWD	134	12030	88.97	358.47	95	9521.09	2044.76	2033.95	-1043.16	0.75
MWD	135	12124	89.14	358.91	94	9522.64	2138.74	2127.91	-1045.31	0.50
MWD	136	12219	87.65	357.51	95	9525.30	2233.68	2222.83	-1048.28	2.15
MWD	137	12313	88.04	357.95	94	9528.84	2327.57	2316.68	-1052.00	0.63
MWD	138	12407	89.45	359.09	94	9530.90	2421.54	2410.63	-1054.43	1.93
MWD	139	12502	90.33	359.53	95	9531.08	2516.53	2505.62	-1055.57	1.04
MWD	140	12596	89.76	359.09	94	9531.00	2610.53	2599.61	-1056.70	0.77
MWD	141	12691	89.54	359.79	95	9531.59	2705.53	2694.60	-1057.63	0.77
MWD	142	12786	89.67	359.53	95	9532.24	2800.53	2789.60	-1058.19	0.31
MWD	143	12881	89.45	359.71	95	9532.97	2895.52	2884.60	-1058.82	0.30
MWD	144	12976	89.14	359.53	95	9534.14	2990.52	2979.59	-1059.45	0.38

MWD	145	13070	90.51	358.74	94	9534.43	3084.51	3073.57	-1060.87	1.68
MWD	146	13165	90.07	357.77	95	9533.94	3179.49	3168.52	-1063.77	1.12
MWD	147	13259	89.67	356.98	94	9534.16	3273.43	3262.43	-1068.07	0.94
MWD	148	13354	88.09	356.19	95	9536.01	3368.29	3357.23	-1073.73	1.86
MWD	149	13448	88.88	355.93	94	9538.50	3462.10	3450.98	-1080.18	0.88
MWD	150	13542	90.68	357.60	94	9538.86	3555.99	3544.82	-1085.49	2.61
MWD	151	13637	90.73	359.27	95	9537.69	3650.97	3639.78	-1088.08	1.76
MWD	152	13731	91.38	0.14	94	9535.96	3744.95	3733.76	-1088.57	1.16
MWD	153	13826	90.90	2.17	95	9534.07	3839.88	3828.71	-1086.65	2.20
MWD	154	13920	91.47	2.69	94	9532.13	3933.73	3922.61	-1082.67	0.82
MWD	155	14015	91.08	2.34	95	9530.01	4028.57	4017.49	-1078.50	0.55
MWD	156	14109	92.26	2.08	94	9527.27	4122.41	4111.38	-1074.88	1.29
MWD	157	14204	92.40	2.43	95	9523.41	4217.21	4206.23	-1071.14	0.40
MWD	158	14297	91.03	0.85	93	9520.63	4310.10	4299.14	-1068.48	2.25
MWD	159	14391	89.71	359.79	94	9520.02	4404.08	4393.14	-1067.96	1.80
MWD	160	14485	88.84	359.27	94	9521.21	4498.07	4487.13	-1068.73	1.08
MWD	161	14579	89.45	358.56	94	9522.61	4592.06	4581.10	-1070.51	1.00
MWD	162	14674	90.02	358.12	95	9523.05	4687.04	4676.06	-1073.26	0.76
MWD	163	14768	90.51	357.16	94	9522.62	4780.99	4769.97	-1077.13	1.15
MWD	164	14863	92.26	356.10	95	9520.32	4875.85	4864.78	-1082.71	2.15
MWD	165	14958	93.41	356.98	95	9515.62	4970.61	4959.48	-1088.44	1.52
MWD	166	15052	93.14	357.16	94	9510.25	5064.38	5053.21	-1093.24	0.35
MWD	167	15146	91.78	359.09	94	9506.22	5158.26	5147.06	-1096.31	2.51
MWD	168	15240	90.46	359.09	94	9504.38	5252.24	5241.03	-1097.80	1.40
MWD	169	15334	89.85	358.65	94	9504.13	5346.24	5335.01	-1099.65	0.80
MWD	170	15428	88.97	357.95	94	9505.09	5440.21	5428.97	-1102.44	1.20
MWD	171	15522	90.02	0.06	94	9505.92	5534.20	5522.94	-1104.07	2.51
MWD	172	15617	89.58	0.41	95	9506.25	5629.19	5617.94	-1103.69	0.59
MWD	173	15711	88.48	359.09	94	9507.85	5723.17	5711.92	-1104.10	1.83
MWD	174	15805	89.76	359.09	94	9509.29	5817.16	5805.90	-1105.59	1.36
MWD	175	15899	90.33	359.35	94	9509.22	5911.15	5899.89	-1106.87	0.67
MWD	176	15993	88.48	358.91	94	9510.19	6005.14	5993.87	-1108.29	2.02
MWD	177	16087	89.93	1.55	94	9511.50	6099.11	6087.85	-1107.92	3.20
MWD	178	16181	91.38	2.52	94	9510.42	6193.01	6181.78	-1104.58	1.86
MWD	179	16275	89.14	1.64	94	9510.00	6286.89	6275.71	-1101.17	2.56
MWD	180	16370	90.64	0.41	95	9510.18	6381.85	6370.69	-1099.47	2.04
MWD	181	16464	95.56	359.88	94	9505.10	6475.68	6464.52	-1099.23	5.26
MWD	182	16558	92.66	359.00	94	9498.36	6569.42	6558.26	-1100.15	3.22
MWD	183	16652	92.13	358.83	94	9494.43	6663.34	6652.16	-1101.93	0.59
MWD	184	16747	89.71	359.09	95	9492.91	6758.32	6747.13	-1103.65	2.56
MWD	185	16840	90.02	359.09	93	9493.12	6851.31	6840.12	-1105.13	0.33
MWD	186	16934	91.47	359.71	94	9491.90	6945.30	6934.10	-1106.11	1.68
MWD	187	17028	90.95	359.53	94	9489.92	7039.28	7028.08	-1106.73	0.59
MWD	188	17122	85.76	359.35	94	9492.62	7133.21	7122.00	-1107.65	5.52
MWD	189	17216	91.12	1.73	94	9495.17	7227.12	7215.92	-1106.76	6.24
MWD	190	17310	92.18	0.85	94	9492.47	7321.02	7309.86	-1104.65	1.47
MWD	191	17404	88.88	0.06	94	9491.60	7414.99	7403.84	-1103.90	3.61
MWD	192	17498	90.20	0.67	94	9492.35	7508.97	7497.83	-1103.30	1.55
MWD	193	17593	89.19	1.20	95	9492.86	7603.93	7592.81	-1101.75	1.20
MWD	194	17687	90.95	1.46	94	9492.74	7697.88	7686.78	-1099.57	1.89
MWD	195	17782	87.21	358.56	95	9494.27	7792.83	7781.74	-1099.55	4.98
MWD	196	17848	88.00	357.51	66	9497.03	7858.75	7847.65	-1101.82	1.99
MWD	197	17876	88.75	357.95	28	9497.82	7886.73	7875.61	-1102.92	3.11
MWD	198	17971	90.07	358.12	95	9498.80	7981.70	7970.55	-1106.18	1.40
MWD	199	18066	90.64	357.51	95	9498.21	8076.66	8065.48	-1109.80	0.88
MWD	200	18160	90.86	358.12	94	9496.98	8170.61	8159.40	-1113.39	0.69
MWD	201	18254	91.34	356.98	94	9495.18	8264.55	8253.30	-1117.40	1.32
MWD	202	18348	91.65	357.33	94	9492.72	8358.44	8347.15	-1122.07	0.50
MWD	203	18442	90.51	356.54	94	9490.95	8452.34	8441.00	-1127.09	1.48
MWD	204	18537	89.63	356.37	95	9490.83	8547.21	8535.81	-1132.97	0.94
MWD	205	18632	90.73	357.86	95	9490.54	8642.13	8630.69	-1137.75	1.95
MWD	206	18727	90.33	359.44	95	9489.66	8737.11	8725.65	-1139.99	1.72
MWD	207	18822	89.89	1.46	95	9489.48	8832.09	8820.65	-1139.24	2.18
MWD	208	18915	91.08	1.11	93	9488.69	8925.04	8913.62	-1137.16	1.33
MWD	209	19010	93.98	1.73	95	9484.49	9019.87	9008.48	-1134.80	3.12
MWD	210	19104	89.41	0.94	94	9481.72	9113.75	9102.39	-1132.62	4.93
MWD	211	19198	89.14	0.67	94	9482.90	9207.72	9196.38	-1131.30	0.41
MWD	212	19272	87.60	358.91	74	9485.01	9281.68	9270.34	-1131.57	3.16
MWD	213	19367	87.52	359.00	95	9489.05	9376.59	9365.24	-1133.30	0.13
MWD	214	19461	88.44	358.12	94	9492.37	9470.52	9459.15	-1135.66	1.35
MWD	215	19555	93.80	357.77	94	9490.53	9564.44	9553.04	-1139.03	5.71
MWD	216	19586	93.54	357.07	31	9488.55	9595.36	9583.94	-1140.42	2.40
PTB	217	19659	93.54	357.07	73	9484.04	9668.16	9656.71	-1144.14	0.00

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-49027										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name SCHLITZ FED COM		
								6. Well Number: 233H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat PURPLE SAGE; WOLFCAMP (GAS)		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	P	16	25S	26E	-	669	SOUTH	993	EAST	EDDY
BH:	B	9	25S	26E	-	260	NORTH	2037	EAST	EDDY
13. Date Spudded 4/6/2022	14. Date T.D. Reached 5/29/2022		15. Date Rig Released 6/1/2022			16. Date Completed (Ready to Produce) 9/11/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3389 GR		
18. Total Measured Depth of Well 19659 ft			19. Plug Back Measured Depth 19593 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 9709 ft to 19508 ft								WOLFCAMP		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		54.5		454'		17.5"		405 sks		0
7.625"		29.7		9043'		9.875"		1015 sks		0
5.5"		20		19638' *		6.75"		980 sks		0
				*correction from prod						
				casing sundry						
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
Perforate from 9709 ft to 19508 ft, 1 SPF, .55 inch holes with 572 total shots					9709 ft to 19508 ft		44 stage frac with 25,324,600 lbs of 100 mesh sand			
28. PRODUCTION										
Date First Production 9/16/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 9/30/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 319	Gas - MCF 6829	Water - Bbl. 3007	Gas - Oil Ratio 21408			
Flow Tubing Press. 0	Casing Pressure 2625	Calculated 24-Hour Rate	Oil - Bbl. 319	Gas - MCF 6829	Water - Bbl. 3007	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By			
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD83				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Jeff Trlica			Title Regulatory Analyst			Date 10/18/2022	
E-mail Address jtrlica@taprock.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	686		Quaternary					
686	1123		Rustler					
1123	1696		Top of Salt					
1996	1913		Base of Salt					
1913	1941		Lamar					
1941	2918		Bell Canyon					
2918	3800		Cherry Canyon					
3800	5432		Brushy Canyon					
5432	5841		Bone Spring					
5841	6333		Avalon					
6333	6901		1st Bone Spring Sand					
6901	8189		2nd Bone Spring Sand					
8189	8549		3rd Bone Spring Sand					
8549	8865		Wolfcamp A					
8865	9165		Wolfcamp B					
9165			Wolfcamp C					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 151760

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 151760
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 151760

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 151760
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/19/2023