

Well Name: TSAH TAH 1	Well Location: T24N / R10W / SEC 1 / SWNE / 36.346199 / -107.844386	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM112955	Unit or CA Name: FRCL TSAH TAH	Unit or CA Number: NMNM119384
US Well Number: 300453413300S1	Well Status: Abandoned	Operator: DUGAN PRODUCTION CORPORATION

Subsequent Report

Sundry ID: 2765045

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 12/07/2023	Time Sundry Submitted: 01:07
Date Operation Actually Began: 11/06/2023	

Actual Procedure: Dugan Production P&A'd the well on 11/06/2023 per the following procedure: 1) MI&RU Aztec Rig 481 and cement equipment. Spot in & NU BOP. PU & tally 2-3/8" J-55 4.7# tubing for workstring. 2) Tag 4½" CIBP @ 1510' from the original TA status. Fruitland Coal perforations @ 1560'-1748'. Load hole. Attempt to pressure test casing to 650 psi for 30 mins. Casing tested good. 3) Spot inside Plug I above CIBP @ 1510' w/18 sks (20.7 cu ft) Class G neat cement to 1277' to cover the Fruitland top (5 gal/sk, 15.8 #/gal, 1.15 cu ft/sk). Displace w/4.9 bbls. Plug I, inside 4½" casing, 1277'-1510', Fruitland, 18 sks, 20.7 cu ft. 4) Spot Plug II inside 4½" casing from 1070' to 812' w/20 sks, 23 cu ft Class G neat cement to cover the Kirtland-Ojo Alamo tops. Displace w/3.1 bbls. Plug II, inside 4½" casing, 812'-1070', Kirtland-Ojo Alamo, 20 sks, 23 cu ft. 5) Spot inside Plug III from 177' w/22 sks Class G neat cement (25.3 cu ft) to cover the surface casing shoe to surface. No displacement. Cut wellhead off. TOC inside 4½" casing and inside the annulus. Plug III, inside 4½" casing, 0-177', Surface, 22 sks, 25.3 cu ft. 6) Fill up cellar and install dry hole marker w/35 sks, 40.25 cu ft Class G neat cement. Clean location. Rig down Aztec 481 and move. Ken Christensen w/BLM witnessed job. Well P&A'd 11/06/2023.

Received by OCD: 12/7/2023 1:43:11 PM

Page 2 of 5

Well Name: TSAH TAH 1	Well Location: T24N / R10W / SEC 1 / SWNE / 36.346199 / -107.844386	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM112955	Unit or CA Name: FRCL TSAH TAH	Unit or CA Number: NMNM119384
US Well Number: 300453413300S1	Well Status: Abandoned	Operator: DUGAN PRODUCTION CORPORATION

SR Attachments

Actual Procedure

- Tsah_Tah_Com_1_1_Post_PA_completed_wellbore_schematic_20231207130639.pdf
- Tsah_Tah_Com_1_1_Post_PA_work_20231207130631.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: DEC 07, 2023 01:06 PM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO Box 420

City: FarmingtonState: NM

Phone: (505) 325-1821

Email address: tyrafeil@duganproduction.com

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: FarmingtonState: NMZip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: MATTHEW H KADE

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736

BLM POC Email Address: MKADE@BLM.GOV

Disposition: Accepted

Disposition Date: 12/07/2023

Signature: Matthew Kade

Dugan Production P&A'd the well on 11/06/2023 per the following procedure:

- MI&RU Aztec Rig 481 and cement equipment. Spot in & NU BOP. PU & tally 2-3/8" J-55 4.7# tubing for workstring.
- Tag 4½" CIBP @ 1510' from the original TA status. Fruitland Coal perforations @ 1560'-1748'. Load hole. Attempt to pressure test casing to 650 psi for 30 mins. Casing tested good.
- Spot inside Plug I above CIBP @ 1510' w/18 sks (20.7 cu ft) Class G neat cement to 1277' to cover the Fruitland top (5 gal/sk, 15.8 #/gal, 1.15 cu ft/sk). Displace w/4.9 bbls. **Plug I, inside 4½" casing, 1277'-1510', Fruitland, 18 sks, 20.7 cu ft.**
- Spot Plug II inside 4½" casing from 1070' to 812' w/20 sks, 23 cu ft Class G neat cement to cover the Kirtland-Ojo Alamo tops. Displace w/3.1 bbls. **Plug II, inside 4½" casing, 812'-1070', Kirtland-Ojo Alamo, 20 sks, 23 cu ft.**
- Spot inside Plug III from 177' w/22 sks Class G neat cement (25.3 cu ft) to cover the surface casing shoe to surface. No displacement. Cut wellhead off. TOC inside 4½" casing and inside the annulus. **Plug III, inside 4½" casing, 0-177', Surface, 22 sks, 25.3 cu ft.**
- Fill up cellar and install dry hole marker w/35 sks, 40.25 cu ft Class G neat cement. Clean location. Rig down Aztec 481 and move. Ken Christensen w/BLM witnessed job. **Well P&A'd 11/06/2023.**

Completed Wellbore Schematic

Tsah Tah Com 1 #1

30-045-34133


Basin Fruitland

1531' FNL & 1478' FEL

S1 T24N R10W

San Juan County, NM

Lat:36.346199 Long:-107.8443069



7" 20# casing @ 127'. Cemented with 65 sks Type 5 cement.
Hole size: 8-3/4". Circulate 5 bbls cement to surface.

Plug III, inside 4 1/2" casing, 0-177', Surface, 22 sks, 25.3 Cu.ft.

**Plug II, Inside 4 1/2" casing, 812'-1070', Kirtland-Ojo Alamo, 20
sks, 23 Cu.ft**

4 1/2" 10.5# casing @ 1884'. Hole size: 6-1/4"

Cemented production casing w/ 225 sks Type 5. Circulated 20 bbls cement
to surface.

**4 1/2" CIBP @ 1510'. Plug I, Inside 4 1/2" casing, 1277'-1510',
Fruitland, 18 sks, 20.7 Cu.ft**

Fruitland Coal Perforated @ 1560' – 1748'

PBTD @ 1861, TD 1906'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 292414

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 292414
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 11/6/2023	12/18/2023