

Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: TSAH TAH 3 Well Location: T24N / R10W / SEC 3 / County or Parish/State: SAN

SENW / 36.346426 / -107.88755 JUAN / NM

Well Number: 2 Type of Well: OTHER Allottee or Tribe Name:

Lease Number: NMNM62969 Unit or CA Name: TSAH TAH - FRCL Unit or CA Number:

NMNM120525

US Well Number: 300453455100S1 Well Status: Temporarily Abandoned Operator: DUGAN

PRODUCTION CORPORATION

Subsequent Report

Sundry ID: 2765070

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 12/07/2023 Time Sundry Submitted: 02:12

Date Operation Actually Began: 11/09/2023

Actual Procedure: Dugan production P&A'd the well on 11/09/2023-11/10/2023 per the following procedure: 1) MI&RU Aztec Rig 481 and cement equipment. Spot in & NU BOP. PU & Tally 2-3/8", 4.7# tubing for workstring. 2) Tag 4½" CIBP @ 1555' from the original TA. Fruitland Coal perforations @ 1560'-1725'. Load hole. Attempt to pressure test casing to 650 psi for 30 mins. Casing tested good. 3) Spot inside Plug I above CIBP @ 1555' w/28 sks (32.2 cu ft) Class G neat cement to cover the Fruitland top (5 gal/sk, 15.8 #/gal, 1.15 cu ft/sk). Displaced w/4.5 bbls. WOC 4 hrs. Tagged TOC @ 1200'. Good tag. Plug I, inside 4½" casing, 1200'-1555', Fruitland, 28 sks, 32.2 cu ft. 4) Spot Plug II inside 4½" casing from 1070' to 812' w/20 sks, 23 cu ft Class G neat cement to cover the Kirtland-Ojo Alamo tops. Displace w/3.1 bbls. Plug II, inside 4½" casing, 812'-1070', Kirtland-Ojo Alamo, 20 sks, 23 cu ft. 5) Spot Plug III inside 4½" casing from 191' w/20 sks, 23 cu ft, to cover the surface casing shoe to surface. Fill up 4½" casing and circulate 1 bbl cement back to surface. Cut wellhead off. TOC at surface inside 4½" and 30' inside annulus. Plug III, inside 4½" casing, 0-191', Surface, 20 sks, 23 cu ft. 6) Top off annulus, fill up cellar and install dry hole marker w/48 sks (55.2 cu ft) Class G neat cement. 7) Clean location. Rig down Aztec 481 and move. Fred Brandenburg w/Farmington BLM FO on location witnessed job. Well P&A'd 11/10/2023.

SENW / 36.346426 / -107.88755

Well Number: 2 Type of Well: OTHER Allottee or Tribe Name:

Lease Number: NMNM62969 Unit or CA Name: TSAH TAH - FRCL Unit or CA Number:

NMNM120525

US Well Number: 300453455100S1 **Well Status**: Temporarily Abandoned **Operator**: DUGAN

PRODUCTION CORPORATION

JUAN / NM

SR Attachments

Actual Procedure

Tsah_Tah_Com_3_2_Post_PA_completed_wellbore_schematic_20231207141110.pdf

Tsah_Tah_Com_3_2_Post_PA_work_20231207141058.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL Signed on: DEC 07, 2023 02:10 PM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative **Street Address:** PO Box 420

City: Farmington State: NM

Phone: (505) 325-1821

Email address: tyrafeil@duganproduction.com

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington State: NM Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

Signature: Matthew Kade

BLM POC Name: MATTHEW H KADE BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736 **BLM POC Email Address:** MKADE@BLM.GOV


Disposition: Accepted **Disposition Date:** 12/07/2023

Dugan production P&A'd the well on 11/09/2023-11/10/2023 per the following procedure:

- MI&RU Aztec Rig 481 and cement equipment. Spot in & NU BOP. PU & Tally 2-3/8", 4.7# tubing for workstring.
- Tag 4½" CIBP @ 1555' from the original TA. Fruitland Coal perforations @ 1560'-1725'. Load hole. Attempt to pressure test casing to 650 psi for 30 mins. Casing tested good.
- Spot inside Plug I above CIBP @ 1555' w/28 sks (32.2 cu ft) Class G neat cement to cover the Fruitland top (5 gal/sk, 15.8 #/gal, 1.15 cu ft/sk). Displaced w/4.5 bbls. WOC 4 hrs. Tagged TOC @ 1200'. Good tag. Plug I, inside 4½" casing, 1200'-1555', Fruitland, 28 sks, 32.2 cu ft.
- Spot Plug II inside 4½" casing from 1070' to 812' w/20 sks, 23 cu ft Class G neat cement to cover the Kirtland-Ojo Alamo tops. Displace w/3.1 bbls. Plug II, inside 4½" casing, 812'-1070', Kirtland-Ojo Alamo, 20 sks, 23 cu ft.
- Spot Plug III inside 4½" casing from 191' w/20 sks, 23 cu ft, to cover the surface casing shoe to surface. Fill up 4½" casing and circulate 1 bbl cement back to surface. Cut wellhead off. TOC at surface inside 4½" and 30' inside annulus. Plug III, inside 4½" casing, 0-191', Surface, 20 sks, 23 cu ft.
- Top off annulus, fill up cellar and install dry hole marker w/48 sks (55.2 cu ft) Class G neat cement.
- Clean location. Rig down Aztec 481 and move. Fred Brandenburg w/Farmington BLM FO on location witnessed job. **Well P&A'd 11/10/2023.**

Completed Wellbore Schematic

Tsah Tah Com 3 #2
30-045-34551
Basin Fruitland
1450' FNL & 1525' FWL
S3 T24N R10W
San Juan County, NM
Lat:36.3464203 Long:-107.8875427



 $7^{\prime\prime}$ 20# casing @ 132'. Cemented with 65 sks Type 5 cement. Hole size: 8-3/4". Circulate 5 bbls cement to surface.

Plug III, inside 4 1/2" casing, 0-191', Surface, 20 sks, 23 Cu.ft.

Plug II, Inside 4 $\frac{1}{2}$ " casing, 812'-1070', Kirtland-Ojo Alamo, 20 sks, 23 Cu.ft.

4 1/2" 10.5# casing @ 1895'. Hole size: 6-1/4"

Cemented production casing w/ 225 sks Type 5. Circulated 35 bbls cement to surface.

Tag 4 $\frac{1}{2}$ " CIBP @ 1555'. Plug I, Inside 4 $\frac{1}{2}$ " casing, 1200'-1555', Fruitland, 28 sks, 32.2 Cu.ft.

Fruitland Coal Perforated @ 1560' - 1725'

PBTD @ 1875, TD 1920'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 292470

CONDITIONS

Operator:	OGRID:
DUGAN PRODUCTION CORP	6515
PO Box 420	Action Number:
Farmington, NM 87499	292470
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 11/10/2023	12/18/2023