

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO.	30-015-36482
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name KOOL AID STATE	
8. Well Number	5
9. OGRID Number	328947
10. Pool name or Wildcat EMPIRE; GLORIETA-YESO	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3716' GR	

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
SPUR ENERGY PARTNERS LLC

3. Address of Operator
9655 KATY FREEWAY, SUITE 500, HOUSTON, TX 77024

4. Well Location
 Unit Letter A : 990 feet from the NORTH line and 990 feet from the EAST line
 Section 24 Township 17S Range 28E NMPM EDDY County

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	P AND A <input type="checkbox"/>
CLOSED-LOOP SYSTEM <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <u>TEMPORARILY ABANDON</u> <input checked="" type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Spur Energy Partners LLC has successfully ran an MIT test to put this well in TA status. Please find chart attached.

1. MIRU kill truck
2. Notified NMOCD of casing integrity test 24-hours in advance
3. Loaded 5-1/2" production casing w/ fresh water treated w/ 5 gals biocide per 130 bbl fresh water
4. Pressure tested csg to 560 psi, closed track valve and tested for 32 minutes. Good test
5. RDMO kill truck, submit test to Houston office

FINAL TA STATUS- EXTENSION

Approval of TA EXPIRES: 12/12/28
 Well needs to be **PLUGGED OR RETURNED**
 to **PRODUCTION**
 BY THE DATE STATED ABOVE: X 7

Spud Date:

03/01/2010

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Sarah Chapman TITLE REGULATORY DIRECTOR DATE 12/13/2023

Type or print name SARAH CHAPMAN E-mail address: SCHAPMAN@SPURENERGY.COM PHONE: 832-930-8613

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 12/20/23

Conditions of Approval (if any):



Kool Aid State #5

Eddy County, NM
API# 30-015-36482

SPUD DATE: 3/1/2010
ELEV: 3,716' GR

8 5/8" 32# J-55 Csg @ 302'

CMT W/ 550 SX C LEAD, 350 SX C TAIL
CIRC 490 SX

CURRENT WBD

1/14/19:
CSG
LOADED.
CSG
TESTED
GOOD TO
4,500 PSI
FOR 30 MIN

1/11/19: CIBP @ 3,815'
KB W/ 10 SX C CMT
EST TOC @ 3,775'

PADDOCK PERFS (3.860'-4.090')

12/15/10: PERF'D 3,860'-4,090', 1 SPF, 26 HOLES
ACIDIZE W/ 3,000 GALS 15% ACID. FRAC W/101,529
GALS GEL, 116,559# 16/30 BRADY SAND, 13,415# 16/
30 SLC.

UPPER BLBR PERFS (4.310'-4.510')

3/27/10: PERF'D 4,310'-4,510', 1 SPF, 26 HOLES
ACIDIZE W/ 2500 GALS ACID
FRAC W/111,836 GALS GEL, 112,141# 16/30 WHITE SAND,
31,548# 16/30 SUPER LC.

10/19/10: ISOLATED PERFS W/ RBP & PKR, ACIDIZE W/
2500 GALS

MIDDLE BLBR PERFS (4.580'-4.780')

3/27/10: PERF'D 4,580'-4,780', 1 SPF, 26 HOLES
ACIDIZE W/ 3500 GALS ACID.
FRAC W/117,351 GALS GEL, 148,225# 16/30 WHITE SAND,
30,210# 16/30 SUPER LC

LOWER BLBR PERFS (4.850'-5.050')

3/24/10: PERF'D 4,850'-5,050', 1 SPF, 26 HOLES
ACIDIZE W/ 3500 GALS ACID.
FRAC W/119,205 GALS GEL, 149,168# 16/30 WHITE SAND,
30,662# 16/30 SUPER LC.

10/19/10: ISOLATED PERFS W/ RBP & PKR, ACIDIZE W/
2500 GALS

5 1/2" 17# J-55 LT&C csg @ 5,405'

CMT W/ 950 SX C LEAD, 400 SX C TAIL
CIRC 206 SX

TD @ 5,410'
PBTD @ 5,362'

CREATED ON 3/27/2020
UPDATED ON 3/27/2020

Kool Aid State #5Eddy County, NM
API# 30-015-36482SPUD DATE: 3/1/2010
ELEV: 3,716' GR**8 5/8" 32# J-55 Csg @ 302'**CMT W/ 550 SX C LEAD, 350 SX C TAIL
CIRC 490 SX**PROPOSED WBD****PROPOSED:**
TEST CSG
TO 500 PSI
FOR 30 MIN**1/14/19:**
CSG
LOADED.
CSG
TESTED
GOOD TO
4,500 PSI
FOR 30 MIN**1/11/19:** CIBP @ 3,815'
KB W/ 10 SX C CMT
EST TOC @ 3,775'**PADDOCK PERFS (3.860'-4.090')**12/15/10: PERF'D 3,860'-4,090', 1 SPF, 26 HOLES
ACIDIZE W/ 3,000 GALS 15% ACID. FRAC W/101,529
GALS GEL, 116,559# 16/30 BRADY SAND, 13,415# 16/
30 SLC.**UPPER BLBR PERFS (4.310'-4.510')**3/27/10: PERF'D 4,310'-4,510', 1 SPF, 26 HOLES
ACIDIZE W/ 2500 GALS ACID
FRAC W/111,836 GALS GEL, 112,141# 16/30 WHITE SAND,
31,548# 16/30 SUPER LC.10/19/10: ISOLATED PERFS W/ RBP & PKR, ACIDIZE W/
2500 GALS**MIDDLE BLBR PERFS (4.580'-4.780')**3/27/10: PERF'D 4,580'-4,780', 1 SPF, 26 HOLES
ACIDIZE W/ 3500 GALS ACID.
FRAC W/117,351 GALS GEL, 148,225# 16/30 WHITE SAND,
30,210# 16/30 SUPER LC**LOWER BLBR PERFS (4.850'-5.050')**3/24/10: PERF'D 4,850'-5,050', 1 SPF, 26 HOLES
ACIDIZE W/ 3500 GALS ACID.
FRAC W/119,205 GALS GEL, 149,168# 16/30 WHITE SAND,
30,662# 16/30 SUPER LC.10/19/10: ISOLATED PERFS W/ RBP & PKR, ACIDIZE W/
2500 GALS**5 1/2" 17# J-55 LT&C csg @ 5,405'**CMT W/ 950 SX C LEAD, 400 SX C TAIL
CIRC 206 SXTD @ 5,410'
PBTD @ 5,362'CREATED ON 3/27/2020
UPDATED ON 3/27/2020

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 294095

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 294095
	Action Type: [C-103] Sub. Temporary Abandonment (C-103U)

CONDITIONS

Created By	Condition	Condition Date
kfortner	TA expires 12/12/28	12/20/2023